

BSgenome.Hsapiens.UCSC.hg38

April 13, 2022

`BSgenome.Hsapiens.UCSC.hg38`

Full genome sequences for Homo sapiens (UCSC version hg38, based on GRCh38.p13)

Description

Full genome sequences for Homo sapiens (Human) as provided by UCSC (hg38, based on GRCh38.p13) and stored in Biostrings objects.

Note

This BSgenome data package was made from the following source data files:

`hg38.p13.2bit`, downloaded from <https://hgdownload.soe.ucsc.edu/goldenPath/hg38/bigZips/p13/> on October 20, 2021.

See [?BSgenomeForge](#) and the `BSgenomeForge` vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

Author(s)

The Bioconductor Dev Team

See Also

- `BSgenome` objects and the `available.genomes` function in the **BSgenome** software package.
- `DNAString` objects in the **Biostrings** package.
- The `BSgenomeForge` vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

Examples

```
BSgenome.Hsapiens.UCSC.hg38
genome <- BSgenome.Hsapiens.UCSC.hg38
head(seqlengths(genome))
genome$chr1 # same as genome[["chr1"]]

## -----
## Genome-wide motif searching
## -----
## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

Index

- * **data**
 - BSgenome.Hsapiens.UCSC.hg38, [1](#)
- * **package**
 - BSgenome.Hsapiens.UCSC.hg38, [1](#)
- available.genomes, [1](#)
- BSgenome, [1](#)
- BSgenome.Hsapiens.UCSC.hg38, [1](#)
- BSgenome.Hsapiens.UCSC.hg38-package
 - (BSgenome.Hsapiens.UCSC.hg38),
 - [1](#)
- BSgenomeForge, [1](#)
- DNAString, [1](#)
- Hsapiens (BSgenome.Hsapiens.UCSC.hg38),
 - [1](#)