

# Package ‘oligo’

July 26, 2025

**Version** 1.73.0

**Title** Preprocessing tools for oligonucleotide arrays

**Author** Benilton Carvalho and Rafael Irizarry

**Contributors** Ben Bolstad, Vincent Carey, Wolfgang Huber, Harris Jaffee, Jim MacDonald, Matt Settles, Guido Hooiveld

**Maintainer** Benilton Carvalho <benilton@unicamp.br>

**Depends** R (>= 3.2.0), BiocGenerics (>= 0.13.11), oligoClasses (>= 1.29.6), Biobase (>= 2.27.3), Biostrings (>= 2.35.12)

**Imports** affyio (>= 1.35.0), affxparser (>= 1.39.4), DBI (>= 0.3.1), ff, graphics, methods, preprocessCore (>= 1.29.0), RSQLite (>= 1.0.0), splines, stats, stats4, utils, bit

**Enhances** doMC, doMPI

**LinkingTo** preprocessCore

**Suggests** BSgenome.Hsapiens.UCSC.hg18, hapmap100kxba, pd.hg.u95av2, pd.mapping50k.xba240, pd.huex.1.0.st.v2, pd.hg18.60mer.expr, pd.hugene.1.0.st.v1, maqcExpression4plex, genefilter, limma, RColorBrewer, oligoData, BiocStyle, knitr, RUnit, biomaRt, AnnotationDbi, ACME, RCurl

**VignetteBuilder** knitr

**Description** A package to analyze oligonucleotide arrays (expression/SNP/tiling/exon) at probe-level. It currently supports Affymetrix (CEL files) and NimbleGen arrays (XYS files).

**License** LGPL (>= 2)

**Collate** AllGenerics.R methods-GenericArrays.R methods-GeneFeatureSet.R methods-ExonFeatureSet.R methods-ExpressionFeatureSet.R methods-ExpressionSet.R methods-LDS.R methods-FeatureSet.R methods-SnpFeatureSet.R methods-SnpCnvFeatureSet.R methods-TilingFeatureSet.R methods-HtaFeatureSet.R methods-DBPDInfo.R methods-background.R methods-normalization.R methods-summarization.R read.celfiles.R read.xysfiles.R utils-general.R utils-selectors.R todo-snp.R functions-crlmm.R functions-snpRMA.R justSNPRMA.R justCRLMM.R methods-snp6.R methods-genotype.R methods-PLMset.R zzz.R

**LazyLoad** Yes

**URL** <https://github.com/benilton/oligo>

**biocViews** Microarray, OneChannel, TwoChannel, Preprocessing, SNP,  
DifferentialExpression, ExonArray, GeneExpression, DataImport

**git\_url** <https://git.bioconductor.org/packages/oligo>

**git\_branch** devel

**git\_last\_commit** 50bd1ff

**git\_last\_commit\_date** 2025-04-15

**Repository** Bioconductor 3.22

**Date/Publication** 2025-07-25

## Contents

|                                         |    |
|-----------------------------------------|----|
| oligo-package . . . . .                 | 3  |
| basecontent . . . . .                   | 4  |
| basicPLM . . . . .                      | 4  |
| basicRMA . . . . .                      | 5  |
| boxplot . . . . .                       | 6  |
| chromosome . . . . .                    | 7  |
| crlmm . . . . .                         | 7  |
| darkColors . . . . .                    | 8  |
| fitProbeLevelModel . . . . .            | 9  |
| getAffinitySplineCoefficients . . . . . | 10 |
| getBaseProfile . . . . .                | 10 |
| getContainer . . . . .                  | 11 |
| getCrlmmSummaries . . . . .             | 11 |
| getNetAffx . . . . .                    | 12 |
| getNgsColorsInfo . . . . .              | 12 |
| getPlatformDesign . . . . .             | 13 |
| getProbeInfo . . . . .                  | 14 |
| getX . . . . .                          | 15 |
| hist . . . . .                          | 15 |
| image . . . . .                         | 16 |
| justSNPRMA . . . . .                    | 17 |
| list.xysfiles . . . . .                 | 18 |
| MAplot . . . . .                        | 18 |
| mm . . . . .                            | 20 |
| mmindex . . . . .                       | 21 |
| mmSequence . . . . .                    | 22 |
| oligo-defunct . . . . .                 | 22 |
| oligoPLM-class . . . . .                | 23 |
| paCalls . . . . .                       | 25 |
| plotM-methods . . . . .                 | 26 |
| pmAllele . . . . .                      | 27 |
| pmFragmentLength . . . . .              | 27 |
| pmPosition . . . . .                    | 28 |
| pmStrand . . . . .                      | 28 |
| probeNames . . . . .                    | 29 |
| read.celfiles . . . . .                 | 29 |
| read.xysfiles . . . . .                 | 31 |

|                                |    |
|--------------------------------|----|
| readSummaries . . . . .        | 32 |
| rma-methods . . . . .          | 33 |
| runDate . . . . .              | 34 |
| sequenceDesignMatrix . . . . . | 35 |
| snprma . . . . .               | 35 |
| summarize . . . . .            | 36 |

|              |           |
|--------------|-----------|
| <b>Index</b> | <b>38</b> |
|--------------|-----------|

---

|               |                                                                                   |
|---------------|-----------------------------------------------------------------------------------|
| oligo-package | <i>The oligo package: a tool for low-level analysis of oligonucleotide arrays</i> |
|---------------|-----------------------------------------------------------------------------------|

---

## Description

The **oligo** package provides tools to preprocess different oligonucleotide arrays types: expression, tiling, SNP and exon chips. The supported manufacturers are Affymetrix and NimbleGen.

It offers support to large datasets (when the **bigmemory** is loaded) and can execute preprocessing tasks in parallel (if, in addition to **bigmemory**, the **snow** package is also loaded).

## Details

The package will read the raw intensity files (CEL for Affymetrix; XYS for NimbleGen) and allow the user to perform analyses starting at the feature-level.

Reading in the intensity files require the existence of data packages that contain the chip specific information (X/Y coordinates; feature types; sequence). These data packages packages are built using the **pdInfoBuilder** package.

For Affymetrix SNP arrays, users are asked to download the already built annotation packages from BioConductor. This is because these packages contain metadata that are not automatically created. The following annotation packages are available:

50K Xba - pd.mapping50kxba.240 50K Hind - pd.mapping50khind.240 250K Sty - pd.mapping250k.sty  
250K Nsp - pd.mapping250k.nsp GenomeWideSnp 5 (SNP 5.0) - pd.genomewidesnp.5 GenomeWideSnp  
6 (SNP 6.0) - pd.genomewidesnp.6

For users interested in genotype calls for SNP 5.0 and 6.0 arrays, we strongly recommend the use use the **crlmm** package, which implements a more efficient version of CRLMM.

## Author(s)

Benilton Carvalho - <carvalho@bclab.org>

## References

Carvalho, B.; Bengtsson, H.; Speed, T. P. & Irizarry, R. A. Exploration, Normalization, and Genotype Calls of High Density Oligonucleotide SNP Array Data. Biostatistics, 2006.

---

|             |                               |
|-------------|-------------------------------|
| basecontent | <i>Sequence Base Contents</i> |
|-------------|-------------------------------|

---

**Description**

Function to compute the amounts of each nucleotide in a sequence.

**Usage**

```
basecontent(seq)
```

**Arguments**

seq                      character vector of length n containing a valid sequence (A/T/C/G)

**Value**

matrix with n rows and 4 columns with the counts for each base.

**Examples**

```
sequences <- c("ATATATCCCCG", "TTCCGAGC")
basecontent(sequences)
```

---

|          |                                     |
|----------|-------------------------------------|
| basicPLM | <i>Simplified interface to PLM.</i> |
|----------|-------------------------------------|

---

**Description**

Simplified interface to PLM.

**Usage**

```
basicPLM(pmMat, pnVec, normalize = TRUE, background = TRUE, transfo =
  log2, method = c('plm', 'plmr', 'plmrr', 'plmrc'), verbose = TRUE)
```

**Arguments**

|            |                                                                                                                                                                                                                             |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pmMat      | Matrix of intensities to be processed.                                                                                                                                                                                      |
| pnVec      | Probeset names                                                                                                                                                                                                              |
| normalize  | Logical flag: normalize?                                                                                                                                                                                                    |
| background | Logical flag: background adjustment?                                                                                                                                                                                        |
| transfo    | function: function to be used for data transformation prior to summarization.                                                                                                                                               |
| method     | Name of the method to be used for normalization. 'plm' is the usual PLM model; 'plmr' is the (row and column) robust version of PLM; 'plmrr' is the row-robust version of PLM; 'plmrc' is the column-robust version of PLM. |
| verbose    | Logical flag: verbose.                                                                                                                                                                                                      |

**Value**

A list with the following components:

|           |                                                                             |
|-----------|-----------------------------------------------------------------------------|
| Estimates | A (length(pnVec) x ncol(pmMat)) matrix with probeset summaries.             |
| StdErrors | A (length(pnVec) x ncol(pmMat)) matrix with standard errors of 'Estimates'. |
| Residuals | A (nrow(pmMat) x ncol(pmMat)) matrix of residuals.                          |

**Note**

Currently, only RMA-bg-correction and quantile normalization are allowed.

**Author(s)**

Benilton Carvalho

**See Also**

[rcModelPLM](#), [rcModelPLMr](#), [rcModelPLMrr](#), [rcModelPLMrc](#), [basicRMA](#)

**Examples**

```
set.seed(1)
pms <- 2^matrix(rnorm(1000), nc=20)
colnames(pms) <- paste("sample", 1:20, sep="")
pns <- rep(letters[1:10], each=5)
res <- basicPLM(pms, pns, TRUE, TRUE)
res[['Estimates']][1:4, 1:3]
res[['StdErrors']][1:4, 1:3]
res[['Residuals']][1:20, 1:3]
```

---

basicRMA

*Simplified interface to RMA.*

---

**Description**

Simple interface to RMA.

**Usage**

```
basicRMA(pmMat, pnVec, normalize = TRUE, background = TRUE, bgversion = 2, destructive = FALSE, verbose = FALSE)
```

**Arguments**

|             |                                        |
|-------------|----------------------------------------|
| pmMat       | Matrix of intensities to be processed. |
| pnVec       | Probeset names.                        |
| normalize   | Logical flag: normalize?               |
| background  | Logical flag: background adjustment?   |
| bgversion   | Version of background correction.      |
| destructive | Logical flag: use destructive methods? |
| verbose     | Logical flag: verbose.                 |
| ...         | Not currently used.                    |

**Value**

Matrix.

**Examples**

```
set.seed(1)
pms <- 2^matrix(rnorm(1000), nc=20)
colnames(pms) <- paste("sample", 1:20, sep="")
pns <- rep(letters[1:10], each=5)
res <- basicRMA(pms, pns, TRUE, TRUE)
res[, 1:3]
```

---

boxplot

*Boxplot*


---

**Description**

Boxplot for observed (log-)intensities in a FeatureSet-like object (ExpressionFeatureSet, ExonFeatureSet, SnpFeatureSet, TilingFeatureSet) and ExpressionSet.

**Usage**

```
## S4 method for signature 'FeatureSet'
boxplot(x, which=c("pm", "mm", "bg", "both",
"all"), transfo=log2, nsample=10000, target = "mps1", ...)

## S4 method for signature 'ExpressionSet'
boxplot(x, which, transfo=identity, nsample=10000, ...)
```

**Arguments**

|                      |                                                                  |
|----------------------|------------------------------------------------------------------|
| <code>x</code>       | a FeatureSet-like object or ExpressionSet object.                |
| <code>which</code>   | character defining what probe types are to be used in the plot.  |
| <code>transfo</code> | a function to transform the data before plotting. See 'Details'. |
| <code>nsample</code> | number of units to sample and build the plot.                    |
| <code>target</code>  | the target type of the probes to be used.                        |
| <code>...</code>     | arguments to be passed to the default boxplot method.            |

**Details**

The 'transfo' argument will set the transformation to be used. For raw data, 'transfo=log2' is a common practice. For summarized data (which are often in log2-scale), no transformation is needed (therefore 'transfo=identity').

**Note**

The boxplot methods for FeatureSet and Expression use a sample (via sample) of the probes/probesets to produce the plot. Therefore, the user interested in reproducibility is advised to use `set.seed`.

**See Also**

[hist](#), [image](#), [sample](#), [set.seed](#)

---

|            |                                            |
|------------|--------------------------------------------|
| chromosome | <i>Accessor for chromosome information</i> |
|------------|--------------------------------------------|

---

**Description**

Returns chromosome information.

**Usage**

```
pmChr(object)
```

**Arguments**

|        |                                       |
|--------|---------------------------------------|
| object | TilingFeatureSet or SnpCallSet object |
|--------|---------------------------------------|

**Details**

chromosome() returns the chromosomal information for all probes and pmChr() subsets the output to the PM probes only (if a TilingFeatureSet object).

**Value**

Vector with chromosome information.

---

|       |                       |
|-------|-----------------------|
| crlmm | <i>Genotype Calls</i> |
|-------|-----------------------|

---

**Description**

Performs genotype calls via CRLMM (Corrected Robust Linear Model with Maximum-likelihood based distances).

**Usage**

```
crlmm(filenamees, outdir, batch_size=40000, balance=1.5,
       minLLRforCalls=c(5, 1, 5), recalibrate=TRUE,
       verbose=TRUE, pkgname, reference=TRUE)
justCRLMM(filenamees, batch_size = 40000, minLLRforCalls = c(5, 1, 5),
recalibrate = TRUE, balance = 1.5, phenoData = NULL, verbose = TRUE,
pkgname = NULL, tmpdir=tempdir())
```

**Arguments**

|             |                                                                      |
|-------------|----------------------------------------------------------------------|
| filenamees  | character vector with the filenames.                                 |
| outdir      | directory where the output (and some tmp files) files will be saved. |
| batch_size  | integer defining how many SNPs should be processed at a time.        |
| recalibrate | Logical - should recalibration be performed?                         |
| balance     | Control parameter to balance homozygotes and heterozygotes calls.    |

|                |                                                            |
|----------------|------------------------------------------------------------|
| minLLRforCalls | Minimum thresholds for genotype calls.                     |
| verbose        | Logical.                                                   |
| phenoData      | phenoData object or NULL                                   |
| pkgname        | alt. pdInfo package to be used                             |
| reference      | logical, defaulting to TRUE ...                            |
| tmpdir         | Directory where temporary files are going to be stored at. |

**Value**

SnpCallSetPlus object.

---

|            |                                                                               |
|------------|-------------------------------------------------------------------------------|
| darkColors | <i>Create set of colors, interpolating through a set of preferred colors.</i> |
|------------|-------------------------------------------------------------------------------|

---

**Description**

Create set of colors, interpolating through a set of preferred colors.

**Usage**

```
darkColors(n)
seqColors(n)
seqColors2(n)
divColors(n)
```

**Arguments**

|   |                                                      |
|---|------------------------------------------------------|
| n | integer determining number of colors to be generated |
|---|------------------------------------------------------|

**Details**

darkColors is based on the Dark2 palette in RColorBrewer, therefore useful to describe qualitative features of the data.

seqColors is based on Blues and generates a gradient of blues, therefore useful to describe quantitative features of the data. seqColors2 behaves similarly, but it is based on OrRd (white-orange-red).

divColors is based on the RdBu palette in RColorBrewer, therefore useful to describe quantitative features ranging on two extremes.

**Examples**

```
x <- 1:10
y <- 1:10
cols1 <- darkColors(10)
cols2 <- seqColors(10)
cols3 <- divColors(10)
cols4 <- seqColors2(10)
plot(x, y, col=cols1, xlim=c(1, 13), pch=19, cex=3)
points(x+1, y, col=cols2, pch=19, cex=3)
points(x+2, y, col=cols3, pch=19, cex=3)
points(x+3, y, col=cols4, pch=19, cex=3)
abline(0, 1, lty=2)
```

```
abline(-1, 1, lty=2)
abline(-2, 1, lty=2)
abline(-3, 1, lty=2)
```

---

|                    |                                        |
|--------------------|----------------------------------------|
| fitProbeLevelModel | <i>Tool to fit Probe Level Models.</i> |
|--------------------|----------------------------------------|

---

## Description

Fits robust Probe Level linear Models to all the (meta)probesets in an [FeatureSet](#). This is carried out on a (meta)probeset by (meta)probeset basis.

## Usage

```
fitProbeLevelModel(object, background=TRUE, normalize=TRUE, target="core", method="plm", verbose=TRUE)
```

## Arguments

|            |                                                                                                                                            |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| object     | <a href="#">FeatureSet</a> object.                                                                                                         |
| background | Do background correction?                                                                                                                  |
| normalize  | Do normalization?                                                                                                                          |
| target     | character vector describing the summarization target. Valid values are: 'probe-set', 'core' (Gene/Exon), 'full' (Exon), 'extended' (Exon). |
| method     | summarization method to be used.                                                                                                           |
| verbose    | verbosity flag.                                                                                                                            |
| S4         | return final value as an S4 object ( <a href="#">oligoPLM</a> ) if TRUE. If FALSE, final value is returned as a list.                      |
| ...        | subset to be passed down to <a href="#">getProbeInfo</a> for subsetting. See <a href="#">subset</a> for details.                           |

## Value

fitProbeLevelModel returns an [oligoPLM](#) object, if S4=TRUE; otherwise, it will return a list.

## Note

This is the initial port of fitPLM to oligo. Some features found on the original work by Ben Bolstad (in the affyPLM package) may not be yet available. If you found one of this missing characteristics, please contact Benilton Carvalho.

## Author(s)

This is a simplified port from Ben Bolstad's work implemented in the affyPLM package. Problems with the implementation in oligo should be reported to Benilton Carvalho.

## References

Bolstad, BM (2004) *Low Level Analysis of High-density Oligonucleotide Array Data: Background, Normalization and Summarization*. PhD Dissertation. University of California, Berkeley.

**See Also**

[rma](#), [summarizationMethods](#), [subset](#)

**Examples**

```
if (require(oligoData)){
  data(nimbleExpressionFS)
  fit <- fitProbeLevelModel(nimbleExpressionFS)
  image(fit)
  NUSE(fit)
  RLE(fit)
}
```

---

getAffinitySplineCoefficients

*Estimate affinity coefficients.*

---

**Description**

Estimate affinity coefficients using sequence information and splines.

**Usage**

```
getAffinitySplineCoefficients(intensities, sequences)
```

**Arguments**

|             |                  |
|-------------|------------------|
| intensities | Intensity matrix |
| sequences   | Probe sequences  |

**Value**

Matrix with estimated coefficients.

**See Also**

[getBaseProfile](#)

---

getBaseProfile

*Compute and plot nucleotide profile.*

---

**Description**

Computes and, optionally, plots nucleotide profile, describing the sequence effect on intensities.

**Usage**

```
getBaseProfile(coefs, probeLength = 25, plot = FALSE, ...)
```

**Arguments**

|             |                                    |
|-------------|------------------------------------|
| coefs       | affinity spline coefficients.      |
| probeLength | length of probes                   |
| plot        | logical. Plots profile?            |
| ...         | arguments to be passed to matplot. |

**Value**

Invisibly returns a matrix with estimated effects.

---

|              |                                                               |
|--------------|---------------------------------------------------------------|
| getContainer | <i>Get container information for NimbleGen Tiling Arrays.</i> |
|--------------|---------------------------------------------------------------|

---

**Description**

Get container information for NimbleGen Tiling Arrays. This is useful for better identification of control probes.

**Usage**

```
getContainer(object, probeType)
```

**Arguments**

|           |                                                      |
|-----------|------------------------------------------------------|
| object    | A TilingFeatureSet or TilingFeatureSet object.       |
| probeType | String describing which probes to query ('pm', 'bg') |

**Value**

'character' vector with container information.

---

|                   |                                                      |
|-------------------|------------------------------------------------------|
| getCrlmmSummaries | <i>Function to get CRLMM summaries saved to disk</i> |
|-------------------|------------------------------------------------------|

---

**Description**

This will read the summaries written to disk and return them to the user as a SnpCallSetPlus or SnpCnvCallSetPlus object.

**Usage**

```
getCrlmmSummaries(tmpdir)
```

**Arguments**

|        |                                             |
|--------|---------------------------------------------|
| tmpdir | directory where CRLMM saved the results to. |
|--------|---------------------------------------------|

**Value**

If the data were from SNP 5.0 or 6.0 arrays, the function will return a SnpCnvCallSetPlus object. It will return a SnpCallSetPlus object, otherwise.

---

getNetAffx

*NetAffx Biological Annotations*


---

### Description

Gets NetAffx Biological Annotations saved in the annotation package (Exon and Gene ST Affymetrix arrays).

### Usage

```
getNetAffx(object, type = "probeset")
```

### Arguments

|        |                                                                                       |
|--------|---------------------------------------------------------------------------------------|
| object | 'ExpressionSet' object (eg., result of rma())                                         |
| type   | Either 'probeset' or 'transcript', depending on what type of summaries were obtained. |

### Details

This retrieves NetAffx annotation saved in the (pd) annotation package - annotation(object). It is only available for Exon ST and Gene ST arrays.

The 'type' argument should match the summarization target used to generate 'object'. The 'rma' method allows for two targets: 'probeset' (target='probeset') and 'transcript' (target='core', target='full', target='extended').

### Value

'AnnotatedDataFrame' that can be used as featureData(object)

### Author(s)

Benilton Carvalho

---

getNgsColorsInfo

*Helper function to extract color information for filenames on Nimble-Gen arrays.*


---

### Description

This function will (try to) extract the color information for NimbleGen arrays. This is useful when using read.xysfiles2 to parse XYS files for Tiling applications.

### Usage

```
getNgsColorsInfo(path = ".", pattern1 = "_532", pattern2 = "_635", ...)
```

**Arguments**

|          |                                                             |
|----------|-------------------------------------------------------------|
| path     | path where to look for files                                |
| pattern1 | pattern to match files supposed to go to the first channel  |
| pattern2 | pattern to match files supposed to go to the second channel |
| ...      | extra arguments for list.files                              |

**Details**

Many NimbleGen samples are identified following the pattern sampleID\_532.XYS / sampleID\_635.XYS.

The function suggests sample names if all the filenames follow the standard above.

**Value**

A data.frame with, at least, two columns: 'channel1' and 'channel2'. A third column, 'sample-Names', is returned if the filenames follow the sampleID\_532.XYS / sampleID\_635.XYS standard.

**Author(s)**

Benilton Carvalho <bcarvalh@jhsp.edu>

---

|                   |                                        |
|-------------------|----------------------------------------|
| getPlatformDesign | <i>Retrieve Platform Design object</i> |
|-------------------|----------------------------------------|

---

**Description**

Retrieve platform design object.

**Usage**

```
getPlatformDesign(object)
getPD(object)
```

**Arguments**

|        |                   |
|--------|-------------------|
| object | FeatureSet object |
|--------|-------------------|

**Details**

Retrieve platform design object.

**Value**

platformDesign or PDInfo object.

---

|              |                                    |
|--------------|------------------------------------|
| getProbeInfo | <i>Probe information selector.</i> |
|--------------|------------------------------------|

---

### Description

A tool to simplify the selection of probe information, so user does not need to use the SQL approaches.

### Usage

```
getProbeInfo(object, field, probeType = "pm", target = "core", sortBy = c("fid", "man_fsetid", "none"))
```

### Arguments

|           |                                                                                   |
|-----------|-----------------------------------------------------------------------------------|
| object    | FeatureSet object.                                                                |
| field     | character string with names of field(s) of interest to be obtained from database. |
| probeType | character string: 'pm' or 'mm'                                                    |
| target    | Used only for Exon or Gene ST arrays: 'core', 'full', 'extended', 'probeset'.     |
| sortBy    | Field to be used for sorting.                                                     |
| ...       | Arguments to be passed to <a href="#">subset</a>                                  |

### Value

A data.frame with the probe level information.

### Note

The code allows for querying info on MM probes, however it has been used mostly on PM probes.

### Author(s)

Benilton Carvalho

### Examples

```
if (require(oligoData)){
  data(affyGeneFS)
  availProbeInfo(affyGeneFS)
  probeInfo <- getProbeInfo(affyGeneFS, c('fid', 'x', 'y', 'chrom'))
  head(probeInfo)
  ## Selecting antigenomic background probes
  agenGene <- getProbeInfo(affyGeneFS, field=c('fid', 'fsetid', 'type'), target='probeset', subset= type == 'c')
  head(agenGene)
}
```

---

getX

Accessors for physical array coordinates.

---

### Description

Accessors for physical array coordinates.

### Usage

```
getX(object, type)
getY(object, type)
```

### Arguments

|        |                                                                                               |
|--------|-----------------------------------------------------------------------------------------------|
| object | FeatureSet object                                                                             |
| type   | 'character' defining the type of the probes to be queried. Valid options are 'pm', 'mm', 'bg' |

### Value

A vector with the requested coordinates.

### Examples

```
## Not run:
x <- read.celfiles(list.celfiles())
theXpm <- getX(x, "pm")
theYpm <- getY(x, "pm")

## End(Not run)
```

---

hist

Density estimate

---

### Description

Plot the density estimates for each sample

### Usage

```
## S4 method for signature 'FeatureSet'
hist(x, transfo=log2, which=c("pm", "mm", "bg", "both", "all"),
      nsample=10000, target = "mps1", ...)

## S4 method for signature 'ExpressionSet'
hist(x, transfo=identity, nsample=10000, ...)
```

**Arguments**

|         |                                                                  |
|---------|------------------------------------------------------------------|
| x       | FeatureSet or ExpressionSet object                               |
| transfo | a function to transform the data before plotting. See 'Details'. |
| which   | set of probes to be plotted ("pm", "mm", "bg", "both", "all").   |
| nsample | number of units to sample and build the plot.                    |
| target  | the target type of the probes to be used.                        |
| ...     | arguments to be passed to matplotlib                             |

**Details**

The 'transfo' argument will set the transformation to be used. For raw data, 'transfo=log2' is a common practice. For summarized data (which are often in log2-scale), no transformation is needed (therefore 'transfo=identity').

**Note**

The hist methods for FeatureSet and Expression use a sample (via sample) of the probes/probesets to produce the plot (unless nsample > nrow(x)). Therefore, the user interested in reproducibility is advised to use set.seed.

---

image

---

*Display a pseudo-image of a microarray chip*


---

**Description**

Produces a pseudo-image (graphics::image) for each sample.

**Usage**

```
## S4 method for signature 'FeatureSet'
image(x, which, transfo=log2, ...)

## S4 method for signature 'PLMset'
image(x, which=0,
      type=c("weights", "resids", "pos.resids", "neg.resids", "sign.resids"),
      use.log=TRUE, add.legend=FALSE, standardize=FALSE,
      col=NULL, main, ...)
```

**Arguments**

|             |                                                       |
|-------------|-------------------------------------------------------|
| x           | FeatureSet object                                     |
| which       | integer indices of samples to be plotted (optional).  |
| transfo     | function to be applied to the data prior to plotting. |
| type        | Type of statistics to be used.                        |
| use.log     | Use log.                                              |
| add.legend  | Add legend.                                           |
| standardize | Standardize residuals.                                |

|      |                                  |
|------|----------------------------------|
| col  | Colors to be used.               |
| main | Main title.                      |
| ...  | parameters to be passed to image |

### Examples

```
if(require(oligoData) & require(pd.hg18.60mer.expr)){
  data(nimbleExpressionFS)
  par(mfrow=c(1, 2))
  image(nimbleExpressionFS, which=4)
## fit <- fitPLM(nimbleExpressionFS)
## image(fit, which=4)
  plot(1) ## while fixing fitPLM TODO
}
```

---

|            |                                  |
|------------|----------------------------------|
| justSNPRMA | <i>Summarization of SNP data</i> |
|------------|----------------------------------|

---

### Description

This function implements the SNPRMA method for summarization of SNP data. It works directly with the CEL files, saving memory.

### Usage

```
justSNPRMA(filenamees, verbose = TRUE, phenoData = NULL, normalizeToHapmap = TRUE)
```

### Arguments

|                   |                                                                                |
|-------------------|--------------------------------------------------------------------------------|
| filenamees        | character vector with the filenames.                                           |
| verbose           | logical flag for verbosity.                                                    |
| phenoData         | a phenoData object or NULL                                                     |
| normalizeToHapmap | Normalize to Hapmap? Should always be TRUE, but it's kept here for future use. |

### Value

SnpQSet or a SnpCnvQSet, depending on the array type.

### Examples

```
## snprmaResults <- justSNPRMA(list.celfiles())
```

---

|                            |                       |
|----------------------------|-----------------------|
| <code>list.xysfiles</code> | <i>List XYS files</i> |
|----------------------------|-----------------------|

---

**Description**

Lists the XYS files.

**Usage**

```
list.xysfiles(...)
```

**Arguments**

... parameters to be passed to [list.files](#)

**Details**

The functions interface [list.files](#) and the user is asked to check that function for further details.

**Value**

Character vector with the filenames.

**See Also**

[list.files](#)

**Examples**

```
list.xysfiles()
```

---

|        |                 |
|--------|-----------------|
| MAplot | <i>MA plots</i> |
|--------|-----------------|

---

**Description**

Create MA plots using a reference array (if one channel) or using channel2 as reference (if two channel).

**Usage**

```
MAplot(object, ...)
```

```
## S4 method for signature 'FeatureSet'
MAplot(object, what=pm, transfo=log2, groups,
        refSamples, which, pch=".", summaryFun=rowMedians,
        plotFun=smoothScatter, main="vs pseudo-median reference chip",
        pairs=FALSE, ...)
```

```
## S4 method for signature 'TilingFeatureSet'
```

```
MAplot(object, what=pm, transfo=log2, groups,
       refSamples, which, pch=".", summaryFun=rowMedians,
       plotFun=smoothScatter, main="vs pseudo-median reference chip",
       pairs=FALSE, ...)

## S4 method for signature 'PLMset'
MAplot(object, what=coefs, transfo=identity, groups,
       refSamples, which, pch=".", summaryFun=rowMedians,
       plotFun=smoothScatter, main="vs pseudo-median reference chip",
       pairs=FALSE, ...)

## S4 method for signature 'matrix'
MAplot(object, what=identity, transfo=identity,
       groups, refSamples, which, pch=".", summaryFun=rowMedians,
       plotFun=smoothScatter, main="vs pseudo-median reference chip",
       pairs=FALSE, ...)

## S4 method for signature 'ExpressionSet'
MAplot(object, what=exprs, transfo=identity,
       groups, refSamples, which, pch=".", summaryFun=rowMedians,
       plotFun=smoothScatter, main="vs pseudo-median reference chip",
       pairs=FALSE, ...)
```

## Arguments

|            |                                                                                                                                                                             |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| object     | FeatureSet, PLMset or ExpressionSet object.                                                                                                                                 |
| what       | function to be applied on object that will extract the statistics of interest, from which log-ratios and average log-intensities will be computed.                          |
| transfo    | function to transform the data prior to plotting.                                                                                                                           |
| groups     | factor describing groups of samples that will be combined prior to plotting. If missing, MvA plots are done per sample.                                                     |
| refSamples | integers (indexing samples) to define which subjects will be used to compute the reference set. If missing, a pseudo-reference chip is estimated using summaryFun.          |
| which      | integer (indexing samples) describing which samples are to be plotted.                                                                                                      |
| pch        | same as pch in plot                                                                                                                                                         |
| summaryFun | function that operates on a matrix and returns a vector that will be used to summarize data belonging to the same group (or reference) on the computation of grouped-stats. |
| plotFun    | function to be used for plotting. Usually smoothScatter, plot or points.                                                                                                    |
| main       | string to be used in title.                                                                                                                                                 |
| pairs      | logical flag to determine if a matrix of MvA plots is to be generated                                                                                                       |
| ...        | Other arguments to be passed downstream, like plot arguments.                                                                                                               |

## Details

MAplot will take the following extra arguments:

1. subset: indices of elements to be plotted to reduce impact of plotting 100's thousands points (if pairs=FALSE only);

2. span: see [loess](#);
3. family.loess: see [loess](#);
4. addLoess: logical flag (default TRUE) to add a loess estimate;
5. parParams: list of params to be passed to par() (if pairs=TRUE only);

## Value

Plot

## Author(s)

Benilton Carvalho - based on Ben Bolstad's original MAplot function.

## See Also

[plot](#), [smoothScatter](#)

## Examples

```
if(require(oligoData) & require(pd.hg18.60mer.expr)){
  data(nimbleExpressionFS)
  nimbleExpressionFS
  groups <- factor(rep(c('brain', 'UnivRef'), each=3))
  data.frame(sampleNames(nimbleExpressionFS), groups)
  MAplot(nimbleExpressionFS, pairs=TRUE, ylim=c(-.5, .5), groups=groups)
}
```

---

mm

*Accessors and replacement methods for the intensity/PM/MM/BG matrices.*

---

## Description

Accessors and replacement methods for the PM/MM/BG matrices.

## Usage

```
intensity(object)
mm(object, subset = NULL, target='core')
pm(object, subset = NULL, target='core')
bg(object, subset = NULL)
mm(object, subset = NULL, target='core')<-value
pm(object, subset = NULL, target='core')<-value
bg(object)<-value
```

## Arguments

|        |                                                                                                                                |
|--------|--------------------------------------------------------------------------------------------------------------------------------|
| object | FeatureSet object.                                                                                                             |
| subset | Not implemented yet.                                                                                                           |
| value  | matrix object.                                                                                                                 |
| target | One of 'probeset', 'core', 'full', 'extended'. This is ignored if the array design is something other than Gene ST or Exon ST. |

## Details

For all objects but `TilingFeatureSet`, these methods will return matrices. In case of `TilingFeatureSet` objects, the value is a 3-dimensional array (probes x samples x channels).

`intensity` will return the whole intensity matrix associated to the object. `pm`, `mm`, `bg` will return the respective PM/MM/BG matrix.

When applied to `ExonFeatureSet` or `GeneFeatureSet` objects, `pm` will return the PM matrix at the transcript level ('core' probes) by default. The user should set the `target` argument accordingly if something else is desired. The valid values are: 'probeset' (Exon and Gene arrays), 'core' (Exon and Gene arrays), 'full' (Exon arrays) and 'extended' (Exon arrays).

The `target` argument has no effects when used on designs other than Gene and Exon ST.

## Examples

```
if (require(maqcExpression4plex) & require(pd.hg18.60mer.expr)){
  xysPath <- system.file("extdata", package="maqcExpression4plex")
  xysFiles <- list.xysfiles(xysPath, full.name=TRUE)
  ngsExpressionFeatureSet <- read.xysfiles(xysFiles)
  pm(ngsExpressionFeatureSet)[1:10,]
}
```

---

mmindex

---

*Accessors for PM, MM or background probes indices.*


---

## Description

Extracts the indexes for PM, MM or background probes.

## Usage

```
mmindex(object, ...)
pmindex(object, ...)
bgindex(object, ...)
```

## Arguments

|                     |                                      |
|---------------------|--------------------------------------|
| <code>object</code> | FeatureSet or DBPDInfo object        |
| <code>...</code>    | Extra arguments, not yet implemented |

## Details

The indices are ordered by 'fid', i.e. they follow the order that the probes appear in the CEL/XYS files.

## Value

A vector of integers representing the rows of the intensity matrix that correspond to PM, MM or background probes.

**Examples**

```
## How pm() works
## Not run:
x <- read.celfiles(list.celfiles())
pms0 <- pm(x)
pmi <- pmindex(x)
pms1 <- exprs(x)[pmi,]
identical(pms0, pms1)

## End(Not run)
```

---

|            |                        |
|------------|------------------------|
| mmSequence | <i>Probe Sequences</i> |
|------------|------------------------|

---

**Description**

Accessor to the (PM/MM/background) probe sequences.

**Usage**

```
mmSequence(object)
pmSequence(object, ...)
bgSequence(object, ...)
```

**Arguments**

|        |                                              |
|--------|----------------------------------------------|
| object | FeatureSet, AffySNPPDInfo or DBPDInfo object |
| ...    | additional arguments                         |

**Value**

A DNASTringSet containing the PM/MM/background probe sequence associated to the array.

---

|               |                                             |
|---------------|---------------------------------------------|
| oligo-defunct | <i>Defunct Functions in Package 'oligo'</i> |
|---------------|---------------------------------------------|

---

**Description**

The functions or variables listed here are no longer part of 'oligo'

**Usage**

```
fitPLM(...)
coefs(...)
resids(...)
```

**Arguments**

|     |            |
|-----|------------|
| ... | Arguments. |
|-----|------------|

## Details

fitPLM was replaced by fitProbeLevelModel, allowing faster execution and providing more specific models. fitPLM was based in the code written by Ben Bolstad in the affyPLM package. However, all the model-fitting functions are now in the package preprocessCore, on which fitProbeLevelModel depends.

coefs and resids, like fitPLM, were inherited from the affyPLM package. They were replaced respectively by coef and residuals, because this is how these statistics are called everywhere else in R.

---

|                |                  |
|----------------|------------------|
| oligoPLM-class | Class "oligoPLM" |
|----------------|------------------|

---

## Description

A class to represent Probe Level Models.

## Objects from the Class

Objects can be created by calls of the form fitProbeLevelModel(*FeatureSetObject*), where *FeatureSetObject* is an object obtained through read.celfiles or read.xysfiles, representing intensities observed for different probes (which are grouped in probesets or meta-probesets) across distinct samples.

## Slots

chip.coefs: "matrix" with chip/sample effects - probeset-level  
 description: "MIAME" compliant description information.  
 phenoData: "AnnotatedDataFrame" with phenotypic data.  
 protocolData: "AnnotatedDataFrame" with protocol data.  
 probe.coefs: "numeric" vector with probe effects  
 weights: "matrix" with weights - probe-level  
 residuals: "matrix" with residuals - probe-level  
 se.chip.coefs: "matrix" with standard errors for chip/sample coefficients  
 se.probe.coefs: "numeric" vector with standard errors for probe effects  
 residualSE: scale - residual standard error  
 geometry: array geometry used for plots  
 method: "character" string describing method used for PLM  
 manufacturer: "character" string with manufacturer name  
 annotation: "character" string with the name of the annotation package  
 narrays: "integer" describing the number of arrays  
 nprobes: "integer" describing the number of probes before summarization  
 nprobesets: "integer" describing the number of probesets after summarization

## Methods

**annotation** signature(object = "oligoPLM"): accessor/replacement method to annotation slot

**boxplot** signature(x = "oligoPLM"): boxplot method

**coef** signature(object = "oligoPLM"): accessor/replacement method to coef slot

**coefs.probe** signature(object = "oligoPLM"): accessor/replacement method to coefs.probe slot

**geometry** signature(object = "oligoPLM"): accessor/replacement method to geometry slot

**image** signature(x = "oligoPLM"): image method

**manufacturer** signature(object = "oligoPLM"): accessor/replacement method to manufacturer slot

**method** signature(object = "oligoPLM"): accessor/replacement method to method slot

**ncol** signature(x = "oligoPLM"): accessor/replacement method to ncol slot

**nprobes** signature(object = "oligoPLM"): accessor/replacement method to nprobes slot

**nprobesets** signature(object = "oligoPLM"): accessor/replacement method to nprobesets slot

**residuals** signature(object = "oligoPLM"): accessor/replacement method to residuals slot

**residualSE** signature(object = "oligoPLM"): accessor/replacement method to residualSE slot

**se** signature(object = "oligoPLM"): accessor/replacement method to se slot

**se.probe** signature(object = "oligoPLM"): accessor/replacement method to se.probe slot

**show** signature(object = "oligoPLM"): show method

**weights** signature(object = "oligoPLM"): accessor/replacement method to weights slot

**NUSE** signature(x = "oligoPLM") : Boxplot of Normalized Unscaled Standard Errors (NUSE) or NUSE values.

**RLE** signature(x = "oligoPLM") : Relative Log Expression boxplot or values.

**opset2eset** signature(x = "oligoPLM") : Convert to ExpressionSet.

## Author(s)

This is a port from Ben Bolstad's work implemented in the affyPLM package. Problems with the implementation in oligo should be reported to the package's maintainer.

## References

Bolstad, BM (2004) *Low Level Analysis of High-density Oligonucleotide Array Data: Background, Normalization and Summarization*. PhD Dissertation. University of California, Berkeley.

## See Also

[rma](#), [summarize](#)

## Examples

```
## TODO: review code and fix broken
## Not run:
if (require(oligoData)){
  data(nimbleExpressionFS)
  fit <- fitProbeLevelModel(nimbleExpressionFS)
  image(fit)
  NUSE(fit)
  RLE(fit)
```

```
}
## End(Not run)
```

---

paCalls

---

*Methods for P/A Calls*


---

## Description

Methods for Present/Absent Calls are meant to provide means of assessing whether or not each of the (PM) intensities are compatible with observations generated by background probes.

## Usage

```
paCalls(object, method, ..., verbose=TRUE)
## S4 method for signature 'ExonFeatureSet'
paCalls(object, method, verbose = TRUE)
## S4 method for signature 'GeneFeatureSet'
paCalls(object, method, verbose = TRUE)
## S4 method for signature 'ExpressionFeatureSet'
paCalls(object, method, ..., verbose = TRUE)
```

## Arguments

|         |                                                    |
|---------|----------------------------------------------------|
| object  | Exon/Gene/Expression-FeatureSet object.            |
| method  | String defining what method to use. See 'Details'. |
| ...     | Additional arguments passed to MAS5. See 'Details' |
| verbose | Logical flag for verbosity.                        |

## Details

For Whole Transcript arrays (Exon/Gene) the valid options for method are 'DABG' (p-values for each probe) and 'PSDABG' (p-values for each probeset). For Expression arrays, the only option currently available for method is 'MAS5'.

### ABOUT MAS5 CALLS:

The additional arguments that can be passed to MAS5 are:

1. alpha1: a significance threshold in (0, alpha2);
2. alpha2: a significance threshold in (alpha1, 0.5);
3. tau: a small positive constant;
4. ignore.saturated: if TRUE, do the saturation correction described in the paper, with a saturation level of 46000;

This function performs the hypothesis test:

H0: median(Ri) = tau, corresponding to absence of transcript  
H1: median(Ri) > tau, corresponding to presence of transcript

where  $R_i = (PM_i - MM_i) / (PM_i + MM_i)$  for each  $i$  a probe-pair in the probe-set represented by data.

The p-value that is returned estimates the usual quantity:

Pr(observing a more "present looking" probe-set than data | data is absent)

So that small p-values imply presence while large ones imply absence of transcript. The detection call is computed by thresholding the p-value as in:

call "P" if p-value < alpha1 call "M" if alpha1 <= p-value < alpha2 call "A" if alpha2 <= p-value

### Value

A matrix (of dimension dim(PM) if method="DABG" or "MAS5"; of dimension length(unique(probeNames(object))) x ncol(object) if method="PSDABG") with p-values for P/A Calls.

### Author(s)

Benilton Carvalho

### References

Clark et al. Discovery of tissue-specific exons using comprehensive human exon microarrays. *Genome Biol* (2007) vol. 8 (4) pp. R64

Liu, W. M. and Mei, R. and Di, X. and Ryder, T. B. and Hubbell, E. and Dee, S. and Webster, T. A. and Harrington, C. A. and Ho, M. H. and Baid, J. and Smeekens, S. P. (2002) Analysis of high density expression microarrays with signed-rank call algorithms, *Bioinformatics*, 18(12), pp. 1593–1599.

Liu, W. and Mei, R. and Bartell, D. M. and Di, X. and Webster, T. A. and Ryder, T. (2001) Rank-based algorithms for analysis of microarrays, *Proceedings of SPIE, Microarrays: Optical Technologies and Informatics*, 4266.

Affymetrix (2002) Statistical Algorithms Description Document, Affymetrix Inc., Santa Clara, CA, whitepaper. [http://www.affymetrix.com/support/technical/whitepapers/sadd\\_whitepaper.pdf](http://www.affymetrix.com/support/technical/whitepapers/sadd_whitepaper.pdf)

### Examples

```
## Not run:
if (require(oligoData) & require(pd.huex.1.0.st.v2)){
  data(affyExonFS)
  ## Get only 2 samples for example
  dabgP = paCalls(affyExonFS[, 1:2])
  dabgPS = paCalls(affyExonFS[, 1:2], "PSDABG")
  head(dabgP) ## for probe
  head(dabgPS) ## for probeset
}

## End(Not run)
```

### Description

The plotM methods are meant to plot log-ratios for different classes of data.

**Methods**

**object = "SnpQSet", i = "character"** Plot log-ratio for SNP data for sample i.  
**object = "SnpQSet", i = "integer"** Plot log-ratio for SNP data for sample i.  
**object = "SnpQSet", i = "numeric"** Plot log-ratio for SNP data for sample i.  
**object = "TilingQSet", i = "missing"** Plot log-ratio for Tiling data for sample i.

---

|          |                                                     |
|----------|-----------------------------------------------------|
| pmAllele | <i>Access the allele information for PM probes.</i> |
|----------|-----------------------------------------------------|

---

**Description**

Accessor to the allelic information for PM probes.

**Usage**

```
pmAllele(object)
```

**Arguments**

|        |                                 |
|--------|---------------------------------|
| object | SnpFeatureSet or PDInfo object. |
|--------|---------------------------------|

---

|                  |                                                  |
|------------------|--------------------------------------------------|
| pmFragmentLength | <i>Access the fragment length for PM probes.</i> |
|------------------|--------------------------------------------------|

---

**Description**

Accessor to the fragment length for PM probes.

**Usage**

```
pmFragmentLength(object, enzyme, type=c('snp', 'cn'))
```

**Arguments**

|        |                                                                               |
|--------|-------------------------------------------------------------------------------|
| object | PDInfo or SnpFeatureSet object.                                               |
| enzyme | Enzyme to be used for query. If missing, all enzymes are used.                |
| type   | Type of probes to be used: 'snp' for SNP probes; 'cn' for Copy Number probes. |

**Value**

A list of length equal to the number of enzymes used for digestion. Each element of the list is a data.frame containing:

- row: the row used to link to the PM matrix;
- length: expected fragment length.

**Note**

There is not a 1:1 relationship between probes and expected fragment length. For one enzyme, a given probe may be associated to multiple fragment lengths. Therefore, the number of rows in the data.frame may not match the number of PM probes and the row column should be used to match the fragment length with the PM matrix.

---

|            |                                         |
|------------|-----------------------------------------|
| pmPosition | <i>Accessor to position information</i> |
|------------|-----------------------------------------|

---

**Description**

pmPosition will return the genomic position for the (PM) probes.

**Usage**

```
pmPosition(object)  
pmOffset(object)
```

**Arguments**

object            AffySNPPDInfo, TilingFeatureSet or SnpCallSet object

**Details**

pmPosition will return genomic position for PM probes on a tiling array.

pmOffset will return the offset information for PM probes on SNP arrays.

---

|          |                                           |
|----------|-------------------------------------------|
| pmStrand | <i>Accessor to the strand information</i> |
|----------|-------------------------------------------|

---

**Description**

Returns the strand information for PM probes (0 - sense / 1 - antisense).

**Usage**

```
pmStrand(object)
```

**Arguments**

object            AffySNPPDInfo or TilingFeatureSet object

---

|            |                                  |
|------------|----------------------------------|
| probeNames | <i>Accessor to feature names</i> |
|------------|----------------------------------|

---

**Description**

Accessors to featureset names.

**Usage**

```
probeNames(object, subset = NULL, ...)
probesetNames(object, ...)
```

**Arguments**

|        |                                                         |
|--------|---------------------------------------------------------|
| object | FeatureSet or DBPDInfo                                  |
| subset | not implemented yet.                                    |
| ...    | Arguments (like 'target') passed to downstream methods. |

**Value**

probeNames returns a string with the probeset names for *\*each probe\** on the array. probesetNames, on the other hand, returns the *\*unique probeset names\**.

---

|               |                            |
|---------------|----------------------------|
| read.celfiles | <i>Parser to CEL files</i> |
|---------------|----------------------------|

---

**Description**

Reads CEL files.

**Usage**

```
read.celfiles(..., filenames, pkgname, phenoData, featureData,
experimentData, protocolData, notes, verbose=TRUE, sampleNames,
rm.mask=FALSE, rm.outliers=FALSE, rm.extra=FALSE, checkType=TRUE)
```

```
read.celfiles2(channel1, channel2, pkgname, phenoData, featureData,
experimentData, protocolData, notes, verbose=TRUE, sampleNames,
rm.mask=FALSE, rm.outliers=FALSE, rm.extra=FALSE, checkType=TRUE)
```

**Arguments**

|           |                                                                                            |
|-----------|--------------------------------------------------------------------------------------------|
| ...       | names of files to be read.                                                                 |
| filenames | a character vector with the CEL filenames.                                                 |
| channel1  | a character vector with the CEL filenames for the first 'channel' on a Tiling application  |
| channel2  | a character vector with the CEL filenames for the second 'channel' on a Tiling application |

|                |                                                                                     |
|----------------|-------------------------------------------------------------------------------------|
| pkgname        | alternative data package to be loaded.                                              |
| phenoData      | phenoData                                                                           |
| featureData    | featureData                                                                         |
| experimentData | experimentData                                                                      |
| protocolData   | protocolData                                                                        |
| notes          | notes                                                                               |
| verbose        | logical                                                                             |
| sampleNames    | character vector with sample names (usually better descriptors than the file-names) |
| rm.mask        | logical. Read masked?                                                               |
| rm.outliers    | logical. Remove outliers?                                                           |
| rm.extra       | logical. Remove extra?                                                              |
| checkType      | logical. Check type of each file? This can be time consuming.                       |

### Details

When using 'affyio' to read in CEL files, the user can read compressed CEL files (CEL.gz). Additionally, 'affyio' is much faster than 'affxparser'.

The function guesses which annotation package to use from the header of the CEL file. The user can also provide the name of the annotation package to be used (via the pkgname argument). If the annotation package cannot be loaded, the function returns an error. If the annotation package is not available from BioConductor, one can use the pdInfoBuilder package to build one.

### Value

ExpressionFeatureSet  
if Expression arrays

ExonFeatureSet if Exon arrays

SnFeatureSet if SNP arrays

TilingFeatureSet  
if Tiling arrays

### See Also

[list.celfiles](#), [read.xlsfiles](#)

### Examples

```
if(require(pd.mapping50k.xba240) & require(hapmap100kxba)){
  celPath <- system.file("celFiles", package="hapmap100kxba")
  celFiles <- list.celfiles(celPath, full.name=TRUE)
  affySnFeatureSet <- read.celfiles(celFiles)
}
```

---

|               |                            |
|---------------|----------------------------|
| read.xysfiles | <i>Parser to XYS files</i> |
|---------------|----------------------------|

---

## Description

NimbleGen provides XYS files which are read by this function.

## Usage

```
read.xysfiles(..., filenames, pkgname, phenoData, featureData,
experimentData, protocolData, notes, verbose=TRUE, sampleNames,
checkType=TRUE)
```

```
read.xysfiles2(channel1, channel2, pkgname, phenoData, featureData,
experimentData, protocolData, notes, verbose=TRUE, sampleNames,
checkType=TRUE)
```

## Arguments

|                |                                                                                            |
|----------------|--------------------------------------------------------------------------------------------|
| ...            | file names                                                                                 |
| filenames      | character vector with filenames.                                                           |
| channel1       | a character vector with the XYS filenames for the first 'channel' on a Tiling application  |
| channel2       | a character vector with the XYS filenames for the second 'channel' on a Tiling application |
| pkgname        | character vector with alternative PD Info package name                                     |
| phenoData      | phenoData                                                                                  |
| featureData    | featureData                                                                                |
| experimentData | experimentData                                                                             |
| protocolData   | protocolData                                                                               |
| notes          | notes                                                                                      |
| verbose        | verbose                                                                                    |
| sampleNames    | character vector with sample names (usually better descriptors than the file-names)        |
| checkType      | logical. Check type of each file? This can be time consuming.                              |

## Details

The function will read the XYS files provided by NimbleGen Systems and return an object of class FeatureSet.

The function guesses which annotation package to use from the header of the XYS file. The user can also provide the name of the annotation package to be used (via the pkgname argument). If the annotation package cannot be loaded, the function returns an error. If the annotation package is not available from BioConductor, one can use the pdInfoBuilder package to build one.

**Value**

ExpressionFeatureSet  
                                   if Expression arrays  
 TilingFeatureSet  
                                   if Tiling arrays

**See Also**

[list.xysfiles](#), [read.celfiles](#)

**Examples**

```
if (require(maqcExpression4plex) & require(pd.hg18.60mer.expr)){
  xysPath <- system.file("extdata", package="maqcExpression4plex")
  xysFiles <- list.xysfiles(xysPath, full.name=TRUE)
  ngsExpressionFeatureSet <- read.xysfiles(xysFiles)
}
```

---

readSummaries

*Read summaries generated by crlmm*

---

**Description**

This function read the different summaries generated by crlmm.

**Usage**

```
readSummaries(type, tmpdir)
```

**Arguments**

|        |                                                                                                                                                               |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| type   | type of summary of character class: 'alleleA', 'alleleB', 'alleleA-sense', 'alleleA-antisense', 'alleleB-sense', 'alleleB-antisense', 'calls', 'llr', 'conf'. |
| tmpdir | directory containing the output saved by crlmm                                                                                                                |

**Details**

On the 50K and 250K arrays, given a SNP, there are probes on both strands (sense and antisense). For this reason, the options 'alleleA-sense', 'alleleA-antisense', 'alleleB-sense' and 'alleleB-antisense' should be used **\*\*only\*\*** with such arrays (XBA, HIND, NSP or STY).

On the SNP 5.0 and SNP 6.0 platforms, this distinction does not exist in terms of algorithm (note that the actual strand could be queried from the annotation package). For these arrays, options 'alleleA', 'alleleB' are the ones to be used.

The options calls, llr and conf will return, respectively, the CRLMM calls, log-likelihood ratios (for devel purpose **\*\*only\*\***) and CRLMM confidence calls matrices.

**Value**

Matrix with values of summaries.

**Description**

Robust Multichip Average preprocessing methodology. This strategy allows background subtraction, quantile normalization and summarization (via median-polish).

**Usage**

```
## S4 method for signature 'ExonFeatureSet'
rma(object, background=TRUE, normalize=TRUE, subset=NULL, target="core")
## S4 method for signature 'HTAFeatureSet'
rma(object, background=TRUE, normalize=TRUE, subset=NULL, target="core")
## S4 method for signature 'ExpressionFeatureSet'
rma(object, background=TRUE, normalize=TRUE, subset=NULL)
## S4 method for signature 'GeneFeatureSet'
rma(object, background=TRUE, normalize=TRUE, subset=NULL, target="core")
## S4 method for signature 'SnpCnvFeatureSet'
rma(object, background=TRUE, normalize=TRUE, subset=NULL)
```

**Arguments**

|            |                                                    |
|------------|----------------------------------------------------|
| object     | Exon/HTA/Expression/Gene/SnpCnv-FeatureSet object. |
| background | Logical - perform RMA background correction?       |
| normalize  | Logical - perform quantile normalization?          |
| subset     | To be implemented.                                 |
| target     | Level of summarization (only for Exon/Gene arrays) |

**Methods**

signature(object = "ExonFeatureSet") When applied to an ExonFeatureSet object, rma can produce summaries at different levels: probeset (as defined in the PGF), core genes (as defined in the core.mps file), full genes (as defined in the full.mps file) or extended genes (as defined in the extended.mps file). To determine the level for summarization, use the target argument.

signature(object = "ExpressionFeatureSet") When used on an ExpressionFeatureSet object, rma produces summaries at the probeset level (as defined in the CDF or NDF files, depending on the manufacturer).

signature(object = "GeneFeatureSet") When applied to a GeneFeatureSet object, rma can produce summaries at different levels: probeset (as defined in the PGF) and 'core genes' (as defined in the core.mps file). To determine the level for summarization, use the target argument.

signature(object = "HTAFeatureSet") When applied to a HTAFeatureSet object, rma can produce summaries at different levels: probeset (as defined in the PGF) and 'core genes' (as defined in the core.mps file). To determine the level for summarization, use the target argument.

`signature(object = "SnpCnvFeatureSet")` If used on a `SnpCnvFeatureSet` object (ie., SNP 5.0 or SNP 6.0 arrays), `rma` will produce summaries for the CNV probes. Note that this is an experimental feature for internal (and quick) assessment of CNV probes. We recommend the use of the `'crlmm'` package, which contains a Copy Number tool specifically designed for these data.

## References

Rafael. A. Irizarry, Benjamin M. Bolstad, Francois Collin, Leslie M. Cope, Bridget Hobbs and Terence P. Speed (2003), Summaries of Affymetrix GeneChip probe level data *Nucleic Acids Research* 31(4):e15

Bolstad, B.M., Irizarry R. A., Astrand M., and Speed, T.P. (2003), A Comparison of Normalization Methods for High Density Oligonucleotide Array Data Based on Bias and Variance. *Bioinformatics* 19(2):185-193

Irizarry, RA, Hobbs, B, Collin, F, Beazer-Barclay, YD, Antonellis, KJ, Scherf, U, Speed, TP (2003) Exploration, Normalization, and Summaries of High Density Oligonucleotide Array Probe Level Data. *Biostatistics*. Vol. 4, Number 2: 249-264

## See Also

[snprma](#)

## Examples

```
if (require(maqcExpression4plex) & require(pd.hg18.60mer.expr)){
  xysPath <- system.file("extdata", package="maqcExpression4plex")
  xysFiles <- list.xysfiles(xysPath, full.name=TRUE)
  ngsExpressionFeatureSet <- read.xysfiles(xysFiles)
  summarized <- rma(ngsExpressionFeatureSet)
  show(summarized)
}
```

---

runDate

*Date of scan*

---

## Description

Retrieves date information in CEL/XYS files.

## Usage

```
runDate(object)
```

## Arguments

`object`                      'FeatureSet' object.

---

sequenceDesignMatrix    *Create design matrix for sequences*


---

**Description**

Creates design matrix for sequences.

**Usage**

```
sequenceDesignMatrix(seqs)
```

**Arguments**

seqs                      character vector of 25-mers.

**Details**

This assumes all sequences are 25bp long.

The design matrix is often used when the objective is to adjust intensities by sequence.

**Value**

Matrix with length(seqs) rows and 75 columns.

**Examples**

```
genSequence <- function(x)
  paste(sample(c("A", "T", "C", "G"), 25, rep=TRUE), collapse="", sep="")
seqs <- sapply(1:10, genSequence)
X <- sequenceDesignMatrix(seqs)
Y <- rnorm(10, mean=12, sd=2)
Ydemean <- Y-mean(Y)
X[1:10, 1:3]
fit <- lm(Ydemean~X)
coef(fit)
```

---

snprma                      *Preprocessing SNP Arrays*


---

**Description**

This function preprocess SNP arrays.

**Usage**

```
snprma(object, verbose = TRUE, normalizeToHapmap = TRUE)
```

**Arguments**

|                   |                         |
|-------------------|-------------------------|
| object            | SnpFeatureSet object    |
| verbose           | Verbosity flag. logical |
| normalizeToHapmap | internal                |

**Value**

A SnpQSet object.

---

|           |                                            |
|-----------|--------------------------------------------|
| summarize | <i>Tools for microarray preprocessing.</i> |
|-----------|--------------------------------------------|

---

**Description**

These are tools to preprocess microarray data. They include background correction, normalization and summarization methods.

**Usage**

```
backgroundCorrectionMethods()
normalizationMethods()
summarizationMethods()
backgroundCorrect(object, method=backgroundCorrectionMethods(), copy=TRUE, extra, subset=NULL, target=NULL, verbose=TRUE, ...)
summarize(object, probes=rownames(object), method="medianpolish", verbose=TRUE, ...)
## S4 method for signature 'FeatureSet'
normalize(object, method=normalizationMethods(), copy=TRUE, subset=NULL, target='core', verbose=TRUE, ...)
## S4 method for signature 'matrix'
normalize(object, method=normalizationMethods(), copy=TRUE, verbose=TRUE, ...)
## S4 method for signature 'ff_matrix'
normalize(object, method=normalizationMethods(), copy=TRUE, verbose=TRUE, ...)
normalizeToTarget(object, targetDist, method="quantile", copy=TRUE, verbose=TRUE)
```

**Arguments**

|            |                                                                                                                  |
|------------|------------------------------------------------------------------------------------------------------------------|
| object     | Object containing probe intensities to be preprocessed.                                                          |
| method     | String determining which method to use at that preprocessing step.                                               |
| targetDist | Vector with the target distribution                                                                              |
| probes     | Character vector that identifies the name of the probes represented by the rows of object.                       |
| copy       | Logical flag determining if data must be copied before processing (TRUE), or if data can be overwritten (FALSE). |
| subset     | Not yet implemented.                                                                                             |
| target     | One of the following values: 'core', 'full', 'extended', 'probeset'. Used only with Gene ST and Exon ST designs. |
| extra      | Extra arguments to be passed to other methods.                                                                   |
| verbose    | Logical flag for verbosity.                                                                                      |
| ...        | Arguments to be passed to methods.                                                                               |

## Details

Number of rows of object must match the length of probes.

## Value

backgroundCorrectionMethods and normalizationMethods will return a character vector with the methods implemented currently.

backgroundCorrect, normalize and normalizeToTarget will return a matrix with same dimensions as the input matrix. If they are applied to a FeatureSet object, the PM matrix will be used as input.

The summarize method will return a matrix with `length(unique(probes))` rows and `ncol(object)` columns.

## Examples

```
ns <- 100
nps <- 1000
np <- 10
intensities <- matrix(rnorm(ns*nps*np, 8000, 400), nc=ns)
ids <- rep(as.character(1:nps), each=np)
bgCorrected <- backgroundCorrect(intensities)
normalized <- normalize(bgCorrected)
summarizationMethods()
expression <- summarize(normalized, probes=ids)
intensities[1:20, 1:3]
expression[1:20, 1:3]
target <- rnorm(np*nps)
normalizedToTarget <- normalizeToTarget(intensities, target)

if (require(oligoData) & require(pd.hg18.60mer.expr)){
  ## Example of normalization with real data
  data(nimbleExpressionFS)
  boxplot(nimbleExpressionFS, main='Original')
  for (mtd in normalizationMethods()){
    message('Normalizing with ', mtd)
    res <- normalize(nimbleExpressionFS, method=mtd, verbose=FALSE)
    boxplot(res, main=mtd)
  }
}
```

# Index

- \* **IO**
  - read.celfiles, 29
  - read.xlsfiles, 31
- \* **classes**
  - oligoPLM-class, 23
- \* **classif**
  - crlmm, 7
  - getNetAffx, 12
  - runDate, 34
- \* **file**
  - list.xlsfiles, 18
- \* **hplot**
  - boxplot, 6
  - darkColors, 8
  - hist, 15
  - image, 16
  - MAplot, 18
- \* **loess**
  - MAplot, 18
- \* **manip**
  - basecontent, 4
  - basicPLM, 4
  - basicRMA, 5
  - chromosome, 7
  - fitProbeLevelModel, 9
  - getAffinitySplineCoefficients, 10
  - getBaseProfile, 10
  - getContainer, 11
  - getCrlmmSummaries, 11
  - getNgsColorsInfo, 12
  - getPlatformDesign, 13
  - getProbeInfo, 14
  - getX, 15
  - justSNPRMA, 17
  - mm, 20
  - mmindex, 21
  - mmSequence, 22
  - oligo-defunct, 22
  - paCalls, 25
  - pmAllele, 27
  - pmFragmentLength, 27
  - pmPosition, 28
  - pmStrand, 28
  - probeNames, 29
  - readSummaries, 32
  - sequenceDesignMatrix, 35
  - snprma, 35
  - summarize, 36
- \* **methods**
  - boxplot, 6
  - hist, 15
  - MAplot, 18
  - plotM-methods, 26
  - rma-methods, 33
- \* **package**
  - oligo-package, 3
- \* **smooth**
  - MAplot, 18
- annotation, oligoPLM-method  
(oligoPLM-class), 23
- availProbeInfo (getProbeInfo), 14
- backgroundCorrect (summarize), 36
- backgroundCorrect, FeatureSet-method  
(summarize), 36
- backgroundCorrect, ff\_matrix-method  
(summarize), 36
- backgroundCorrect, matrix-method  
(summarize), 36
- backgroundCorrect-methods (summarize), 36
- backgroundCorrectionMethods  
(summarize), 36
- basecontent, 4
- basicPLM, 4
- basicRMA, 5, 5
- bg (mm), 20
- bg, FeatureSet-method (mm), 20
- bg, TilingFeatureSet-method (mm), 20
- bg<- (mm), 20
- bg<-, FeatureSet, ff\_matrix-method (mm), 20
- bg<-, FeatureSet, matrix-method (mm), 20
- bg<-, TilingFeatureSet, array-method  
(mm), 20
- bgindex (mmindex), 21

- bgindex, DBPDInfo-method (mmindex), 21
- bgindex, FeatureSet-method (mmindex), 21
- bgSequence (mmSequence), 22
- bgSequence, DBPDInfo-method (mmSequence), 22
- bgSequence, ExonFeatureSet-method (mmSequence), 22
- bgSequence, FeatureSet-method (mmSequence), 22
- bgSequence, GeneFeatureSet-method (mmSequence), 22
- boxplot, 6
- boxplot, ExpressionSet-method (boxplot), 6
- boxplot, FeatureSet-method (boxplot), 6
- boxplot, oligoPLM-method (oligoPLM-class), 23
- boxplot, PLMset-method (boxplot), 6
- boxplot-methods (boxplot), 6
- chromosome, 7
- chromosome<- (chromosome), 7
- chromosome<-, AnnotatedDataFrame, character-method (chromosome), 7
- cleanPlatformName (read.celfiles), 29
- coef, oligoPLM-method (oligoPLM-class), 23
- coefs (oligo-defunct), 22
- coefs.probe (oligoPLM-class), 23
- coefs.probe, oligoPLM-method (oligoPLM-class), 23
- cr1mm, 7
- darkColors, 8
- divColors (darkColors), 8
- FeatureSet, 9
- fitPLM (oligo-defunct), 22
- fitProbeLevelModel, 9
- geometry, oligoPLM-method (oligoPLM-class), 23
- getAffinitySplineCoefficients, 10
- getBaseProfile, 10
- getContainer, 11
- getContainer, TilingFeatureSet-method (getContainer), 11
- getContainer-methods (getContainer), 11
- getCrlmmSummaries, 11
- getNetAffx, 12
- getNetAffx, ExpressionSet-method (getNetAffx), 12
- getNetAffx-methods (getNetAffx), 12
- getNgsColorsInfo, 12
- getPD (getPlatformDesign), 13
- getPlatformDesign, 13
- getPlatformDesign, FeatureSet-method (getPlatformDesign), 13
- getProbeInfo, 9, 14
- getX, 15
- getX, DBPDInfo-method (getX), 15
- getX, FeatureSet-method (getX), 15
- getX-methods (getX), 15
- getY (getX), 15
- getY, DBPDInfo-method (getX), 15
- getY, FeatureSet-method (getX), 15
- getY-methods (getX), 15
- hist, 6, 15
- hist, ExpressionSet-method (hist), 15
- hist, FeatureSet-method (hist), 15
- hist-methods (hist), 15
- image, 6, 16
- image, FeatureSet-method (image), 16
- image, oligoPLM-method (oligoPLM-class), 23
- image, PLMset-method (image), 16
- image-methods (image), 16
- intensity (mm), 20
- intensity, FeatureSet-method (mm), 20
- intensity<- (mm), 20
- intensity<- , FeatureSet-method (mm), 20
- justCRLMM (crlmm), 7
- justSNPRMA, 17
- list.celfiles, 30
- list.files, 18
- list.xysfiles, 18, 32
- loess, 20
- manufacturer, oligoPLM-method (oligoPLM-class), 23
- MAplot, 18
- MAplot, ExpressionSet-method (MAplot), 18
- MAplot, FeatureSet-method (MAplot), 18
- MAplot, matrix-method (MAplot), 18
- MAplot, PLMset-method (MAplot), 18
- MAplot, TilingFeatureSet-method (MAplot), 18
- MAplot-methods (MAplot), 18
- method (oligoPLM-class), 23
- method, oligoPLM-method (oligoPLM-class), 23
- mm, 20

- mm, FeatureSet-method (mm), 20
- mm, TilingFeatureSet-method (mm), 20
- mm<- (mm), 20
- mm<- , FeatureSet, ANY, ANY, ff\_matrix-method (mm), 20
- mm<- , FeatureSet, ANY, ANY, matrix-method (mm), 20
- mm<- , TilingFeatureSet, ANY, ANY, array-method (mm), 20
- mm<- , TilingFeatureSet, missing, missing, array-method (mm), 20
- mmindex, 21
- mmindex, DBPDInfo-method (mmindex), 21
- mmindex, FeatureSet-method (mmindex), 21
- mmSequence, 22
- mmSequence, AffySNPPDInfo-method (mmSequence), 22
- mmSequence, DBPDInfo-method (mmSequence), 22
- mmSequence, FeatureSet-method (mmSequence), 22
- ncol, oligoPLM-method (oligoPLM-class), 23
- normalizationMethods (summarize), 36
- normalize, FeatureSet-method (summarize), 36
- normalize, ff\_matrix-method (summarize), 36
- normalize, matrix-method (summarize), 36
- normalizeToTarget (summarize), 36
- normalizeToTarget, ff\_matrix-method (summarize), 36
- normalizeToTarget, matrix-method (summarize), 36
- normalizeToTarget-methods (summarize), 36
- nprobes (oligoPLM-class), 23
- nprobes, oligoPLM-method (oligoPLM-class), 23
- nprobesets (oligoPLM-class), 23
- nprobesets, oligoPLM-method (oligoPLM-class), 23
- NUSE (oligoPLM-class), 23
- NUSE, oligoPLM-method (oligoPLM-class), 23
- oligo-defunct, 22
- oligo-package, 3
- oligoPLM, 9
- oligoPLM (oligoPLM-class), 23
- oligoPLM-class, 23
- opset2eset (oligoPLM-class), 23
- opset2eset, oligoPLM-method (oligoPLM-class), 23
- paCalls, 25
- paCalls, ExonFeatureSet-method (paCalls), 25
- paCalls, ExpressionFeatureSet-method (paCalls), 25
- paCalls, GeneFeatureSet-method (paCalls), 25
- plot, 20
- plotM (plotM-methods), 26
- plotM, SnpQSet, character-method (plotM-methods), 26
- plotM, SnpQSet, integer-method (plotM-methods), 26
- plotM, SnpQSet, numeric-method (plotM-methods), 26
- plotM, TilingQSet, missing-method (plotM-methods), 26
- plotM-methods, 26
- pm (mm), 20
- pm, FeatureSet-method (mm), 20
- pm, GenericFeatureSet-method (mm), 20
- pm, TilingFeatureSet-method (mm), 20
- pm<- (mm), 20
- pm<- , FeatureSet, ANY, ANY, ff\_matrix-method (mm), 20
- pm<- , FeatureSet, ANY, ANY, matrix-method (mm), 20
- pm<- , GenericFeatureSet, ANY, ANY, ff\_matrix-method (mm), 20
- pm<- , GenericFeatureSet, ANY, ANY, matrix-method (mm), 20
- pm<- , TilingFeatureSet, ANY, ANY, array-method (mm), 20
- pm<- , TilingFeatureSet, missing, missing, array-method (mm), 20
- pmAllele, 27
- pmAllele, AffySNPPDInfo-method (pmAllele), 27
- pmAllele, SnpFeatureSet-method (pmAllele), 27
- pmChr (chromosome), 7
- pmChr, ExonFeatureSet-method (chromosome), 7
- pmChr, FeatureSet-method (chromosome), 7
- pmChr, GeneFeatureSet-method (chromosome), 7
- pmFragmentLength, 27
- pmFragmentLength, AffySNPPDInfo-method (pmFragmentLength), 27

- pmFragmentLength, SnpFeatureSet-method  
(pmFragmentLength), 27
- pmindex (mmindex), 21
- pmindex, DBPDInfo-method (mmindex), 21
- pmindex, FeatureSet-method (mmindex), 21
- pmindex, GenericFeatureSet-method  
(mmindex), 21
- pmindex, GenericPDInfo-method (mmindex),  
21
- pmindex, stArrayDBPDInfo-method  
(mmindex), 21
- pmOffset (pmPosition), 28
- pmOffset, AffySNPPDInfo-method  
(pmPosition), 28
- pmPosition, 28
- pmPosition, ExpressionPDInfo-method  
(pmPosition), 28
- pmPosition, FeatureSet-method  
(pmPosition), 28
- pmPosition, TilingFeatureSet-method  
(pmPosition), 28
- pmPosition, TilingPDInfo-method  
(pmPosition), 28
- pmSequence (mmSequence), 22
- pmSequence, AffyGenePDInfo-method  
(mmSequence), 22
- pmSequence, AffySNPPDInfo-method  
(mmSequence), 22
- pmSequence, DBPDInfo-method  
(mmSequence), 22
- pmSequence, ExonFeatureSet-method  
(mmSequence), 22
- pmSequence, FeatureSet-method  
(mmSequence), 22
- pmSequence, GeneFeatureSet-method  
(mmSequence), 22
- pmSequence, stArrayDBPDInfo-method  
(mmSequence), 22
- pmStrand, 28
- pmStrand, AffySNPPDInfo-method  
(pmStrand), 28
- pmStrand, TilingFeatureSet-method  
(pmStrand), 28
- probeNames, 29
- probeNames, DBPDInfo-method  
(probeNames), 29
- probeNames, ExonFeatureSet-method  
(probeNames), 29
- probeNames, FeatureSet-method  
(probeNames), 29
- probeNames, GeneFeatureSet-method  
(probeNames), 29
- probeNames, stArrayDBPDInfo-method  
(probeNames), 29
- probesetNames (probeNames), 29
- probesetNames, FeatureSet-method  
(probeNames), 29
- rcModelPLM, 5
- rcModelPLMr, 5
- rcModelPLMrc, 5
- rcModelPLMrr, 5
- read.celfiles, 29, 32
- read.celfiles2 (read.celfiles), 29
- read.xysfiles, 30, 31
- read.xysfiles2 (read.xysfiles), 31
- readSummaries, 32
- resids (oligo-defunct), 22
- residuals, oligoPLM-method  
(oligoPLM-class), 23
- residualSE (oligoPLM-class), 23
- residualSE, oligoPLM-method  
(oligoPLM-class), 23
- RLE (oligoPLM-class), 23
- RLE, oligoPLM-method (oligoPLM-class), 23
- rma, 10, 24
- rma (rma-methods), 33
- rma, ExonFeatureSet-method  
(rma-methods), 33
- rma, ExpressionFeatureSet-method  
(rma-methods), 33
- rma, GeneFeatureSet-method  
(rma-methods), 33
- rma, GenericFeatureSet-method  
(rma-methods), 33
- rma, HTAFeatureSet-method (rma-methods),  
33
- rma, SnpCnvFeatureSet-method  
(rma-methods), 33
- rma-methods, 33
- runDate, 34
- runDate, FeatureSet-method (runDate), 34
- runDate-methods (runDate), 34
- sample, 6
- se (oligoPLM-class), 23
- se, oligoPLM-method (oligoPLM-class), 23
- se.probe (oligoPLM-class), 23
- se.probe, oligoPLM-method  
(oligoPLM-class), 23
- seqColors (darkColors), 8
- seqColors2 (darkColors), 8
- sequenceDesignMatrix, 35
- set.seed, 6

show, oligoPLM-method (oligoPLM-class),  
23

smoothScatter, 20

snprma, 34, 35

subset, 9, 14

summarizationMethods, 10

summarizationMethods (summarize), 36

summarize, 24, 36

summarize, ff\_matrix-method (summarize),  
36

summarize, matrix-method (summarize), 36

summarize-methods (summarize), 36

weights, oligoPLM-method  
(oligoPLM-class), 23