

Package ‘doSNOW’

July 22, 2025

Type Package

Title Foreach Parallel Adaptor for the 'snow' Package

Version 1.0.20

Description Provides a parallel backend for the `%dopar%` function using the snow package of Tierney, Rossini, Li, and Sevcikova.

Depends R (>= 2.5.0), foreach(>= 1.2.0), iterators(>= 1.0.0), snow(>= 0.3.0), utils

Suggests compiler, RUnit, caret, mlbench, rpart, parallel

License GPL-2

NeedsCompilation no

Author Folashade Daniel [cre],
Microsoft Corporation [aut, cph],
Stephen Weston [aut]

Maintainer Folashade Daniel <fdaniel@microsoft.com>

Repository CRAN

Date/Publication 2022-02-04 16:20:06 UTC

Contents

registerDoSNOW	1
Index	3

registerDoSNOW	<i>registerDoSNOW</i>
----------------	-----------------------

Description

The `registerDoSNOW` function is used to register the SNOW parallel backend with the foreach package.

Usage

```
registerDoSNOW(cl)
```

Arguments

`cl` The cluster object to use for parallel execution.

See Also

[makeCluster](#)

Examples

```
cl <- makeCluster(2, type="SOCK")
registerDoSNOW(cl)
m <- matrix(rnorm(9), 3, 3)
foreach(i=1:nrow(m), .combine=rbind) %dopar% (m[i,] / mean(m[i,]))
stopCluster(cl)
```

Index

* **utilities**

registerDoSNOW, [1](#)

makeCluster, [2](#)

registerDoSNOW, [1](#)