

Package ‘redatam’

July 23, 2025

Type Package

Title Import 'REDATAM' Files

Version 2.1.2

Imports data.table, janitor, stringi, stringr, tibble

Suggests knitr, rmarkdown, testthat (>= 3.0.0)

Depends R(>= 3.5.0)

Description Import 'REDATAM' formats into R via the 'Open REDATAM' C++ library.
The full context of this project and details about the implementation are available in <[doi:10.1017/dap.2025.4](https://doi.org/10.1017/dap.2025.4)> (Open Access).

License Apache License (>= 2)

URL <https://github.com/litalbarkai/open-redatam>

BugReports <https://github.com/litalbarkai/open-redatam/issues>

RoxygenNote 7.3.2

Encoding UTF-8

NeedsCompilation yes

VignetteBuilder knitr

LinkingTo cpp11

Config/testthat/edition 3

Author Mauricio Vargas Sepulveda [aut, cre] (ORCID:
<<https://orcid.org/0000-0003-1017-7574>>),
Lital Barkai [aut],
Ivan Krylov [ctb],
Arseny Kapoulkine [ctb] ('pugixml' C++ library),
Oriental Republic of Uruguay [dct] (Aggregated census data from 2011)

Maintainer Mauricio Vargas Sepulveda <m.sepulveda@mail.utoronto.ca>

Repository CRAN

Date/Publication 2025-04-17 15:40:02 UTC

Contents

read_redatam	2
Index	3

read_redatam	<i>Read REDATAM dictionary</i>
--------------	--------------------------------

Description

Read a DIC or DICX dictionary file directly into R.

Usage

```
read_redatam(dictionary)
```

Arguments

`dictionary` A character string with the path to the dictionary file. It allows relative paths.

Value

A list of tibbles, each one representing a table with the census entities (or levels) and their attributes (or variables).

Examples

```
# Read a dictionary file (Uruguay 2011, aggregated)
zip <- system.file("extdata", "uru2011mini.zip", package = "redatam")
dout <- paste(tempdir(), "uru2011mini", sep = "/")
unzip(zip, exdir = dout)
read_redatam(paste(dout, "uru2011mini.dic", sep = "/"))
# or equivalently
read_redatam(paste(dout, "uru2011mini.dicx", sep = "/"))
```

Index

`read_redata`, [2](#)