

Package ‘CircStats’

June 19, 2025

Title Circular Statistics, from ``Topics in Circular Statistics" (2001)

Version 0.2-7

Maintainer Claudio Agostinelli <claudio.agostinelli@unitn.it>

Date 2025-06-19

Description Circular Statistics, from ``Topics in Circular Statistics"
(2001) S. Rao Jammalamadaka and A. SenGupta, World Scientific.

Depends MASS, boot

License GPL-2

NeedsCompilation no

Author Ulric Lund [aut],
Claudio Agostinelli [aut, cre]

Repository CRAN

Date/Publication 2025-06-19 09:40:02 UTC

Contents

A1	2
A1inv	3
change.pt	4
circ.cor	5
circ.disp	6
circ.mean	6
circ.plot	7
circ.range	8
circ.reg	9
circ.summary	11
dcard	12
deg	13
dmixedvm	13
dtri	14
dvm	15
dwrpcauchy	15

dwrpnorm	16
est.kappa	17
est.rho	18
I.0	19
I.1	20
I.p	20
kuiper	21
plottedf	22
pp.plot	23
pvm	24
r.test	25
rad	26
rao.homogeneity	26
rao.spacing	27
rao.table	28
rcard	28
rmixedvm	29
rose.diag	30
rstable	31
rtri	33
rvn	33
rwrpcauchy	34
rwrpnorm	35
rwrpstab	36
trig.moment	37
v0.test	37
vm.bootstrap.ci	38
vm.ml	39
watson	40
watson.two	41
wrpcauchy.ml	42
Index	44

A1

*Ratio of First and Zeroth Order Bessel Functions***Description**

Evaluates the first and zeroth order Bessel functions of the first kind at a specified non-negative real number, and returns the ratio.

Usage

A1(kappa)

Arguments

kappa non-negative numeric value at which to evaluate the Bessel functions.

Details

The function use [besselI](#).

Value

If $I_1(\text{kappa})$ is the first order Bessel function and $I_0(\text{kappa})$ is the zeroth order Bessel function, then $A1(\text{kappa})$ returns $I_1(\text{kappa})/I_0(\text{kappa})$.

See Also

[besselI](#), [A1inv](#).

A1inv

Inverse of A1

Description

Inverse function of the ratio of the first and zeroth order Bessel functions of the first kind. This function is used to compute the maximum likelihood estimate of the concentration parameter of a von Mises distribution.

Usage

A1inv(x)

Arguments

x numeric value in the interval between 0 and 1.

Details

$A1inv(0) = 0$ and $A1inv(1) = \text{inf}$. This function is useful in estimating the concentration parameter of data from a von Mises distribution.

Value

Returns the value k , such that $A1inv(x) = k$, i.e. $A1(k) = x$.

See Also

[est.kappa](#), [A1](#), [besselI](#).

Examples

```
#Generate data from a von Mises distribution
data <- rvm(50, pi, 4)
#Estimate the concentration parameter
s <- sum(sin(data))
c <- sum(cos(data))
mean.dir <- atan2(s, c)
kappa <- A1inv(mean(cos(data - mean.dir)))
```

change.pt

Change Point Test

Description

Tests for a change in mean direction, concentration, or both, given a set of directional data points.

Usage

```
change.pt(x)
```

Arguments

x vector of angular measurements in radians.

Details

In either context, the user can choose which statistic (max or ave) to use, and then consult the appropriate table provided in the book referenced below. The critical values for these 4 statistics are to be found in Table 11.3 (or Figure 11.3) for rmax, Table 11.4 (or Figure 11.4) for rave, Figure 11.5 for tmax and Figure 11.6 for tave.

Value

Returns a data frame with variables n, rho=r/n, rmax, k.r, rave, tmax, k.t, and tave. The first of these is the sample size, followed by the overall mean resultant length. Both of these are needed to enter any of the tables or nomograms(see under Details). The other values represent the change point test statistics. While rmax and rave test for a change in mean direction (with unknown concentration), tmax and tave are useful in the context of testing more generally, for a change in mean direction and/or concentration. k.r and k.t are the observation numbers for which rmax and tmax attain their maximum value and indicate the observation at which the change is most likely to have occurred, when the tables or nomograms indicate significance.

See Also

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Chapter 11, World Scientific Press, Singapore.

circ.cor*Correlation Coefficient for Angular Variables*

Description

Computes a circular version of the Pearson's product moment correlation, and performs a significance test if requested.

Usage

```
circ.cor(alpha, beta, test=FALSE)
```

Arguments

alpha	vector of circular data measured in radians.
beta	vector of circular data measured in radians.
test	if test = TRUE, then a significance test for the correlation coefficient is computed.

Details

The correlation coefficient is computed like Pearson's product moment correlation for two linear variables X and Y. In the computational formula, however, $(x_i - \bar{x})$ and $(y_i - \bar{y})$ are replaced by $\sin(x_i - \bar{x})$ and $\sin(y_i - \bar{y})$, where \bar{x} and \bar{y} in the second two expressions are the mean directions of the samples.

Value

Returns a data frame with variables r, a circular version of the Pearson's product moment correlation, test.stat and p.value, the test statistic and p-value respectively, for testing significance of the correlation coefficient. test.stat and p.value are by default not produced, but are given when test=TRUE is specified in the function call.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 8.2, World Scientific Press, Singapore.

Jammalamadaka, S. and Sarma, Y. (1988). A correlation coefficient for angular variables. Statistical Theory and Data Analysis 2. North Holland: New York.

Examples

```
# Generate two circular data sets, and compute their correlation.
data1 <- rvm(50, 0, 3)
data2 <- data1 + pi + rvm(50, 0, 10)
circ.cor(data1, data2, test=TRUE)
```

`circ.disp`*Circular Dispersion*

Description

Computes measures of dispersion for a directional data set.

Usage

```
circ.disp(x)
```

Arguments

`x` vector of circular data measured in radians.

Value

Returns a dataframe with the following components. The sample size, `n`; the resultant length, `r`; the mean resultant length, `rbar= r/n`; and the circular variance, `var=(1-r/n)`.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 1.3, World Scientific Press, Singapore.

See Also

[circ.mean](#), [circ.summary](#), [est.kappa](#), [est.rho](#).

`circ.mean`*Mean Direction*

Description

Returns the mean direction of a vector of circular data.

Usage

```
circ.mean(x)
```

Arguments

`x` vector of data points measured in radians.

Details

Each observation is treated as a unit vector, or point on the unit circle. The resultant vector of the observations is found, and the direction of the resultant vector is returned.

Value

Returns the mean direction of the data.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 1.3, World Scientific Press, Singapore.

See Also

[circ.disp](#), [circ.summary](#), [est.kappa](#), [est.rho](#).

Examples

```
# Compute the mean direction of a random sample of observations.
data <- runif(50, 0, pi)
mean.dir <- circ.mean(data)
```

circ.plot

Circular Data Plot

Description

Creates a plot of circular data points on the current graphics device. Data points are either plotted as points on the unit circle, or the range of the circle is divided into a specified number of bins, and points are stacked in the bins corresponding to the number of observations in each bin.

Usage

```
circ.plot(x, main="", pch=16, stack=FALSE, bins=0, cex=1, dotsep=40, shrink=1)
```

Arguments

x	vector of observations to be plotted, measured in radians.
main	title of plot.
pch	point character to use. See help on par.
stack	logical flag: if TRUE, points are stacked on the perimeter of the circle. Otherwise, all points are plotted on the perimeter of the circle. Default is FALSE.
bins	if stack = TRUE, bins is the number of arcs to partition the circle with.
cex	point character size. See help on par.

dotsep	constant used to specify the distance between stacked points, if stack = TRUE. Default is 40; larger values will create smaller spaces, while smaller values create larger spaces. This option can be useful when pch is other than 1, or when shrink is other than 1.
shrink	parameter that controls the size of the plotted circle. Default is 1. Larger values shrink the circle, while smaller values enlarge the circle. This option is useful when stack = TRUE.

Details

When there are many closely distributed observations, stacking is recommended. Otherwise, much information can be lost due to overplotting of points. When stacking the points, if there are many points in a particular bin, it may be necessary to shrink the plot of the circle so that all points fit. This is controlled with the parameter shrink. Generally the parameter dotsep does not need adjustment, however, when shrinking the plot, or for a very large number of observations, it may be helpful.

Note

this function use function [eqsplot](#) from package MASS.

See Also

[rose.diag](#).

Examples

```
# Generate 100 observations from a von Mises distribution.
# with mean direction 0 and concentration 3.
data.vm <- rvm(100, 0, 3)
# Plot data set. All points do not fit on plot.
circ.plot(data.vm, stack=TRUE, bins=150)
# Shrink the plot so that all points fit.
circ.plot(data.vm, stack=TRUE, bins=150, shrink=1.5)
```

circ.range

Circular Range

Description

Computes the circular range of a data set and performs a test of uniformity if specified.

Usage

```
circ.range(x, test=FALSE)
```


Arguments

<code>x</code>	vector of directional data measured in radians.
<code>test</code>	logical flag: if TRUE then the test of uniformity is performed; otherwise the test is not performed. Default is FALSE.

Details

The circular range is the shortest arc on the circle containing the entire set of data. The p-value is computed using the exact distribution of the circular range under the hypothesis of uniformity.

Value

Returns a dataframe with the circular range, `r`. If the significance test is requested the p-value of the test is returned as `p.value`.

Note

`nCk(n,k)` evaluate combinatoric, it should not be called by the users.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 7.4, World Scientific Press, Singapore.

See Also

[kuiper](#), [rao.spacing](#), [r.test](#), [v0.test](#), [watson](#).

Examples

```
data <- rvm(50, 0, 2)
circ.range(data, test=TRUE)
data <- runif(50, 0, 2*pi)
circ.range(data, test=TRUE)
```

circ.reg

Circular-Circular Regression

Description

Fits a regression model for a circular dependent and circular independent variable.

Usage

```
circ.reg(alpha, theta, order=1, level=0.05)
```

Arguments

alpha	vector of data for the independent circular variable, measured in radians.
theta	vector of data for the dependent circular variable, measured in radians.
order	order of trigonometric polynomial to be fit. order must be an integer value. By default, order=1.
level	level of the test for the significance of higher order trigonometric terms.

Details

A trigonometric polynomial of alpha is fit against the cosine and sine of theta. The order of trigonometric polynomial is specified by order. Fitted values of theta are obtained by taking the inverse tangent of the predicted values of $\sin(\theta)$ divided by the predicted values of $\cos(\theta)$. Details of the regression model can be found in Sarma and Jammalamadaka (1993).

Value

A data frame is returned with the following components.

rho	square root of the average of the squares of the estimated conditional concentration parameters of theta given alpha.
fitted	fitted values of the model.
data	matrix whose columns correspond to alpha and theta.
residuals	circular residuals of the model.
coef	matrix whose entries are the estimated coefficients of the model. The first column corresponds to the coefficients of the model predicting the cosine of theta, while the second column contains the estimates for the model predicting the sine of theta. The rows of the matrix correspond to the coefficients according to increasing trigonometric order.
pvalues	p-values testing whether the (order + 1) trigonometric terms are significantly different from zero.
A.k	is mean of the cosines of the circular residuals.
kappa	assuming the circular residuals come from a von Mises distribution, kappa is the MLE of the concentration parameter.

References

- Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 8.3, World Scientific Press, Singapore.
- Sarma, Y. and Jammalamadaka, S. (1993). Circular Regression. Statistical Science and Data Analysis, 109-128. Proceeding of the Thrid Pacific Area Statistical Conference. VSP: Utrecht, Netherlands.

Examples

```
# Generate a data set of dependent circular variables.
data1 <- runif(50, 0, 2*pi)
data2 <- atan2(0.15*cos(data1) + 0.25*sin(data1), 0.35*sin(data1)) + rvm(50, 0, 5)

# Fit a circular regression model.
circ.lm <- circ.reg(data1, data2, order=1)
# Obtain a crude plot a data and fitted regression line.
plot(data1, data2)
circ.lm$fitted[circ.lm$fitted>pi] <- circ.lm$fitted[circ.lm$fitted>pi] - 2*pi

points(data1[order(data1)], circ.lm$fitted[order(data1)], type='l')
```

circ.summary

Circular Summary Statistics

Description

Computes circular summary statistics including the sample size, mean direction and mean resultant length.

Usage

```
circ.summary(x)
```

Arguments

x vector of data points measured in radians.

Details

Each observation is treated as a unit vector or a point on the unit circle. The resultant vector of the observations is found, and the direction of the resultant vector is returned as well as its length divided by the sample size.

Value

Returns a data frame with variables n, the sample size; mean.dir, the sample mean direction; and rho, the sample mean resultant length.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 1.3, World Scientific Press, Singapore.

See Also

[circ.mean](#), [circ.disp](#), [est.kappa](#), [est.rho](#).

Examples

```
# Compute summary statistics of a random sample of observations.
data <- runif(50, 0, pi)
circ.summary(data)
```

dcard	<i>Cardioid Density Function</i>
-------	----------------------------------

Description

Returns the cardioid density function evaluated at a particular value.

Usage

```
dcard(theta, mu, r)
```

Arguments

theta	vector of angles measured in radians at which to evaluate the density function.
mu	mean direction of the distribution.
r	concentration parameter of the distribution. Absolute value of r must be less than 0.5.

Value

Returns the cardioid density function evaluated at theta.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 2.2.2, World Scientific Press, Singapore.

See Also

[rcard](#)

deg	<i>Degrees</i>
-----	----------------

Description

Converts radians to degrees.

Usage

```
deg(radian)
```

Arguments

radian vector of radian measurements.

Value

Returns a vector of degree measurements corresponding to the data in vector radian.

See Also

[rad](#)

dmixedvm	<i>Mixture of von Mises Distributions</i>
----------	---

Description

Evaluates the density function of a mixture of two von Mises distributions.

Usage

```
dmixedvm(theta, mu1, mu2, kappa1, kappa2, p)
```

Arguments

theta	vector of values at which to evaluate the density function.
mu1	mean direction in radians of one of the two von Mises distributions.
mu2	mean direction in radians of the other von Mises distribution.
kappa1	concentration parameter of one of the two von Mises distributions.
kappa2	concentration parameter of the other von Mises distribution.
p	mixing proportion.

Details

Evaluates the density function $p * VM(mu1, kappa1) + (1 - p) * VM(mu2, kappa2)$, where VM is the von Mises density function.

Value

Evaluates the density function of a mixture of two von Mises distributions at a given vector of values, theta.

See Also

[rmixedvm](#)

dtri	<i>Triangular Density Function</i>
------	------------------------------------

Description

Returns the triangular density function evaluated at a particular value.

Usage

```
dtri(theta, r)
```

Arguments

theta	vector of angles measured in radians at which to evaluate the density function.
r	concentration parameter of the distribution. r must be between 0 and $4/\pi^2$.

Value

Returns the triangular density function evaluated at theta.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 2.2.3, World Scientific Press, Singapore.

See Also

[rtri](#)

dvm	<i>von Mises Density Function</i>
-----	-----------------------------------

Description

Returns the von Mises density function evaluated at a particular value.

Usage

```
dvm(theta, mu, kappa)
```

Arguments

theta	vector of angles measured in radians at which to evaluate the density function.
mu	mean direction of the distribution measured in radians.
kappa	non-negative numeric value for the concentration parameter of the distribution.

Value

Returns the von Mises density function evaluated at theta.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 2.2.4, World Scientific Press, Singapore.

See Also

[rvm](#)

dwrpcauchy	<i>Wrapped Cauchy Density Function</i>
------------	--

Description

Returns the wrapped Cauchy density function evaluated at a particular value.

Usage

```
dwrpcauchy(theta, mu, rho)
```

Arguments

theta	vector of angles measured in radians at which to evaluate the density function.
mu	mean direction of the distribution measured in radians.
rho	concentration parameter of the distribution. rho must be in the interval from 0 to 1.

Value

Returns the wrapped Cauchy density function evaluated at theta.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 2.2.7, World Scientific Press, Singapore.

See Also

[rwrpcauchy](#)

dwrpnorm

Wrapped Normal Density Function

Description

Estimate of the wrapped normal density function.

Usage

```
dwrpnorm(theta, mu, rho, sd=1, acc=1e-5, tol=acc)
```

Arguments

theta	value at which to evaluate the density function, measured in radians.
mu	mean direction of distribution, measured in radians.
rho	mean resultant length of distribution.
sd	different way of select rho, see details below.
acc	parameter defining the accuracy of the estimation of the density. Terms are added to the infinite summation that defines the density function until successive estimates are within acc of each other.
tol	the same as acc.

Details

The form of the wrapped normal density function is an infinite series with index going from negative infinity to positive infinity. This function begins with the zeroth term and adds terms to the series, corresponding to both the positive and negative index, until the summation changes by less than the parameter value of acc. You can set rho by using sd with the following equivalence:

$$\rho = \exp -\sigma^2/2$$

Value

Returns an estimate of the wrapped normal density function.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 2.2.6, World Scientific Press, Singapore.

See Also

[rwrpnorm](#)

Examples

```
# Values for which to evaluate density
theta <- c(1:500)*2*pi/500
#Compute wrapped normal density function
density <- c(1:500)
for(i in 1:500) density[i] <- dwrpnorm(theta[i], pi, .75)
plot(theta, density)
#Approximate area under density curve
sum(density*2*pi/500)
```

est.kappa

Estimate Kappa

Description

Computes the maximum likelihood estimate of kappa, the concentration parameter of a von Mises distribution, given a set of angular measurements.

Usage

```
est.kappa(x, bias=FALSE)
```

Arguments

x	vector of circular data measured in radians.
bias	logical parameter determining whether a bias correction is used in the computation of the MLE. Default for bias is FALSE - the bias correction is not used.

Details

Best and Fisher (1981) show that the MLE of kappa is seriously biased when both sample size and mean resultant length are small. They suggest a bias-corrected estimate for kappa when $n < 16$.

Value

Maximum likelihood estimate of kappa, the concentration parameter of a von Mises distribution, given a set of angular measurements.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 4.2.1, World Scientific Press, Singapore.

Best, D. and Fisher N. (1981). The bias of the maximum likelihood estimators of the von Mises-Fisher concentration parameters. Communications in Statistics - Simulation and Computation, B10(5), 493-502.

See Also

[circ.mean](#), [circ.disp](#), [circ.summary](#), [est.rho](#)

Examples

```
data <- rvm(15, 0, 3)
est.kappa(data)
est.kappa(data, bias=TRUE)
```

est.rho

Mean Resultant Length

Description

Returns the mean resultant length of a vector of circular data.

Usage

```
est.rho(x)
```

Arguments

x vector of data points measured in radians.

Details

Each observation is treated as a unit vector, or point on the unit circle. The resultant vector of the observations is found, and the length of the resultant vector divided by the sample size is returned.

Value

Returns the mean resultant length of data.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 1.3, World Scientific Press, Singapore.

See Also

[circ.mean](#), [circ.disp](#), [circ.summary](#), [est.kappa](#).

Examples

```
# Compute the mean resultant length of a random sample of observations.
data <- runif(100, 0, 2*pi)
est.rho(data)
```

I.0*Zeroth Order Bessel Function of the First Kind*

Description

An alias of `besselI(x, nu=0, expon.scaled = FALSE)` used for compatibility with old version package code.

Usage

`I.0(x)`

Arguments

`x` non-negative numerical value at which to evaluate the Bessel function.

Details

The use of this function is deprecated. Please use [besselI](#).

Value

Returns the zeroth order Bessel function of the first kind evaluated at a specified real number.

See Also

[besselI](#).

I.1

First Order Bessel Function of the First Kind

Description

An alias of `besseli(x, nu=1, expon.scaled = FALSE)` used for compatibility with old version package code.

Usage

`I.1(x)`

Arguments

`x` non-negative numerical value at which to evaluate the Bessel function.

Details

The use of this function is deprecated. Please use [besseli](#).

Value

Returns the first order Bessel function of the first kind, evaluated at a specified real number.

See Also

[besseli](#).

I.p

P-th Order Bessel Function of the First Kind

Description

An alias of `besseli(x, nu=p, expon.scaled = FALSE)` used for compatibility with old version package code.

Usage

`I.p(p, x)`

Arguments

`p` positive integer order of the Bessel function.

`x` non-negative numerical value at which to evaluate the Bessel function.

Details

The use of this function is deprecated. Please use [besseli](#).

Value

Returns the p-th order Bessel function of the first kind, evaluated at a specified real number.

See Also

[besseli](#).

kuiper	<i>Kuiper's Test</i>
--------	----------------------

Description

Performs Kuiper's one-sample test of uniformity on the circle.

Usage

```
kuiper(x, alpha=0)
```

Arguments

x	vector of angular measurements in radians.
alpha	significance level of the test. Possible levels are 0.15, 0.1, 0.05, 0.025, 0.01. Alpha may be omitted or set to zero, in which case a range for the p-value of the test will be returned.

Details

Kuiper's test statistic is a rotation-invariant Kolmogorov-type test statistic. The critical values of a modified Kuiper's test statistic are used according to the tabulation given in Stephens (1970).

Value

NULL

Note

Kuiper's one-sample test of uniformity is performed, and the results are printed to the screen. If alpha is specified and non-zero, the test statistic is printed along with the critical value and decision. If alpha is omitted, the test statistic is printed and a range for the p-value of the test is given.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 7.2, World Scientific Press, Singapore.

Stephens, M. (1970). Use of the Kolmogorov-Smirnov, Cramer-von Mises and related statistics without extensive tables. Journal of the Royal Statistical Society, B32, 115-122.

See Also

[circ.range](#), [rao.spacing](#), [r.test](#), [v0.test](#), [watson](#)

Examples

```
# Generate data from the uniform distribution on the circle.
data <- runif(100, 0, 2*pi)
kuiper(data)
# Generate data from the von Mises distribution.
data <- rvm(100, 0, 3)
kuiper(data, alpha=0.01)
```

plottedf

Plot Empirical Distribution Function

Description

Plots the empirical distribution function of a data set.

Usage

```
plottedf(x, ...)
```

Arguments

x vector of circular data measured in radians.
... optional graphical parameters. See help section on [par](#).

Details

The vector data is taken modulo 2π , and then the linear ranks are used to generate an empirical distribution function.

Note

Creates a plot of the empirical distribution function of the vector data.

See Also

[par](#)

Examples

```
# Compare the edf's of two simulated sets of data.
data1 <- rvm(10, 0, 3)
data2 <- rvm(10, 0, 1)
plotedf(data1, xlab="Data", ylab="EDF", main="Plots of Two EDF's")
par(new=TRUE)
plotedf(data2, axes=FALSE, xlab="", ylab="", lty=2)
```

pp.plot

*von Mises Probability-Probability Plot***Description**

Plots the empirical distribution of a data set against the best fitting von Mises distribution function.

Usage

```
pp.plot(x, ref.line=TRUE)
```

Arguments

x	vector of angular measurements in radians.
ref.line	logical flag: if TRUE a 45 degree reference line is added to the plot. Default is TRUE.

Details

The maximum likelihood estimates of the parameters of the von Mises distribution are computed from the given data set. The empirical distribution function is plotted against a von Mises distribution function with parameters given by the MLEs computed.

Value

NULL

Note

A plot is created on the current graphics device.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 10.2, World Scientific Press, Singapore.

See Also

[vm.ml](#)

Examples

```
data <- rvm(25, 0, 3)
pp.plot(data)
data <- c(rvm(20, 0, 7), rvm(20, pi, 7))
pp.plot(data)
```

pvm

*Cummulative Probability for the von Mises Distribution***Description**

Estimates the cummulative probability for a von Mises distribution.

Usage

```
pvm(theta, mu, kappa, acc=1e-020)
```

Arguments

theta	angular value in radians.
mu	mean direction of the von Mises distribution.
kappa	concentration parameter of the von Mises distribution.
acc	parameter relating to the accuracy of the estimated cummulative probability. See details below. Default value is 1e-020.

Details

Cummulative probabilities are computed according to the expression for the von Mises cdf given by Gumbel et al. (1953), which gives the cdf as a function of an infinite sum. The parameter acc specifies the accuracy with which this sum is approximated. Terms greater than acc are included in the summation. The cummulative probabilities given by pvm coincide with those tabulated by Mardia (1972), which are given to five decimal values.

Value

Returns the probability that a von Mises random variable falls between 0 and theta.

References

Gumbel, E., Greenwood, J. and Durand, D. (1953). The circular normal distribution: theory and tables. *Journal of the American Statistical Association*, 48, 131-152.

Jammalamadaka, S. Rao and SenGupta, A. (2001). *Topics in Circular Statistics*, Section 2.2.4, World Scientific Press, Singapore.

See Also

[dvm](#), [rvm](#)

`r.test`*Rayleigh Test of Uniformity: General Unimodal Alternative*

Description

Performs a Rayleigh test of uniformity, assessing the significance of the mean resultant length. The alternative hypothesis is a unimodal distribution with unknown mean direction and unknown mean resultant length.

Usage

```
r.test(x, degree=FALSE)
```

Arguments

<code>x</code>	vector of angular measurements in radians.
<code>degree</code>	logical flag: if TRUE, data is assumed to be measured in degrees rather than radians. Default is FALSE.

Value

Returns a list with two components: the mean resultant length, `r.bar`, and the p-value of the test statistic, `p.value`.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Sections 3.3.2 and 3.4.1, World Scientific Press, Singapore.

See Also

[circ.range](#), [kuiper](#), [rao.spacing](#), [v0.test](#), [watson](#)

Examples

```
data <- rvm(25, pi, 2)
r.test(data)
```

rad	<i>Radians</i>
-----	----------------

Description

Converts degrees to radians.

Usage

```
rad(degree)
```

Arguments

degree vector of degree measurements.

Value

Returns a vector of radian measurements corresponding to the data in vector degree.

See Also

[deg](#)

rao.homogeneity	<i>Rao's Tests for Homogeneity</i>
-----------------	------------------------------------

Description

Performs Rao's test for homogeneity on k populations of angular data.

Usage

```
rao.homogeneity(x, alpha=0)
```

Arguments

x a list of angular variables measured in radians. Each component of the list should be a vector corresponding to one of the k samples. The data must be in the form of a list, to allow for samples of varying sizes.

alpha numeric value specifying the significance level of the test. Default is 0, in which case p-values for the test statistic are returned.

Details

Critical values and p-values are determined according to the chi-squared approximation of the test statistic.

Value

NULL

Note

The test is performed, and the results are written to the screen. Test results are given for both the test of equality of polar vectors, and of dispersions. If alpha is specified, the test statistic is returned, along with the level alpha critical value. If alpha is not specified, a p-value for the test is computed.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 7.6.1, World Scientific Press, Singapore.

Rao, J.S. (1967). Large sample tests for the homogeneity of angular data, Sankhya, Ser, B., 28.

rao.spacing

*Rao's Spacing Test of Uniformity***Description**

Performs Rao's Spacing Test of uniformity.

Usage

```
rao.spacing(x, alpha=0, rad=TRUE)
```

Arguments

x	numeric vector of angular data measured in degrees.
alpha	numeric value specifying the significance level of the test. The default value is 0, in which case, a range for the p-value will be returned. Valid significance levels are 0.10, 0.05, 0.01 and 0.001.
rad	logical value. If true, data will be assumed to be measured radians. If false, data will be assumed to be measured in degrees.

Details

If alpha is specified, critical values are determined from a table of simulated critical points (see reference below). If alpha is not specified, a range for the p-value is determined using the table of simulated critical points.

Value

NULL

Note

The Rao's Spacing Test is performed, and the results are written to the screen.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 7.4, World Scientific Press, Singapore.

Rao, J.S. (1976). Some tests based on arc-lengths for the circle. Sankhya, The Indian Journal of Statistics, Serial B(4), 38, 329-338.

Russell, G.S. and Levitin, D.J. (1995). An expanded table of probability values for Rao's Spacing Test. Communications in Statistics - Simulation and Computation, 24, 4, 879-888.

See Also

[circ.range](#), [kuiper](#), [r.test](#), [v0.test](#), [watson](#)

rao.table	<i>Table for Rao spacing function</i>
-----------	---------------------------------------

Description

Table for Rao spacing function

Usage

```
data(rao.table)
```

rcard	<i>Random Generation from the Cardoid Distribution</i>
-------	--

Description

Generates pseudo-random numbers from a cardoid distribution.

Usage

```
rcard(n, mu, r)
```

Arguments

n	number of random variables to generate.
mu	mean direction of the distribution in radians.
r	concentration parameter of the distribution. The absolute value of r must be less than 0.5.

Details

An acceptance/rejection method of simulation is employed.

Value

Returns a vector of n independent random variables generated from a cardoid distribution.

See Also

[dcard](#)

rmixedvm

Random Generation from the Mixed von Mises Distribution

Description

Generates pseudo-random numbers from a mixture of two von Mises distributions.

Usage

```
rmixedvm(n, mu1, mu2, kappa1, kappa2, p)
```

Arguments

n	number of random variables to generate.
mu1	mean direction in radians of one of the two von Mises distributions.
mu2	mean direction in radians of the other von Mises distribution.
kappa1	concentration parameter of one of the two von Mises distributions.
kappa2	concentration parameter of the other von Mises distribution.
p	mixing proportion.

Details

Simulates random variables with the density function $p \cdot \text{VM}(\mu_1, \kappa_1) + (1-p) \cdot \text{VM}(\mu_2, \kappa_2)$, where VM is the von Mises density function.

A uniform random variable on (0,1) is generated. If it is less than p, then a variable is generated from VM(μ_1, κ_1), else a variable is generated from VM(μ_2, κ_2). Simulation from the von Mises distribution is done via the algorithm due to Best and Fisher (1979).

Value

Returns a vector of n independent random variables generated from a mixture of two von Mises distributions.

References

Best, D. and Fisher, N. (1979). Efficient simulation of the von Mises distribution. *Applied Statistics*, 24, 152-157.

See Also

[dmixedvm](#), [rvm](#)

rose.diag

Rose Diagram

Description

Creates a rose diagram of a circular data set on the current graphics device.

Usage

```
rose.diag(x, bins, main="", prop=1, pts=FALSE, cex=1, pch=16, dotsep=40, shrink=1)
```

Arguments

x	vector of directional data measured in radians.
bins	number of groups to partition the circle with. This will be the number of petals or sectors in the rose diagram.
main	title of plot. Default is no title.
prop	numerical constant determining the radii of the sectors. By default, prop = 1.
pts	logical value. If TRUE, points will be stacked on the circumference of the circle, according to bins - one point for each observation. The default value is FALSE, no points plotted.
cex	size of points, if pts = TRUE. By default, cex = 1. See help on cex in help section for par.
pch	if pts = TRUE, pch determines the character used. See help on pch in help section for par.
dotsep	constant used to specify the distance between stacked points, if pts = TRUE. Default is 40; larger values will create smaller spaces, while smaller values create larger spaces. This option can be useful when pch is other than 1, or when shrink is other than 1 (see below).
shrink	parameter that controls the size of the plotted circle. Default is 1. Larger values shrink the circle, while smaller values enlarge the circle. This option can be useful when pts = TRUE.

Details

The circumference of the circle is split into groups, the number of groups specified by bins. For each group, a sector is drawn. The radii of the sectors are by default equal to the square root of the relative frequencies of observations in each group. This ensures that the area of the sector is proportional to the group frequency. The length of the radii can be controlled by varying the parameter prop.

Value

NULL

Note

A rose diagram is plotted on the current graphics device.

See Also

[circ.plot](#)

Examples

```
# Generate uniform data and create several rose diagrams.
# Some optional parameters may be needed to optimize plots.
data <- runif(50, 0, 2*pi)
rose.diag(data, bins = 18, main = 'Uniform Data')
rose.diag(data, bins = 18, main = 'Stacked Points', pts=TRUE)
# Generate von Mises data and create several rose diagrams.
data <- rvm(25, 0, 5)
rose.diag(data, bins=18, pts=TRUE) # Points fall out of bounds.
rose.diag(data, bins=36, prop=1.5, pts=TRUE, shrink=1.5)
# Adjust optional parameters to fit all points on plot.
```

rstable

Random Generator for Stable Family of Distributions

Description

Returns random deviates from the stable family of probability distributions.

Usage

```
rstable(n, scale = 1, index = stop("no index arg"), skewness = 0)
```

Arguments

n	sample size
index	number from the interval (0, 2]. An index of 2 corresponds to the normal, 1 to the Cauchy. Smaller values mean longer tails.
skewness	number giving the modified skewness (see Chambers et al., 1976). Negative values correspond to skewness to the left (the median is smaller than the mean, if it exists), and positive values correspond to skewness to the right (the median is larger than the mean). The absolute value of skewness should not exceed 1.
scale	the scale of the distribution.

Details

This function returns a random variate from the Levy skew stable distribution with $\text{index}=\alpha$, $\text{scale}=c$ and $\text{skewness}=\beta$. The skewness parameter must lie in the range $[-1,1]$ while the index parameter must lie in the range $(0,2]$. The Levy skew stable probability distribution is defined by a fourier transform,

$$p(x) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} dt \exp(-itx - |ct|^{\alpha}(1 - i\beta \text{sign}(t) \tan(\pi\alpha/2)))$$

When $\alpha = 1$ the term $\tan(\pi\alpha/2)$ is replaced by $-(2/\pi) \log |t|$. For $\alpha = 2$ the distribution reduces to a Gaussian distribution with $\sigma = \sqrt{2} \text{scale}$ and the skewness parameter has no effect. For $\alpha < 1$ the tails of the distribution become extremely wide. The symmetric distribution corresponds to $\beta = 0$.

The Levy alpha-stable distributions have the property that if N alpha-stable variates are drawn from the distribution $p(c, \alpha, \beta)$ then the sum $Y = X_1 + X_2 + \dots + X_N$ will also be distributed as an alpha-stable variate, $p(N^{1/\alpha}c, \alpha, \beta)$.

There is no explicit solution for the form of $p(x)$ and there are no density, probability or quantile functions supplied for this distribution.

Value

random sample from the specified stable distribution.

References

- Chambers, J. M., Mallows, C. L. and Stuck, B. W. (1976). A Method for Simulating Stable Random Variables. *Journal of the American Statistical Association* 71, 340-344.
- Loève, M. (1977). *Probability Theory I*. (fourth edition) Springer-Verlag, New York.

See Also

[rnorm](#), [rcauchy](#).

Examples

```
hist(rstable(200, 1.5, .5)) #fairly long tails, skewed right
```

rtri

Random Generation from the Triangular Distribution

Description

Generates pseudo-random numbers from a symmetric triangular distribution.

Usage

```
rtri(n, r)
```

Arguments

n number of random variables to generate.
r concentration parameter of the distribution. r must be between 0 and $4/\pi^2$.

Details

The triangular cdf is inverted to obtain the random numbers.

Value

Returns a vector of n independent random variables generated from a symmetric triangular distribution with mean direction 0 and concentration parameter r.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 2.3.3, World Scientific Press, Singapore.

See Also

[dtri](#)

rvm

Random Generation from the von Mises Distribution

Description

Generates pseudo-random numbers from a von Mises distribution.

Usage

```
rvm(n, mean, k)
```

Arguments

n	number of random variables to generate.
mean	mean direction in radians of the von Mises distribution.
k	concentration parameter of the von Mises distribution.

Details

Simulation from the von Mises distribution is done via the algorithm due to Best and Fisher (1979).

Value

Returns a vector of n independent random variables generated from a von Mises distribution. Values are between 0 and 2π .

References

Best, D. and Fisher, N. (1979). Efficient simulation of the von Mises distribution. Applied Statistics, 24, 152-157.

See Also

[dmixedvm](#), [dvm](#), [pvm](#), [rmixedvm](#)

rwrpcauchy

Random Generation from the Wrapped Cauchy Distribution

Description

Generates pseudo-random numbers from a wrapped Cauchy distribution.

Usage

```
rwrpcauchy(n, location=0, rho=exp(-1))
```

Arguments

n	number of random variables to generate.
location	modal angle in radians of the wrapped Cauchy distribution.
rho	concentration parameter. rho must be between 0 and 1.

Details

n random variables are generated from a Cauchy distribution with location parameter location, and concentration parameter $-\log(\rho)$. The function returns these values modulo 2π .

Value

Returns a vector of n independent random variables generated from a wrapped Cauchy distribution.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 2.2.6, World Scientific Press, Singapore.

See Also

[dwrpcauchy](#)

rwrpnorm

Random Generation from the Wrapped Normal Distribution

Description

Generates pseudo-random numbers from a wrapped normal distribution.

Usage

```
rwrpnorm(n, mu, rho, sd=1)
```

Arguments

n	number of random variables to generate.
mu	mean direction in radians of the wrapped normal distribution.
rho	concentration parameter. rho must be between 0 and 1.
sd	different way of select rho, see details below.

Details

n random variables are generated from a normal distribution with mean direction mu, and variance $-2 \cdot \log(\rho)$. The function returns these values modulo 2π . You can set rho by using sd with the following equivalence:

$$\rho = \exp -\sigma^2/2$$

Value

Returns a vector of n independent random variables generated from a wrapped normal distribution.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 2.2.5, World Scientific Press, Singapore.

See Also

[dwrpnorm](#)

rwrpstab*Random Generation from the Wrapped Stable Distribution*

Description

Generates pseudo-random numbers from a wrapped stable distribution.

Usage

```
rwrpstab(n, index, skewness, scale=1)
```

Arguments

n	number of random variables to generate.
index	number from the interval (0, 2]. An index of 2 corresponds to the normal, 1 to the Cauchy. Smaller values mean longer tails.
skewness	number giving the modified skewness. Negative values correspond to skewness to the left (the median is smaller than the mean, if it exists), and positive values correspond to skewness to the right (the median is larger than the mean). The absolute value of skewness should not exceed 1.
scale	the scale of the distribution

Details

n random variables are generated from a stable distribution with parameters index, skewness and scale. The function returns these values modulo 2π .

Value

Returns a vector of n independent random variables generated from a wrapped stable distribution.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 2.2.8, World Scientific Press, Singapore.

trig.moment	<i>Trigonometric Moments</i>
-------------	------------------------------

Description

Computes the specified order trigonometric moment for a set of directional data points.

Usage

```
trig.moment(x, p=1, center=FALSE)
```

Arguments

x	directional data set measured in radians.
p	order of trigonometric moment to be computed. Default is for a first order trigonometric moment.
center	logical flag whether to compute centered moments or not. Default is to compute an uncentered moment.

Value

Returns a data frame with variables mu.p, rho.p, cos.p, and sin.p, respectively the pth trigonometric moment's direction, resultant length, and real and imaginary components.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 1.3, World Scientific Press, Singapore.

See Also

[circ.disp](#), [circ.mean](#), [circ.summary](#), [est.kappa](#), [est.rho](#)

v0.test	<i>Rayleigh Test of Uniformity: Alternative with Specified Mean Direction</i>
---------	---

Description

Performs a Rayleigh test of uniformity, assessing the significance of the mean resultant length. The alternative hypothesis is a unimodal distribution with a specified mean direction and unknown mean resultant length.

Usage

```
v0.test(x, mu0=0, degree=FALSE)
```

Arguments

x	vector of angular measurements in radians.
mu0	Specified mean direction in alternative hypothesis, measured in the same units (degrees or radians) as the data.
degree	logical flag: if TRUE, data is assumed to be measured in degrees rather than radians. Default is FALSE.

Value

Returns a list with two components: the mean resultant length, \bar{r}_0 , and the p-value of the test statistic, p.value.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Sections 3.3.3 and 3.4.1, World Scientific Press, Singapore.

See Also

[circ.range](#), [kuiper](#), [rao.spacing](#), [r.test](#), [watson](#)

Examples

```
data <- rvm(25, pi, 2)
v0.test(data, mu0=pi)
```

vm.bootstrap.ci

Bootstrap Confidence Intervals

Description

Generates simple bootstrap confidence intervals for the parameters of a von Mises distribution: the mean direction μ , and the concentration parameter κ .

Usage

```
vm.bootstrap.ci(x, bias=FALSE, alpha=0.05, reps=1000, print=TRUE)
```

Arguments

x	vector of angular measurements in radians.
bias	logical flag: if TRUE, the replication estimates for κ are computed with a bias corrected method. See <code>est.kappa</code> . Default is FALSE, i.e. no bias correction.
alpha	parameter determining level of confidence intervals. 1-alpha confidence intervals for μ and κ are computed. By default, 95% confidence intervals are generated.

reps	number of resampled data sets to use. Default is 1000.
print	logical flag indicating whether the algorithm should print a message indicating which set of replicates is currently being drawn. Default is TRUE.

Details

Percentile confidence intervals are computed by resampling from the original data set B times. For each resampled data set, the MLE's of μ and κ are computed. The bootstrap confidence intervals are the $\alpha/2$ and $1-\alpha/2$ percentiles of the B MLE's computed for each resampled data set.

Value

A list is returned with the following components: `mu.ci` and `kappa.ci` contain the limits of the confidence intervals for μ and κ respectively. `mu.reps` and `kappa.reps` contain the estimates of μ and κ for each resampled data set.

Note

The confidence intervals are printed to the screen.

See Also

[vm.ml](#), [est.kappa](#)

Examples

```
x <- rvm(25, 0, 3)
x.bs <- vm.bootstrap.ci(x, alpha=.10)
hist(x.bs$kappa.reps)
```

vm.ml

von Mises Maximum Likelihood Estimates

Description

Computes the maximum likelihood estimates for the parameters of a von Mises distribution: the mean direction and the concentration parameter.

Usage

```
vm.ml(x, bias=FALSE)
```

Arguments

x	vector of angular measurements in radians.
bias	logical flag: if TRUE, the estimate for κ is computed with a bias corrected method. See <code>est.kappa</code> . Default is FALSE, i.e. no bias correction.

Value

Returns a data frame with two components: mu and kappa, the MLES of the respective parameters.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 4.2.1, World Scientific Press, Singapore.

See Also

[circ.mean](#), [est.kappa](#), [vm.bootstrap.ci](#)

watson	<i>Watson's Test</i>
--------	----------------------

Description

Performs a Watson's goodness of fit test for the von Mises or circular uniform distribution.

Usage

```
watson(x, alpha=0, dist='uniform')
```

Arguments

x	vector of angular measurements in radians.
alpha	significance level of the test. Valid levels are 0.01, 0.05, 0.1. This argument may be omitted, in which case, a range for the p-value will be returned.
dist	distribution to test for. The default is the uniform distribution. To test for the von Mises distribution, set dist = 'vm'.

Value

NULL

Note

If dist = 'uniform', Watson's one-sample test for the circular uniform distribution is performed, and the results are printed to the screen. If alpha is specified and non-zero, the test statistic is printed along with the critical value and decision. If alpha is omitted, the test statistic is printed and a range for the p-value of the test is given.

If dist = 'vm', estimates of the population parameters are used to evaluate the von Mises distribution function at all data points, thereby arriving at a sample of approximately uniformly distributed data, if the original observations have a von Mises distribution. The one-sample Watson test is then applied to the transformed data as above.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 7.2, World Scientific Press, Singapore.

Stephens, M. (1970). Use of the Kolmogorov-Smirnov, Cramer-von Mises and related statistics without extensive tables. Journal of the Royal Statistical Society, B32, 115-122.

See Also

[circ.range](#), [kuiper](#), [rao.spacing](#), [r.test](#), [v0.test](#)

Examples

```
# Generate data from the uniform distribution on the circle.
data <- runif(100, 0, 2*pi)
watson(data)
# Generate data from a von Mises distribution.
data <- rvm(50, 0, 4)
watson(data, 0.05, dist='vm')
```

watson.two

Watson's Two-Sample Test of Homogeneity

Description

Performs Watson's test for homogeneity on two samples of circular data.

Usage

```
watson.two(x, y, alpha=0, plot=FALSE)
```

Arguments

x	vector of circular data measured in radians.
y	vector of circular data measured in radians.
alpha	significance level of the test. Valid levels are 0.001, 0.01, 0.05, 0.1. This argument may be omitted, in which case, a range for the p-value will be returned.
plot	logical value. If TRUE, an overlaid plot of both empirical distribution functions will be sent to the current graphics device. The default value is FALSE.

Details

Critical values for the test statistic are obtained using the asymptotic distribution of the test statistic. It is recommended to use the obtained critical values and ranges for p-values only for combined sample sizes in excess of 17. Tables are available for smaller sample sizes and can be found in Mardia (1972) for instance.

Value

NULL

Note

Watson's two-sample test of homogeneity is performed, and the results are printed to the screen. If alpha is specified and non-zero, the test statistic is printed along with the critical value and decision. If alpha is omitted, the test statistic is printed and a range for the p-value of the test is given. If plot=TRUE, an overlaid plot of both empirical distribution functions will be sent to the current graphics device.

References

Jammalamadaka, S. Rao and SenGupta, A. (2001). Topics in Circular Statistics, Section 7.5, World Scientific Press, Singapore.

Examples

```
# Perform a two-sample test of homogeneity on two
# simulated data sets.
data1 <- rvm(20, 0, 3)
data2 <- rvm(20, pi, 2)
watson.two(data1, data2, alpha=0.05, plot=TRUE)
watson.two(data1, data2)
```

wrpcauchy.ml

*Wrapped Cauchy Maximum Likelihood Estimates***Description**

Computes the maximum likelihood estimates of the location and scale parameters for a wrapped Cauchy distribution.

Usage

```
wrpcauchy.ml(x, mu0, rho0, acc=1e-015)
```

Arguments

x	vector of angular data measured in radians.
mu0	initial estimate of the location parameter.
rho0	initial estimate of the scale parameter. rho0 should be between in [0,1).
acc	degree of accuracy in the approximation of the estimates. The default value is 1e-15. See below for details.

Details

An iterative algorithm due to Kent and Tyler (1988) is used. Initial values of the MLE's are required. In the estimation process, estimates of quantities μ_1 and μ_2 (see Kent and Tyler) are updated iteratively. When both μ_1 and μ_2 change by less than `acc` from one iteration to the next, the process ends, and μ and ρ are computed from the final estimates of μ_1 and μ_2 .

Value

A dataframe is returned with the variables `mu` and `rho`, where `mu` and `rho` are the approximations of the MLE of the location and scale parameter, respectively.

References

Kent, J. and Tyler, D. (1988). Maximum likelihood estimation for the wrapped Cauchy distribution. *Journal of Applied Statistics*, 15, 2, 247-254.

Jammalamadaka, S. Rao and SenGupta, A. (2001). *Topics in Circular Statistics*, Section 4.4, World Scientific Press, Singapore.

See Also

[dwrpcauchy](#), [rwrpcauchy](#)

Examples

```
# Generate data from a wrapped Cauchy distribution.
data <- rwrpcauchy(50, 0, 0.75)
# Compute the sample mean direction and resultant length.
mu0 <- circ.mean(data)
rho0 <- est.rho(data)
# Estimate the MLE's of the Cauchy distribution parameters.
wrpcauchy.ml(data, mu0, rho0)
```

Index

- * **datasets**
 - rao.table, 28
- * **distribution**
 - dcard, 12
 - dmixedvm, 13
 - dtri, 14
 - dvm, 15
 - dwrpcauchy, 15
 - dwrpnorm, 16
 - pvm, 24
 - rcard, 28
 - rmixedvm, 29
 - rstable, 31
 - rtri, 33
 - rvm, 33
 - rwrpcauchy, 34
 - rwrpnorm, 35
 - rwrpstab, 36
- * **hplot**
 - circ.plot, 7
 - plottedf, 22
 - pp.plot, 23
 - rose.diag, 30
- * **htest**
 - change.pt, 4
 - circ.range, 8
 - est.kappa, 17
 - est.rho, 18
 - kuiper, 21
 - r.test, 25
 - rao.homogeneity, 26
 - rao.spacing, 27
 - v0.test, 37
 - vm.bootstrap.ci, 38
 - vm.ml, 39
 - watson, 40
 - watson.two, 41
 - wrpcauchy.ml, 42
- * **math**
 - A1, 2
 - A1inv, 3
 - deg, 13
 - I.0, 19
 - I.1, 20
 - I.p, 20
 - rad, 26
 - trig.moment, 37
- * **misc**
 - circ.summary, 11
- * **models**
 - circ.reg, 9
- * **univar**
 - circ.cor, 5
 - circ.disp, 6
 - circ.mean, 6
 - circ.range, 8
- A1, 2, 3
- A1inv, 3, 3
- besselI, 3, 19–21
- change.pt, 4
- circ.cor, 5
- circ.disp, 6, 7, 11, 18, 19, 37
- circ.mean, 6, 6, 11, 18, 19, 37, 40
- circ.plot, 7, 31
- circ.range, 8, 22, 25, 28, 38, 41
- circ.reg, 9
- circ.summary, 6, 7, 11, 18, 19, 37
- dcard, 12, 29
- deg, 13, 26
- dmixedvm, 13, 30, 34
- dtri, 14, 33
- dvm, 15, 24, 34
- dwrpcauchy, 15, 35, 43
- dwrpnorm, 16, 35
- eqsplot, 8

est.kappa, [3](#), [6](#), [7](#), [11](#), [17](#), [19](#), [37](#), [39](#), [40](#)
est.rho, [6](#), [7](#), [11](#), [18](#), [18](#), [37](#)

I.0, [19](#)

I.1, [20](#)

I.p, [20](#)

kuiper, [9](#), [21](#), [25](#), [28](#), [38](#), [41](#)

nCk (circ.range), [8](#)

par, [22](#)

plottedf, [22](#)

pp.plot, [23](#)

pvm, [24](#), [34](#)

r.test, [9](#), [22](#), [25](#), [28](#), [38](#), [41](#)

rad, [13](#), [26](#)

rao.homogeneity, [26](#)

rao.spacing, [9](#), [22](#), [25](#), [27](#), [38](#), [41](#)

rao.table, [28](#)

rcard, [12](#), [28](#)

rcauchy, [32](#)

rmixedvm, [14](#), [29](#), [34](#)

rnorm, [32](#)

rose.diag, [8](#), [30](#)

rstable, [31](#)

rtri, [14](#), [33](#)

rvm, [15](#), [24](#), [30](#), [33](#)

rwrpcauchy, [16](#), [34](#), [43](#)

rwrpnorm, [17](#), [35](#)

rwrpstab, [36](#)

trig.moment, [37](#)

v0.test, [9](#), [22](#), [25](#), [28](#), [37](#), [41](#)

vm.bootstrap.ci, [38](#), [40](#)

vm.ml, [23](#), [39](#), [39](#)

watson, [9](#), [22](#), [25](#), [28](#), [38](#), [40](#)

watson.two, [41](#)

wrpcauchy.ml, [42](#)