

# Package ‘HypergeoMat’

January 20, 2025

**Type** Package

**Title** Hypergeometric Function of a Matrix Argument

**Version** 4.0.3

**Author** Stéphane Laurent

**Maintainer** Stéphane Laurent <laurent\_step@outlook.fr>

**Description** Evaluates the hypergeometric functions of a matrix argument,  
which appear in random matrix theory. This is an implementation of  
Koev & Edelman's algorithm (2006) <[doi:10.1090/S0025-5718-06-01824-2](https://doi.org/10.1090/S0025-5718-06-01824-2)>.

**License** GPL-3

**URL** <https://github.com/stla/HypergeoMat>

**BugReports** <https://github.com/stla/HypergeoMat/issues>

**Imports** EigenR, gsl, JuliaConnectoR, Rcpp (>= 1.0.2)

**Suggests** Bessel, jack, knitr, rmarkdown, testthat

**LinkingTo** Rcpp, RcppEigen

**VignetteBuilder** knitr

**Encoding** UTF-8

**RoxxygenNote** 7.2.3

**SystemRequirements** C++17

**NeedsCompilation** yes

**Repository** CRAN

**Date/Publication** 2024-07-28 05:30:01 UTC

## Contents

BesselA . . . . .	2
hypergeomPFQ . . . . .	3
hypergeomPFQ_julia . . . . .	4
IncBeta . . . . .	5
IncGamma . . . . .	6
mvbeta . . . . .	7
mvgamma . . . . .	7

BesselA	Type one Bessel function of Herz
---------	----------------------------------

**Description**

Evaluates the type one Bessel function of Herz.

**Usage**

```
BesselA(m, x, nu)
```

**Arguments**

m	truncation weight of the summation, a positive integer
x	either a real or complex square matrix, or a numeric or complex vector, the eigenvalues of the matrix
nu	the order parameter, real or complex number with $\text{Re}(\text{nu}) > -1$

**Value**

A real or complex number.

**Note**

This function is usually defined for a symmetric real matrix or a Hermitian complex matrix.

**References**

A. K. Gupta and D. K. Nagar. *Matrix variate distributions*. Chapman and Hall, 1999.

**Examples**

```
# for a scalar x, the relation with the Bessel J-function:
t <- 2
nu <- 3
besselJ(t, nu)
BesselA(m=15, t^2/4, nu) * (t/2)^nu
# it also holds for a complex variable:
if(require("Bessel")) {
  t <- 1 + 2i
  Bessel::BesselJ(t, nu)
  BesselA(m=15, t^2/4, nu) * (t/2)^nu
}
```

---

**hypergeomPFQ***Hypergeometric function of a matrix argument*

---

**Description**

Evaluates a truncated hypergeometric function of a matrix argument.

**Usage**

```
hypergeomPFQ(m, a, b, x, alpha = 2)
```

**Arguments**

m	truncation weight of the summation, a positive integer
a	the "upper" parameters, a numeric or complex vector, possibly empty (or NULL)
b	the "lower" parameters, a numeric or complex vector, possibly empty (or NULL)
x	either a real or complex square matrix, or a numeric or complex vector, the eigenvalues of the matrix
alpha	the alpha parameter, a positive number

**Details**

This is an implementation of Koev & Edelman's algorithm (see the reference). This algorithm is split into two parts: the case of a scalar matrix (multiple of an identity matrix) and the general case. The case of a scalar matrix is much faster (try e.g.  $x = c(1, 1, 1)$  vs  $x = c(1, 1, 0.999)$ ).

**Value**

A real or a complex number.

**Note**

The hypergeometric function of a matrix argument is usually defined for a symmetric real matrix or a Hermitian complex matrix.

**References**

Plamen Koev and Alan Edelman. *The Efficient Evaluation of the Hypergeometric Function of a Matrix Argument*. Mathematics of Computation, 75, 833-846, 2006.

## Examples

```
# a scalar x example, the Gauss hypergeometric function
hypergeomPFQ(m = 10, a = c(1,2), b = c(3), x = 0.2)
gsl::hyperg_2F1(1, 2, 3, 0.2)
# 0F0 is the exponential of the trace
X <- toeplitz(c(3,2,1))/10
hypergeomPFQ(m = 10, a = NULL, b = NULL, x = X)
exp(sum(diag(X)))
# 1F0 is det(I-X)^(-a)
X <- toeplitz(c(3,2,1))/100
hypergeomPFQ(m = 10, a = 3, b = NULL, x = X)
det(diag(3)-X)^(-3)
# Herz's relation for 1F1
hypergeomPFQ(m = 10, a = 2, b = 3, x = X)
exp(sum(diag(X))) * hypergeomPFQ(m = 10, a = 3-2, b = 3, x = -X)
# Herz's relation for 2F1
hypergeomPFQ(10, a = c(1,2), b = 3, x = X)
det(diag(3)-X)^(-2) *
hypergeomPFQ(10, a = c(3-1,2), b = 3, -X %*% solve(diag(3)-X))
```

*hypergeomPFQ\_julia      Evaluation with Julia*

## Description

Evaluate the hypergeometric function of a matrix argument with Julia. This is highly faster.

## Usage

```
hypergeomPFQ_julia()
```

## Value

A function with the same arguments as [hypergeomPFQ](#).

## Note

See [JuliaConnectoR-package](#) for information about setting up Julia. If you want to directly use Julia, you can use [my package](#).

## Examples

```
library(HypergeoMat)
if(JuliaConnectoR::juliaSetupOk()){
  jhpq <- hypergeomPFQ_julia()
  jhpq(30, c(1+1i, 2, 3), c(4, 5), c(0.1, 0.2, 0.3+0.3i))
  JuliaConnectoR::stopJulia()
}
```

---

IncBeta*Incomplete Beta function of a matrix argument*

---

**Description**

Evaluates the incomplete Beta function of a matrix argument.

**Usage**

```
IncBeta(m, a, b, x)
```

**Arguments**

m	truncation weight of the summation, a positive integer
a, b	real or complex parameters with $\operatorname{Re}(a) > (p-1)/2$ and $\operatorname{Re}(b) > (p-1)/2$ , where p is the dimension (the order of the matrix)
x	either a real positive symmetric matrix or a complex positive Hermitian matrix "smaller" than the identity matrix (i.e. $I-x$ is positive), or a numeric or complex vector, the eigenvalues of the matrix

**Value**

A real or a complex number.

**Note**

The eigenvalues of a real symmetric matrix or a complex Hermitian matrix are always real numbers, and moreover they are positive under the constraints on x. However we allow to input a numeric or complex vector x because the definition of the function makes sense for such a x.

**References**

A. K. Gupta and D. K. Nagar. *Matrix variate distributions*. Chapman and Hall, 1999.

**Examples**

```
# for a scalar x, this is the incomplete Beta function:
a <- 2; b <- 3
x <- 0.75
IncBeta(m = 15, a, b, x)
gsl::beta_inc(a, b, x)
pbeta(x, a, b)
```

**IncGamma***Incomplete Gamma function of a matrix argument***Description**

Evaluates the incomplete Gamma function of a matrix argument.

**Usage**

```
IncGamma(m, a, x)
```

**Arguments**

m	truncation weight of the summation, a positive integer
a	real or complex parameter with $\text{Re}(a) > (p-1)/2$ , where p is the dimension (the order of the matrix)
x	either a real or complex square matrix, or a numeric or complex vector, the eigenvalues of the matrix

**Value**

A real or complex number.

**Note**

This function is usually defined for a symmetric real matrix or a Hermitian complex matrix.

**References**

A. K. Gupta and D. K. Nagar. *Matrix variate distributions*. Chapman and Hall, 1999.

**Examples**

```
# for a scalar x, this is the incomplete Gamma function:
a <- 2
x <- 1.5
IncGamma(m = 15, a, x)
gsl::gamma_inc_P(a, x)
pgamma(x, shape = a, rate = 1)
```

**mvbeta***Multivariate Beta function (of complex variable)***Description**

The multivariate Beta function (`mvbeta`) and its logarithm (`lmvbeta`).

**Usage**

```
lmvbeta(a, b, p)
mvbeta(a, b, p)
```

**Arguments**

<code>a, b</code>	real or complex numbers with $\text{Re}(a)>0$ and $\text{Re}(b)>0$
<code>p</code>	a positive integer, the dimension

**Value**

A real or a complex number.

**Examples**

```
a <- 5; b <- 4; p <- 3
mvbeta(a, b, p)
mvgamma(a, p) * mvgamma(b, p) / mvgamma(a+b, p)
```

**mvgamma***Multivariate Gamma function (of complex variable)***Description**

The multivariate Gamma function (`mvgamma`) and its logarithm (`lmvgamma`).

**Usage**

```
lmvgamma(x, p)
mvgamma(x, p)
```

**Arguments**

<code>x</code>	a real or a complex number; $\text{Re}(x)>0$ for <code>lmvgamma</code> and <code>x</code> must not be a negative integer for <code>mvgamma</code>
<code>p</code>	a positive integer, the dimension

**Value**

A real or a complex number.

**Examples**

```
x <- 5
mvgamma(x, p = 2)
sqrt(pi)*gamma(x)*gamma(x-1/2)
```

# Index

BesselA, [2](#)

hypergeomPFQ, [3, 4](#)

hypergeomPFQ\_julia, [4](#)

IncBeta, [5](#)

IncGamma, [6](#)

lmvbeta (mvbeta), [7](#)

lmvgamma (mvgamma), [7](#)

mvbeta, [7](#)

mvgamma, [7](#)