# Package 'PCObw'

January 20, 2025

· · · · · · · · · · · · · · · · · · ·
Type Package
Title Bandwidth Selector with Penalized Comparison to Overfitting
Criterion
Version 0.0.1
<b>Date</b> 2023-03-16
Author S. Varet
Maintainer S. Varet <suzanne.varet@universite-paris-saclay.fr></suzanne.varet@universite-paris-saclay.fr>
<b>Description</b> Bandwidth selector according to the Penalised Comparison to Overfitting (P.C.O.) criterion as described in Varet, S., Lacour, C., Massart, P., Rivoirard, V., (2019) <a href="https://hal.archives-ouvertes.fr/hal-02002275">https://hal.archives-ouvertes.fr/hal-02002275</a> . It can be used with univariate and multivariate data.
<b>Depends</b> R (>= 3.5.0)
License GPL (>= 2)
<b>Imports</b> Rcpp (>= 0.12.17), stats(>= 3.5.2)
LinkingTo Rcpp, RcppEigen
RoxygenNote 7.2.2
Suggests knitr, rmarkdown, mvtnorm
VignetteBuilder knitr
Encoding UTF-8
NeedsCompilation yes
Repository CRAN
<b>Date/Publication</b> 2023-03-23 22:32:13 UTC
Contents
PCObw-package bw.L2PCO bw.L2PCO.diag gauss_1D_sample gauss_mD_sample
Index

PCObw-package

PCObw-package Bandwidth Selector with Penalized Comparison to Overfitting Crion	ite-
---	------

### **Description**

Bandwidth selector according to the Penalised Comparison to Overfitting (P.C.O.) criterion as described in Varet, S., Lacour, C., Massart, P., Rivoirard, V., (2019). It can be used with univariate and multivariate data.

# Details

```
bw.L2PCO(x_i, ...)
bw.L2PCO.diag(x_i, ...)
```

select the optimal bandwith according to PCO criterion where x\_i are the data (a numeric matrix or a numeric vector).

#### Author(s)

S. Varet.

Maintainer: S. Varet <suzanne.varet@universite-paris-saclay.fr>

#### References

Varet, S., Lacour, C., Massart, P., Rivoirard, V., (2019). *Numerical performance of Penalized Comparison to Overfitting for multivariate kernel density estimation*. hal-02002275. https://hal.archivesouvertes.fr/hal-02002275

# **Examples**

```
# load univariate data
data("gauss_1D_sample")
```

# computes the optimal bandwith for the sample x\_i with all parameters set to their default value bw.L2PCO(gauss\_1D\_sample)

bw.L2PCO 3

bw.L2PCO

Compute the full PCO bandwith

# Description

bw. L2PC0 tries to minimise the PCO criterion (described and studied in Varet, S., Lacour, C., Massart, P., Rivoirard, V., (2019)) with a gold section search. For multivariate data, it searches for a full matrix.

# Usage

```
bw.L2PCO(
    x_i,
    nh = 40,
    K_name = "gaussian",
    binning = FALSE,
    nb = 32,
    tol = 1e-06,
    adapt_nb_bin = FALSE,
    nb_bin_vect = NULL
)
```

#### **Arguments**

nb\_bin\_vect

x_i	the observations. Must be a matrix with d column and n lines (d the dimension and n the sample size) $ \\$
nh	the maximum number of PCO criterion evaluations during the golden section search. The default value is 40. The golden section search stop once this value is reached or if the tolerance is achieved, and return the middle of the interval.
K_name	name of the kernel. Can be 'gaussian', 'epanechnikov', or 'biweight'. The default value is 'gaussian'.
binning	default value is FALSE, that is the function computes the exact PCO criterion. If set to TRUE allows to use binning.
nb	is the number of bins to use when binning is TRUE. For multivariate $x_i$ , nb corresponds to the number of bins per dimension. The default value is 32.
tol	is the maximum authorized length of the interval which contains the optimal h for univariate data. For multivariate data, it corresponds to the length of each hypercube axe. The golden section search stop once this value is achieved or when nh is reached and return the middle of the interval. Its default value is $10^{\circ}(-6)$ .
adapt_nb_bin	is a boolean used for univariate $x_i$ . If set to TRUE, authorises the function to increase the number of bins if, with nb bins, the middle of the initial interval is not an admissible solution, that is if the criterion at the middle is greater than the mean of the criterion at the bounds of the initial interval of search.

can be set to have a different number of bins on each dimension

4 bw.L2PCO.diag

#### Value

a scalar for univariate data or a matrix for multivariate data corresponding to the optimal bandwidth according to the PCO criterion

#### References

Varet, S., Lacour, C., Massart, P., Rivoirard, V., (2019). *Numerical performance of Penalized Comparison to Overfitting for multivariate kernel density estimation*. hal-02002275. https://hal.archives-ouvertes.fr/hal-02002275

#### See Also

 $[stats::nrd0()], [stats::nrd()], [stats::bcv()], [stats::bcv()] \ and \ [stats::SJ()] \ for \ other \ univariate \ bandwidth \ selection \ and \ [stats::density()] \ to \ compute \ the \ associated \ density \ estimation.$ 

[ks::Hlscv()], [ks::Hbcv()], [ks::ns()] for other multivariate bandwidth selection.

#### **Examples**

```
# an example with simulated univariate data

# load univariate data
data("gauss_1D_sample")

# computes the optimal bandwith for the sample x_i with all parameters set to their default value
bw.L2PCO(gauss_1D_sample)

# an example with simulated multivariate data

# load multivariate data
data("gauss_mD_sample")

# computes the optimal bandwith for the sample x_i with all parameters set to their default value
# generates a warning since the tolerance value is not reached
bw.L2PCO(gauss_mD_sample)

# To avoid this warning, it is possible to increase the parameter nh
bw.L2PCO(gauss_mD_sample, nh = 80)
```

bw.L2PCO.diag

Compute the diagonal PCO bandwith

#### **Description**

bw. L2PCO. diag tries to minimise the PCO criterion (described and studied in Varet, S., Lacour, C., Massart, P., Rivoirard, V., (2019)) with a gold section search. For multivariate data, it searches for a diagonal matrix.

bw.L2PCO.diag 5

#### Usage

```
bw.L2PCO.diag(
    x_i,
    nh = 40,
    K_name = "gaussian",
    binning = FALSE,
    nb = 32,
    tol = 1e-06,
    adapt_nb_bin = FALSE,
    nb_bin_vect = NULL
)
```

#### **Arguments**

x_i the observations. Must be a matrix with d column and n lines (d the dimen	sion
---	------

and n the sample size)

nh the maximum of possible bandwiths tested. The default value is 40.

K\_name name of the kernel. Can be 'gaussian', 'epanechnikov', or 'biweight'. The

default value is 'gaussian'.

binning can be set to TRUE or FALSE. The value TRUE allows to use binning. The

default value FALSE computes the exact PCO criterion.

nb is the number of bins to use when binning is TRUE. For multivariate x\_i, nb

corresponds to the number of bins per dimension.

tol is the maximum authorized length of the interval which contains the optimal h

for univariate data. For multivariate data, it corresponds to the length of each hypercube axe. The golden section search stop once this value is achieved or when nh is reached and return the middle of the interval. Its default value is

10^(-6).

adapt\_nb\_bin is a boolean used for univariate x\_i. If set to TRUE, authorises the function to

increase the number of bins if, with nb bins, the middle of the initial interval is not an admissible solution, that is if the criterion at the middle is greater than the

mean of the criterion at the bounds of the initial interval of search.

nb\_bin\_vect can be set to have a different number of bins on each dimension

#### Value

a scalar for univariate data or a vector (the diagonal of the matrix) for multivariate data corresponding to the optimal bandwidth according to the PCO criterion

#### References

Varet, S., Lacour, C., Massart, P., Rivoirard, V., (2019). *Numerical performance of Penalized Comparison to Overfitting for multivariate kernel density estimation*. hal-02002275. https://hal.archives-ouvertes.fr/hal-02002275

gauss\_1D\_sample

#### See Also

[stats::nrd0()], [stats::nrd()], [stats::ucv()], [stats::bcv()] and [stats::SJ()] for other univariate bandwidth selection and [stats::density()] to compute the associated density estimation.

[ks::Hlscv.diag()], [ks::Hbcv.diag()], [ks::ns.diag()] for other multivariate bandwidth selection.

#### **Examples**

```
# an example with simulated univariate data
# load univariate data
data("gauss_1D_sample")

# computes the optimal bandwith for the sample x_i with all parameters set to their default value
bw.L2PCO.diag(gauss_1D_sample)

# an example with simulated multivariate data
# load multivariate data
data("gauss_mD_sample")

# computes the optimal bandwith for the sample x_i with all parameters set to their default value
# generates a warning since the tolerance value is not reached
bw.L2PCO.diag(gauss_mD_sample)

# To avoid this warning, it is possible to increase the parameter nh
bw.L2PCO.diag(gauss_mD_sample, nh = 80)
```

gauss\_1D\_sample

Univariate sample

#### **Description**

A univariate sample of 100 realisations of a gaussian law with mean 0 and standard deviation 1

#### Usage

```
data("gauss_1D_sample")
```

#### **Format**

A vector with 100 rows

gauss\_mD\_sample 7

gauss\_mD\_sample

Multivariate sample

# Description

A 2D sample of 100 realisations of a gaussian law with mean (0,0) and covariance matrix  $|\ 1\ 0.9\ |\ |\ 0.9\ 1\ |$ 

# Usage

```
data("gauss_mD_sample")
```

#### **Format**

A matrix with 100 rows and 2 columns

# **Index**

```
* bandwidth
PCObw-package, 2

* datasets
gauss_1D_sample, 6
gauss_mD_sample, 7

* kernel density estimation
PCObw-package, 2

bw.L2PCO, 3
bw.L2PCO.diag, 4

gauss_1D_sample, 6
gauss_mD_sample, 7

PCObw (PCObw-package), 2
PCObw-package, 2
```