

# Package ‘TestIndVars’

January 20, 2025

**Type** Package

**Title** Testing the Independence of Variables for Specific Covariance Structures

**Version** 0.1.0

**Maintainer** Mina Norouzirad <[mina.norouzirad@gmail.com](mailto:mina.norouzirad@gmail.com)>

**Description** Test the nullity of covariances, in a set of variables, using a simple univariate procedure. See Marques, Diago, Norouzirad, Bispo (2023) <[doi:10.1002/mma.9130](https://doi.org/10.1002/mma.9130)>.

**License** GPL (>= 2)

**URL** <https://github.com/mnrzrad/TestIndVars>

**Encoding** UTF-8

**RoxygenNote** 7.3.1

**Depends** R (>= 3.5)

**Imports** stats, matrixcalc, MASS

**NeedsCompilation** no

**Author** Filipe J. Marques [aut] (<<https://orcid.org/0000-0001-6453-6558>>),  
Mina Norouzirad [aut, cre] (<<https://orcid.org/0000-0003-0311-6888>>),  
Joana Diogo [ctb],  
Regina Bispo [ctb] (<<https://orcid.org/0000-0002-6723-2557>>),  
FCT, I.P. [fnd] (under the scope of the projects UIDB/00297/2020 and  
UIDP/00297/2020 (NovaMath))

**Repository** CRAN

**Date/Publication** 2024-04-17 09:50:08 UTC

## Contents

covMatAR . . . . .	2
covMatC . . . . .	3
covMatCS . . . . .	4
indTest . . . . .	5
lrTest . . . . .	6
schottTest . . . . .	7

**Index****9**

covMatAR

*Generate a covariance matrix with Autoregressive (AR) structure.***Description**

This function generates an Autoregressive (AR) covariance structure matrix of size  $p \times p$  based on the specified autoregressive coefficient ( $\rho$ ) and variance ( $\sigma^2$ ).

**Usage**

```
covMatAR(p, sigma2 = 1, rho)
```

**Arguments**

- |                     |   |
|---------------------|---|
| <code>p</code>      | An integer specifying the number of dimensions of the covariance matrix.  |
| <code>sigma2</code> | A numeric value specifying the variance parameter (default = 1).  |
| <code>rho</code>    | A numeric value specifying the autoregressive coefficient. If not provided, a random value between 0 and 1 will be generated. |
- The Autoregressive structure is defined as follows:

$$\Sigma = \Sigma_{AR} = \sigma^2 \begin{bmatrix} 1 & \rho & \rho^2 & \cdots & \rho^{|p-1|} \\ \rho & 1 & \rho & \cdots & \rho^{|p-2|} \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ \rho^{|p-1|} & \rho^{|p-2|} & \rho^{|p-3|} \dots & 1 & \end{bmatrix}$$

where  $\Sigma$  is the covariance matrix,  $\sigma^2$  is the variance parameter, and  $\rho$  is the correlation parameter.

**Value**

A  $p \times p$  numeric matrix representing the Autoregressive (AR) covariance structure.

**Examples**

```
# generate a covariance matrix for \eqn{p = 5}, \eqn{\sigma^2 = 1}, and \eqn{\rho = 0.9}.
covMatAR(p = 5, rho = 0.9)

# generate a covariance matrix for \eqn{p = 5}, \eqn{\sigma^2 = 5}, and \eqn{\rho = 0.9}.
covMatAR(p = 5, sigma2 = 5, rho = 0.9)

# generate covariance matrix for \eqn{p = 5}, and no value is considered for \eqn{\rho}
covMatAR(p = 5)
```

---

covMatC*Generate a covariance matrix with Circular (C) structure.*

---

## Description

This function generates an Circular (C) covariance structure matrix of size  $p \times p$  based on the specified sequence of  $\{b_1, b_2, \dots, b_{\lfloor p/2 \rfloor}\}$  where  $\lfloor \cdot \rfloor$  represents the largest integer that is not greater than the argument and  $b_j = b_{p-j}$  that this sequence in this function is created by a controlling parameter  $\rho$  as well as variance ( $\sigma^2$ ).

## Usage

```
covMatC(p, sigma2 = 1, rho = NULL)
```

## Arguments

- |        |  |
|--------|--|
| p      | An integer specifying the number of dimensions of the covariance matrix.                                       |
| sigma2 | A numeric value specifying the variance parameter (default = 1).   |
| rho    | Parameter controlling the circular pattern. If not provided, a random value between 0 and 1 will be generated. |

The Circular structure is defined as follows:

$$\Sigma = \Sigma_C = \begin{bmatrix} \sigma^2 & b_1 & b_2 & \cdots & b_{p-1} \\ b_{p-1} & \sigma^2 & b_1 & \cdots & b_{p-2} \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ b_1 & b_2 & b_3 & \cdots & \sigma^2 \end{bmatrix}$$

where  $\Sigma$  is the covariance matrix,  $\sigma^2$  is the variance parameter, and  $b_j$  is the sequence that  $b_j = b_{p-j}$  for  $j = 1, 2, \dots, \lfloor p/2 \rfloor$  where  $\lfloor \cdot \rfloor$  represents the largest integer that is not greater than the argument.

## Value

A  $p \times p$  numeric matrix representing the Circular (C) covariance structure.

## Examples

```
# generate a covariance matrix for \eqn{p = 5}, \eqn{\sigma^2 = 1}, and \eqn{\rho = 0.9}.
covMatC(p = 5, rho = 0.9)

# generate a covariance matrix for \eqn{p = 5}, \eqn{\sigma^2 = 5}, and \eqn{\rho = 0.9}.
covMatC(p = 5, sigma2 = 5, rho = 0.9)

# generate covariance matrix for \eqn{p = 5}, and no value is considered for \eqn{\rho}
covMatC(p = 5)
```

covMatCS	<i>Generate a covariance matrix with equivariance-equicorrelation or compound symmetry structure.</i>
----------	---

## Description

This function generates a covariance matrix with equivariance-equicorrelation

## Usage

```
covMatCS(p, sigma2 = 1, rho = NULL)
```

## Arguments

- p An integer specifying the number of dimensions of the covariance matrix.
  - sigma2 A numeric value specifying the variance parameter (default = 1).
  - rho A numeric value specifying the correlation parameter. If not provided, a random value between 0 and 1 will be generated.
- The compound symmetry structure is defined as follows:

$$\Sigma = \Sigma_{CS} = \sigma^2 \begin{bmatrix} 1 & \rho & \cdots & \rho \\ \rho & 1 & \cdots & \rho \\ \vdots & \vdots & \ddots & \vdots \\ \rho & \rho & \cdots & \rho \end{bmatrix}$$

where  $\Sigma$  is the covariance matrix,  $\sigma^2$  is the variance parameter, and  $\rho$  is the correlation parameter.

## Value

A  $p \times p$  numeric matrix representing the covariance matrix with equivariance-equicorrelation or compound symmetry structure.

## Examples

```
# generate a covariance matrix for \eqn{p = 5}, \eqn{\sigma^2 = 1}, and \eqn{\rho = 0.9}.
covMatCS(p = 5, rho = 0.9)

# generate a covariance matrix for \eqn{p = 5}, \eqn{\sigma^2 = 5}, and \eqn{\rho = 0.9}.
covMatCS(p = 5, sigma2 = 5, rho = 0.9)

# generate covariance matrix for \eqn{p = 5}, and no value is considered for \eqn{\rho}
covMatCS(p = 5)
```

---

indTest	<i>Complete Independent Test</i>
---------	----------------------------------

---

## Description

Performs an independent test for a set of variables both for low and high dimensional data.

## Usage

```
indTest(X, covMat = NULL, alpha = 0.05)
```

## Arguments

- |        |   |
|--------|---|
| X      | A numeric matrix or data frame containing the measurements on the variables.  |
| covMat | Optional. A numeric matrix representing the population covariance matrix used in the test. If NULL, the sample covariance matrix is used (default is NULL). |
| alpha  | The significance level for the test (default is 0.05).  |

## Value

A data frame containing the observed value of the test statistic, degrees of freedom, alpha value, p-value, and test result. #' @references Marques, F. J., Diogo, J., Norouzirad, M., & Bispo, R. (2023). Testing the independence of variables for specific covariance structures: A simulation study. Mathematical Methods in the Applied Sciences, 46(9), 10421–10434. DOI: 10.1002/mma.9130

## Examples

```
# Example usage:

library(MASS)

n = 50 # Sample Size
p = 5 # number of variables
rho = 0.4
# Building a Covariance structure with Autoregressive structure
cov_mat <- covMatAR(p = p, rho = rho)
# Simulated data
data <- mvrnorm(n = n, mu = rep(0,p), Sigma = cov_mat)
# Performing the test assuming that the population covariance matrix is unknown
indTest(data)
# Performing the test assuming that the population covariance matrix is known
indTest(data, covMat = cov_mat)

# Example for data with missing values
# Generating data with 10% of missing values
missing_rate <- 0.1
missing_index_row <- sample(1:n, size = round(n * missing_rate))
missing_index_col <- sample(1:p, size = 1)
```

```

data[missing_index_row, missing_index_col] <- NA # Introducing missing values
# Performing the test assuming that the population covariance matrix is unknown
indTest(data)
# Performing the test assuming that the population covariance matrix is known
indTest(data, covMat = cov_mat)

# Building a Covariance structure with Compound Symmetry structure
cov_mat <- covMatCS(p = p, rho = rho)
# Simulated data
data <- mvrnorm(n = n, mu = rep(0,p), Sigma = cov_mat)
# Performing the test assuming that the population covariance matrix is unknown
indTest(data)
# Performing the test assuming that the population covariance matrix is known
indTest(data, covMat = cov_mat)

# Building a Covariance structure with Circular structure
cov_mat <- covMatC(p = p, rho = rho)
# Simulated data
data <- mvrnorm(n = n, mu = rep(0,p), Sigma = cov_mat)
# Performing the test assuming that the population covariance matrix is unknown
indTest(data)
# Performing the test assuming that the population covariance matrix is known
indTest(data, covMat = cov_mat)

```

**lrTest***Likelihood Ratio Test for Covariance Matrix***Description**

Performs a likelihood ratio test for the covariance matrix to assess if the covariance matrix is significantly different from an identity matrix.

**Usage**

```
lrTest(X, alpha = 0.05)
```

**Arguments**

- |       |  |
|-------|--|
| X     | A numeric matrix or data frame containing the variables. |
| alpha | The significance level for the test. (default is 0.05).  |

**Value**

A data frame containing the test statistic, degrees of freedom, critical value, p-value, and test result.

## Examples

```

library(MASS)

n = 50 # Sample Size
p = 5
rho = 0.1

# Building a Covariance structure with Autoregressive structure
cov_mat <- covMatAR(p = p, rho = rho)
# Simulated data
data <- mvrnorm(n = n, mu = rep(0,p), Sigma = cov_mat)
# Performing the test
lrTest(data, alpha = 0.01)

# Building a Covariance structure with Compound Symmetry structure
cov_mat <- covMatCS(p = p, rho = rho)
# Simulated data
data <- mvrnorm(n = n, mu = rep(0,p), Sigma = cov_mat)
# Performing the test
lrTest(data)

# Building a Covariance structure with Circular structure
cov_mat <- covMatC(p = p, rho = rho)
# Simulated data
data <- mvrnorm(n = n, mu = rep(0,p), Sigma = cov_mat)
# Performing the test
lrTest(data)

```

schottTest

*Schott's Test for testing independency*

## Description

Performs Schott's test for the correlation matrix to assess if the correlation matrix is significantly different from an identity matrix.

## Usage

```
schottTest(X, alpha = 0.05)
```

## Arguments

- |       |  |
|-------|--|
| X     | A numeric matrix or data frame containing the variables. |
| alpha | The significance level for the test (default is 0.05).   |

## Value

A data frame containing the test statistic, alpha value, p-value, and test result.

## References

Schott, J. R. (2005). Testing for complete independence in high dimensions, *Biometrika*, 92(4), 951–956.

## Examples

```
library(MASS)

n = 50 # Sample Size
p = 5
rho = 0.1
# Building a Covariance structure with Autoregressive structure
cov_mat <- covMatAR(p = p, rho = rho)
# Simulated data
data <- mvrnorm(n = n, mu = rep(0,p), Sigma = cov_mat)
# Performing the test
schottTest(data)

# Building a Covariance structure with Compound Symmetry structure
cov_mat <- covMatCS(p = p, rho = rho)
# Simulated data
data <- mvrnorm(n = n, mu = rep(0,p), Sigma = cov_mat)
# Performing the test
schottTest(data)

# Building a Covariance structure with Circular structure
cov_mat <- covMatC(p = p, rho = rho)
# Simulated data
data <- mvrnorm(n = n, mu = rep(0,p), Sigma = cov_mat)
# Performing the test
schottTest(data)
```

# Index

covMatAR, [2](#)

covMatC, [3](#)

covMatCS, [4](#)

indTest, [5](#)

lrTest, [6](#)

schottTest, [7](#)