

Package ‘flexIC’

June 26, 2025

Type Package

Title Flexible Rank-Preserving Correlation Engine

Version 0.1.4

Description Implements a fast, flexible method for simulating continuous variables with specified rank correlations using the Iman–Conover transformation (Iman & Conover, 1982 <[doi:10.1080/03610918208812265](https://doi.org/10.1080/03610918208812265)>) and back-ranking. Includes plotting tools and error-diagnostics.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.2

Imports ggplot2, MASS, stats

Suggests knitr, rmarkdown, mvtnorm, microbenchmark

VignetteBuilder knitr

NeedsCompilation no

Author Kevin Wells [aut, cre]

Maintainer Kevin Wells <kevin.e.wells@usm.edu>

Repository CRAN

Date/Publication 2025-06-26 16:00:02 UTC

Contents

flexIC	2
ic_exact	3
plot_marginals_grid	3
Index	5

flexIC

*flexIC: Tunable Iman–Conover Rank-Correlation Imposition***Description**

Applies a rank-based correlation structure to a numeric matrix using a flexible, iterative variant of the Iman–Conover algorithm. The method reorders each column of x based on the rank structure of a multivariate normal draw whose correlation matrix matches `target_r`. If `eps` is specified, the algorithm will iteratively draw candidates and select the one with the closest match to the target Spearman structure. The marginal distributions of x are preserved exactly.

Usage

```
flexIC(x, target_r, eps = "none", max_iter = 20)
```

Arguments

<code>x</code>	Numeric matrix or data frame. Columns should be independent prior to transformation.
<code>target_r</code>	Target Spearman correlation matrix to impose. Must be square, symmetric, and positive-definite.
<code>eps</code>	Convergence tolerance (maximum absolute deviation allowed between achieved and target Spearman correlation). If <code>eps = "none"</code> , no convergence test is performed and the first draw is used (equivalent to classic Iman–Conover).
<code>max_iter</code>	Maximum number of candidate draws to evaluate when <code>eps</code> is numeric.

Value

A numeric matrix with same dimensions as x , with transformed columns preserving marginal distributions and approximately matching the specified rank correlation structure.

Examples

```
set.seed(1)
x <- cbind(rexp(100), rbinom(100, 5, 0.4))
R_target <- matrix(c(1, 0.6, 0.6, 1), 2)
out <- flexIC(x, R_target, eps = 0.02, max_iter = 50)
cor(out, method = "spearman")
```

ic_exact	<i>One-Shot Iman–Conover Transformation</i>
----------	---

Description

Applies the classic Iman–Conover procedure to reorder the columns of a numeric matrix to approximately match a target rank correlation structure, while preserving marginals.

Usage

```
ic_exact(x, target_r)
```

Arguments

x	A numeric matrix or data frame with independent columns (desired marginals).
target_r	A square, positive-definite correlation matrix to impose.

Value

A numeric matrix with the same marginal distributions as x and approximately matching the target Spearman correlation.

Examples

```
set.seed(123)
x <- matrix(rnorm(300), ncol = 3)
R_target <- matrix(c(1, 0.5, 0.3,
                    0.5, 1, 0.4,
                    0.3, 0.4, 1), 3)
out <- ic_exact(x, R_target)
cor(out, method = "spearman")
```

plot_marginals_grid	<i>Facetted histograms of marginals before and after flexIC</i>
---------------------	---

Description

Facetted histograms of marginals before and after flexIC

Arguments

original	Matrix or data frame of the original variables.
flex_out	Either the list returned by flexIC() or the transformed numeric matrix itself.
bins	Number of histogram bins.
after_lab	Facet-strip label for the post-flexIC panel.

Value

A [ggplot](#) object (returned invisibly).

Examples

```
set.seed(1)
x <- matrix(rnorm(300), ncol = 3)
target <- cor(x, method = "spearman")
fo <- flexIC(x, target, eps = 0.02, max_iter = 5)
plot_marginals_grid(x, fo, bins = 30)
```

Index

flexIC, [2](#)

ggplot, [4](#)

ic_exact, [3](#)

plot_marginals_grid, [3](#)