

Post-model-fitting procedures with `glmmTMB` models: diagnostics, inference, and model output

April 2, 2025

The purpose of this vignette is to describe (and test) the functions in various downstream packages that are available for summarizing and otherwise interpreting `glmmTMB` fits. Some of the packages/functions discussed below may not be suitable for inference on parameters of the zero-inflation or dispersion models, but will be restricted to the conditional-mean model.

```
library(glmmTMB)
library(car)
library(emmeans)
library(effects)
library(multcomp)
library(MuMIn)
require(DHARMa, quietly = TRUE) ## may be missing ...
library(broom)
library(broom.mixed)
require(dotwhisker, quietly = TRUE)
library(ggplot2); theme_set(theme_bw())
library(texreg)
library(xtable)
if (huxtable_OK) library(huxtable)
## retrieve slow stuff
L <- gt_load("vignette_data/model_evaluation.rda")
```

A couple of example models:

```
owls_nb1 <- glmmTMB(SiblingNegotiation ~ FoodTreatment*SexParent +
  (1|Nest)+offset(log(BroodSize)),
  contrasts=list(FoodTreatment="contr.sum",
                 SexParent="contr.sum"),
  family = nbinom1,
  zi = ~1, data=Owls)
```

```
data("cbpp", package="lme4")
cbpp_b1 <- glmmTMB(incidence/size~period+(1|herd),
  weights=size, family=binomial,
  data=cbpp)
## simulated three-term Beta example
set.seed(1001)
dd <- data.frame(z=rbeta(1000, shape1=2, shape2=3),
  a=rnorm(1000), b=rnorm(1000), c=rnorm(1000))
simex_b1 <- glmmTMB(z~a*b*c, family=beta_family, data=dd)
```

1 model checking and diagnostics


1.1 DHARMA

The DHARMA package provides diagnostics for hierarchical models. After running

```
owls_nb1_simres <- simulateResiduals(owls_nb1)
```

you can plot the results:

```
plot(owls_nb1_simres)
```



DHARMA provides lots of other methods based on the simulated residuals:
see `vignette("DHARMA", package="DHARMA")`

1.1.1 issues

- DHARMA will only work for models using families for which a simulate method has been implemented (in TMB , and appropriately reflected in `glmmTMB`)

2 Inference

2.1 car::Anova

We can use `car:::Anova()` to get traditional ANOVA-style tables from `glmmTMB` fits. A few limitations/reminders:

- these tables use Wald χ^2 statistics for comparisons (neither likelihood ratio tests nor F tests)
- they apply to the fixed effects of the conditional component of the model only (other components *might* work, but haven't been tested at all)
- as always, if you want to do type 3 tests, you should probably set sum-to-zero contrasts on factors and center numerical covariates (see `contrasts` argument above)

```

if (requireNamespace("car") && getRversion() >= "3.6.0") {
  Anova(owls_nb1) ## default type II
  Anova(owls_nb1, type="III")
}

```

Chisq	Df	Pr(>Chisq)
21.4	1	3.66e-06
46.1	1	1.1e-11
0.512	1	0.474
2.29	1	0.13


2.2 effects

```

effects_ok <- (requireNamespace("effects") && getRversion() >= "3.6.0")
if (effects_ok) {
  (ae <- allEffects(owls_nb1))
  plot(ae)
}


## Warning in Effect.glmmTMB(predictors, mod, vcov. = vcov., ...):
## overriding variance function for effects/dev.resids: computed variances
## may be incorrect

```



(the error can probably be ignored)

```
if (effects_ok) {
  plot(allEffects(simex_b1))
}
```



2.3 emmeans

```
emmeans(owls_nb1, poly ~ FoodTreatment | SexParent)

## $emmeans
## SexParent = Female:
##   FoodTreatment emmean      SE  df asymp.LCL asymp.UCL
##   Deprived        2.30 0.1104 Inf     2.09     2.52
##   Satiated        1.44 0.1493 Inf     1.15     1.74
##
## SexParent = Male:
##   FoodTreatment emmean      SE  df asymp.LCL asymp.UCL
##   Deprived        2.23 0.0964 Inf     2.04     2.42
##   Satiated        1.65 0.1357 Inf     1.38     1.91
##
## Results are given on the log (not the response) scale.
## Confidence level used: 0.95
##
## $contrasts
## SexParent = Female:
##   contrast estimate      SE  df z.ratio p.value
##   linear     -0.859 0.149 Inf   -5.776 <.0001
##
## SexParent = Male:
##   contrast estimate      SE  df z.ratio p.value
##   linear     -0.586 0.129 Inf   -4.531 <.0001
##
## Results are given on the log (not the response) scale.
```

Let us also consider a corresponding hurdle model:

```
owls_hnb1 <- update(owls_nb1, family = truncated_nbinom1, ziformula = ~.)
```

On the response scale, this model estimates the means of the component distribution as follows:

```

emmeans(owls_hnb1, ~ FoodTreatment * SexParent, component = "cond", type = "response")

##  FoodTreatment SexParent response     SE df asymp.LCL asymp.UCL
##  Deprived      Female      10.04 0.932 Inf     8.37    12.05
##  Satiated      Female      7.08 0.830 Inf     5.63     8.91
##  Deprived      Male       9.31 0.716 Inf     8.01    10.83
##  Satiated      Male       7.37 0.726 Inf     6.08     8.94
##
##  Confidence level used: 0.95
##  Intervals are back-transformed from the log scale

# --- or ---
emmeans(owls_hnb1, ~ FoodTreatment * SexParent, component = "cmean")

##  FoodTreatment SexParent emmean     SE df asymp.LCL asymp.UCL
##  Deprived      Female     10.19 0.888 Inf     8.45    11.93
##  Satiated      Female     7.46 0.738 Inf     6.02     8.91
##  Deprived      Male      9.50 0.677 Inf     8.17    10.83
##  Satiated      Male      7.72 0.653 Inf     6.44     9.00
##
##  Confidence level used: 0.95
```

These estimates differ because the first ones are back-transformed from the linear predictor, which is based on the *un-truncated* component distribution, while the second ones are estimates of the means of the *truncated* distribution (with zero omitted). This discrepancy occurs only with hurdle models.

The response means combine both the conditional and the zero-inflation model:

```

emmeans(owls_hnb1, ~ FoodTreatment * SexParent, component = "response")

##  FoodTreatment SexParent emmean     SE df asymp.LCL asymp.UCL
##  Deprived      Female     8.86 0.874 Inf     7.14    10.57
##  Satiated      Female     3.99 0.692 Inf     2.63     5.35
##  Deprived      Male      8.72 0.668 Inf     7.41    10.03
##  Satiated      Male      4.74 0.662 Inf     3.44     6.03
##
##  Confidence level used: 0.95
```

2.4 drop1

`stats::drop1` is a built-in R function that refits the model with various terms dropped. In its default mode it respects marginality (i.e., it will only drop the top-level interactions, not the main effects):

```
system.time(owls_nb1_d1 <- drop1(owls_nb1,test="Chisq"))

##      user  system elapsed
## 0.225   0.001   0.226

print(owls_nb1_d1)

## Single term deletions
##
## Model:
## SiblingNegotiation ~ FoodTreatment * SexParent + (1 | Nest) +
##   offset(log(BroodSize))
##                   Df     AIC     LRT Pr(>Chi)
## <none>            3383.6
## FoodTreatment:SexParent 1 3383.9 2.2766  0.1313
```

In principle, using `scope = . ~ . - (1|Nest)` should work to execute a “type-3-like” series of tests, dropping the main effects one at a time while leaving the interaction in (we have to use `- (1|Nest)` to exclude the random effects because `drop1` can’t handle them). However, due to the way that R handles formulas, dropping main effects from an interaction of **factors** has no effect on the overall model. (It would work if we were testing the interaction of continuous variables.)

2.4.1 issues

The `mixed` package implements a true “type-3-like” parameter-dropping mechanism for `[g]lmer` models. Something like that could in principle be applied here.


2.5 Model selection and averaging with MuMIn

We can run `MuMIn::dredge(owls_nb1)` on the model to fit all possible submodels. Since this takes a little while (45 seconds or so), we've instead loaded some previously computed results:

```
print(owls_nb1_dredge)

## Global model call: glmmTMB(formula = SiblingNegotiation ~ FoodTreatment * SexParent
##                               (1 | Nest) + offset(log(BroodSize)), data = Owls, family = nbinom1,
##                               ziformula = ~1, contrasts = list(FoodTreatment = "contr.sum",
##                               SexParent = "contr.sum"), na.action = na.fail, dispformula = ~1)
## ---
## Model selection table
##   cnd((Int)) zi((Int)) dsp((Int)) cnd(FdT) cnd(SxP) cnd(FdT:SxP)
##   10    0.4284 -2.094      +      +
##   16    0.4275 -2.055      +      +      +
##   12    0.4257 -2.100      +      +      +
##   2     1.8290 -1.990      +      +
##   8     1.8280 -1.955      +      +      +
##   4     1.8260 -1.996      +      +      +
##   9     0.6295 -1.373      +
##   1     2.0980 -1.232      +
##   11    0.6220 -1.381      +
##   3     2.0920 -1.236      +
##   cnd(off(log(BrS))) df logLik AICc delta weight
##   10          + 5 -1685.978 3382.1 0.00 0.525
##   16          + 7 -1684.819 3383.8 1.77 0.217
##   12          + 6 -1685.957 3384.1 2.00 0.193
##   2           5 -1688.628 3387.4 5.30 0.037
##   8           7 -1687.556 3389.3 7.24 0.014
##   4           6 -1688.610 3389.4 7.30 0.014
##   9           + 4 -1708.573 3425.2 43.15 0.000
##   1           4 -1708.672 3425.4 43.35 0.000
##   11          + 5 -1708.420 3426.9 44.88 0.000
##   3           5 -1708.509 3427.1 45.06 0.000
##   Models ranked by AICc(x)
##   Random terms (all models):
##   cond(1 | Nest)
```

```
op <- par(mar=c(2,5,14,3))
plot(owls_nb1_dredge)
```



```
par(op) ## restore graphics parameters
```

Model averaging:

```
model.avg(owls_nb1_dredge)

##
## Call:
## model.avg(object = owls_nb1_dredge)
##
## Component models:
## '14'      '1234'    '124'     '1'       '123'    '12'     '4'      '(Null)'
```

```

## '24'      '2'
##
## Coefficients:
##           cond((Int)) cond(FoodTreatment1) zi((Int)) cond(SexParent1)
## full     0.5183099          0.353877 -2.079432   -0.009556203
## subset   0.5183099          0.353877 -2.079432   -0.021827791
##           cond(FoodTreatment1:SexParent1)
## full                  0.01569108
## subset                0.06797533

```

2.5.1 issues

- may not work for Beta models because the `family` component (“beta”) is not identical to the name of the family function (`beta_family()`)?
(Kamil Bartoń, pers. comm.)

2.6 multcomp for multiple comparisons and *post hoc* tests

```

g1 <- glht(cbpp_b1, linfct = mcp(period = "Tukey"))
summary(g1)

##
##   Simultaneous Tests for General Linear Hypotheses
##
## Multiple Comparisons of Means: Tukey Contrasts
##
##
## Fit: glmmTMB(formula = incidence/size ~ period + (1 | herd), data = cbpp,
##               family = binomial, weights = size, ziformula = ~0, dispformula = ~1)
##
## Linear Hypotheses:
##           Estimate Std. Error z value Pr(>|z|)
## 2 - 1 == 0 -0.9923    0.3066 -3.236  0.00638 **
## 3 - 1 == 0 -1.1287    0.3266 -3.455  0.00283 **
## 4 - 1 == 0 -1.5803    0.4274 -3.697  0.00111 **

```

```

## 3 - 2 == 0 -0.1363      0.3807 -0.358  0.98368
## 4 - 2 == 0 -0.5880      0.4703 -1.250  0.58569
## 4 - 3 == 0 -0.4516      0.4843 -0.933  0.78117
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
## (Adjusted p values reported -- single-step method)

```

3 Extracting coefficients, coefficient plots and tables

3.1 broom and friends


The `broom` and `broom.mixed` packages are designed to extract information from a broad range of models in a convenient (tidy) format; the `dotwhisker` package builds on this platform to draw elegant coefficient plots.

```

if (requireNamespace("broom.mixed") && requireNamespace("dotwhisker")) {
  t1 <- broom.mixed::tidy(owls_nb1, conf.int = TRUE)
  t1 <- transform(t1,
                  term=sprintf("%s.%s", component, term))

  if (packageVersion("dotwhisker")>"0.4.1") {
    dw <- dwplot(t1)
  } else {
    owls_nb1$coefficients <- TRUE  ## hack!
    dw <- dwplot(owls_nb1,by_2sd=FALSE)
  }
  print(dw+geom_vline(xintercept=0,lty=2))
}

```



3.1.1 issues

(these are more general `dwplot` issues)

- use black rather than color(1) when there's only a single model, i.e. only add `aes(colour=model)` conditionally? - draw points even if std err / confint are NA (draw `geom_point()` as well as `geom_pointrange()`? need to apply all aesthetics, dodging, etc. to both ...)
- for glmmTMB models, allow labeling by component? or should this be done by manipulating the tidied frame first? (i.e.: `tidy(.) %>% tidyrr::unite(term,c(co...`)

3.2 coefficient tables with `xtable`

The `xtable` package can output data frames as L^AT_EX tables; this isn't quite as elegant as `stargazer` etc., but is not a bad start. I've sprinkled lots of hard line-breaks, spaces, and newlines in below: someone who was better at T_EX could certainly do a better job. (`xtable` can also produce HTML output.)

```
ss <- summary(owls_nb1)
## print table; add space,
pxt <- function(x,title) {
  cat(sprintf("\n\n\\textbf{%s}\n\\vspace{2pt}\\n",title))
```

```

print(xtable(x), floating=FALSE); cat("\n\n")
cat("\\vspace{5pt}\\n")
}

```

```

pxt(lme4::formatVC(ss$varcor$cond), "random effects variances")
pxt(coef(ss)$cond, "conditional fixed effects")
pxt(coef(ss)$zi, "conditional zero-inflation effects")

```

random effects variances

	Groups	Name	Std.Dev.
1	Nest	(Intercept)	0.35019

conditional fixed effects

	Estimate	Std. Error	z value	Pr(> z)
(Intercept)	0.43	0.09	4.63	0.00
FoodTreatment1	0.36	0.05	6.79	0.00
SexParent1	-0.03	0.05	-0.72	0.47
FoodTreatment1:SexParent1	0.07	0.05	1.51	0.13

conditional zero-inflation effects

	Estimate	Std. Error	z value	Pr(> z)
(Intercept)	-2.06	0.29	-7.03	0.00

3.3 coefficient tables with `texreg`

For now, to avoid needing to import the `texreg` package, we are providing the required `extract.glmmTMB` in a separate R file that you can import with `source()`, as follows:

	Model 1
(Intercept)	0.43*** (0.09)
FoodTreatment1	0.36*** (0.05)
SexParent1	-0.03 (0.05)
FoodTreatment1:SexParent1	0.07 (0.05)
zi_(Intercept)	-2.06*** (0.29)

*** $p < 0.001$; ** $p < 0.01$; * $p < 0.05$

Table 1: Owls model

```
source(system.file("other_methods", "extract.R", package="glmmTMB"))
texreg(owls_nb1, caption="Owls model", label="tab:owls")
```

See output in Table 1.

3.4 coefficient tables with huxtable

The `huxtable` package allows output in either L^AT_EX or HTML: this example is tuned for L^AT_EX.

```
if (!huxtable_OK) {
  cat("Sorry, huxtable+LaTeX is unreliable on this platform; skipping\n")
} else {
  cc <- c("intercept (mean)"="(Intercept)",
         "food treatment (starvation)"="FoodTreatment1",
         "parental sex (M)"="SexParent1",
         "food $\backslash times$ sex"="FoodTreatment1:SexParent1")
h0 <- huxreg(" " = owls_nb1, # give model blank name so we don't get '(1)'
             tidy_args = list(effects="fixed"),
             coefs = cc,
             error_pos = "right",
```

```

        statistics = "nobs" # don't include logLik and AIC
    )
names(h0)[2:3] <- c("estimate", "std. err.")
## allow use of math notation in name
h1 <- set_cell_properties(h0, row=5, col=1, escape_contents=FALSE)
cat(to_latex(h1, tabular_only=TRUE))
}

```

intercept (mean)	0.427 ***	(0.092)
food treatment (starvation)	0.361 ***	(0.053)
parental sex (M)	-0.033	(0.047)
food \times sex	0.068	(0.045)
nobs	599	

*** p < 0.001; ** p < 0.01; * p < 0.05.

3.4.1 issues

- `huxtable` needs quite a few additional L^AT_EX packages: use `report_latex_dependencies()` to see what they are.

4 influence measures

Influence measures quantify the effects of particular observations, or groups of observations, on the results of a statistical model; *leverage* and *Cook's distance* are the two most common formats for influence measures. If a projection matrix (or “hat matrix”) is available, influence measures can be computed efficiently; otherwise, the same quantities can be estimated by brute-force methods, refitting the model with each group or observation successively left out.

We've adapted the `car::influence.merMod` function to handle `glmmTMB` models; because it uses brute force, it can be slow, especially if evaluating the influence of individual observations. For now, it is included as a separate


source file rather than exported as a method (see below), although it may be included in the package (or incorporated in the `car` package) in the future.

```
source(system.file("other_methods", "influence_mixed.R", package="glmmTMB"))
```

```
owls_nb1_influence_time <- system.time(
  owls_nb1_influence <- influence_mixed(owls_nb1, groups="Nest")
)
```

Re-fitting the model with each of the 27 nests excluded takes 7 seconds (on an old Macbook Pro). The `car::infIndexPlot()` function is one way of displaying the results:

```
car::infIndexPlot(owls_nb1_influence)
```




Or, you can transform the results and plot them however you like:

```

inf <- as.data.frame(owls_nb1_influence[["fixed.effects[-Nest]"]])
inf <- transform(inf,
                 nest=rownames(inf),
                 cooks=cooks.distance(owls_nb1_influence))
inf$ord <- rank(inf$cooks)
if (require(reshape2)) {
  inf_long <- melt(inf, id.vars=c("ord","nest"))
  gg_infl <- (ggplot(inf_long,aes(ord,value))
    + geom_point()
    + facet_wrap(~variable, scale="free_y")
    ## n.b. may need expand_scale() in older ggplot versions ?
    + scale_x_reverse(expand=expansion(mult=0.15))
    + scale_y_continuous(expand=expansion(mult=0.15))
    + geom_text(data=subset(inf_long,ord>24),
                aes(label=nest),vjust=-1.05)
  )
  print(gg_infl)
}

```



5 to do

- more plotting methods (`sjplot`)
- output with `memisc`
- AUC etc. with `ModelMetrics`