

Package ‘humanFormat’

October 13, 2022

Type Package

Depends testthat

Title Human-Friendly Formatting Functions

Version 1.2

Date 2022-07-25

Author Dustin Sallings

Maintainer Dustin Sallings <dustin@spy.net>

Description Format quantities of time or bytes into human-friendly strings.

License MIT + file LICENSE

URL <https://github.com/dustin/humanFormat>

BugReports <https://github.com/dustin/humanFormat/issues>

NeedsCompilation no

Repository CRAN

Date/Publication 2022-08-07 06:30:02 UTC

R topics documented:

durationConstants	2
formatBytes	2
formatDuration	3
humanFormat	4

Index

5

durationConstants *Duration constants*

Description

These constants are used to express the number of nanoseconds in different time units.

Usage

```
kNanosecond
kMicrosecond
kMillisecond
kSecond
kMinute
kHour
```

Details

These are useful for computing specific time durations or for converting from quantities in one unit to another unit (e.g. time in milliseconds to time in nanoseconds for duration formatting).

- kNanosecond: One nanosecond;
- kMicrosecond: One microsecond (1000 nanoseconds);
- kMillisecond: One millisecond (1000 microseconds);
- kSecond: One second (1000 milliseconds);
- kMinute: One minute (60 seconds);
- kHour: One hour (60 minutes).

Examples

```
# To calculate 4 minute, 3 seconds and 14 microseconds:
4*kMinute + 3*kSecond + 14*kMicrosecond
```

formatBytes *Format a number of bytes into a human readable string.*

Description

Formats a number of bytes into a human readable string.

When invoked as `formatBytes`, SI sizes are used. You may specify IEC sizes by using `formatIECBytes`.

Usage

```
formatBytes(b, fmt=".2f")
formatSIBBytes(b, fmt=".2f")
formatIECBytes(b, fmt=".2f")
```

Arguments

b	Number of bytes
fmt	String format for the numeric part of the bytes

Examples

```
# returns "934.82 MB"
formatBytes(934818582)

# returns "891.51 MiB"
formatIECBytes(934818582)

# returns c("8.43 KB", "3.52 KB", "624.62 KB", "46", "7.36 KB")
formatBytes(c(8429, 3525, 624624, 46, 7357))
```

formatDuration

Format nanosecond durations into human readable strings.

Description

Format individual or vectors of durations into human friendly text.

Usage

```
formatDuration(ns)
formatNanoseconds(ns)

formatMicroseconds(us)
formatMilliseconds(ms)
formatSeconds(s)
```

Arguments

ns	Duration in nanoseconds
us	Duration in microseconds
ms	Duration in milliseconds
s	Duration in seconds

See Also

[durationConstants](#) constants for various duration lengths

Examples

```
formatDuration(0)
formatDuration(1)
formatNanoseconds(34)

formatMicroseconds(235)

formatMilliseconds(2487)

formatSeconds(7213)

formatDuration(c(0, 1, 1000, 2039, 205958, 284859249525))
```

humanFormat

Format numbers into human readable strings

Description

When working with durations, bytes, and other items with odd bases, it's often useful to format the numbers into human readable units.

Details

- [formatDuration](#): format durations
- [formatBytes](#): format byte sizes

Package:	humanFormat
Type:	Package
Version:	1.1
Date:	2016-05-13
License:	MIT
BugReports:	https://github.com/dustin/humanFormat/issues

Author(s)

Dustin Sallings

Maintainer: Dustin Sallings <dustin@spy.net>

Index

* **format**

 humanFormat, [4](#)

 durationConstants, [2, 3](#)

 formatBytes, [2, 4](#)

 formatDuration, [3, 4](#)

 formatIECBytes (formatBytes), [2](#)

 formatMicroseconds (formatDuration), [3](#)

 formatMilliseconds (formatDuration), [3](#)

 formatNanoseconds (formatDuration), [3](#)

 formatSeconds (formatDuration), [3](#)

 formatSIBBytes (formatBytes), [2](#)

 humanFormat, [4](#)

 kHour (durationConstants), [2](#)

 kMicrosecond (durationConstants), [2](#)

 kMillisecond (durationConstants), [2](#)

 kMinute (durationConstants), [2](#)

 kNanosecond (durationConstants), [2](#)

 kSecond (durationConstants), [2](#)