

Package ‘metabup’

October 17, 2022

Type Package

Title Bayesian Meta-Analysis Using Basic Uncertain Pooling

Version 0.1.3

Description

Contains functions that allow Bayesian meta-analysis (1) with binomial data, counts(y) and total counts (n) or, (2) with user-supplied point estimates and associated variances. Case (1) provides an analysis based on the logit transformation of the sample proportion. This methodology is also appropriate for combining data from sample surveys and related sources. The functions can calculate the corresponding similarity matrix. More details can be found in Cahoy and Sedransk (2023), Cahoy and Sedransk (2022) <[doi:10.1007/s42519-018-0027-2](https://doi.org/10.1007/s42519-018-0027-2)>, Evans and Sedransk (2001) <[doi:10.1093/biomet/88.3.643](https://doi.org/10.1093/biomet/88.3.643)>, and Malec and Sedransk (1992) <[doi:10.1093/biomet/79.3.593](https://doi.org/10.1093/biomet/79.3.593)>.

License GPL (>= 3)

Encoding UTF-8

Imports stats, ggplot2, partitions

RoxygenNote 7.2.1

Depends R (>= 2.10)

NeedsCompilation no

Author Dexter Cahoy [aut, cre],
Joseph Sedransk [aut]

Maintainer Dexter Cahoy <dexter.cahoy@gmail.com>

Repository CRAN

Date/Publication 2022-10-17 06:20:08 UTC

R topics documented:

metabup	2
---------	---

Index	5
--------------	---

metabup*Bayesian meta-analysis using basic uncertain pooling.*

Description

Bayesian meta-analysis analysis (1) with binomial data, counts(y) and total counts (n) or, (2) with user-supplied estimates and associated variances. Case (1) provides an analysis based on the logit transformation of the sample proportion. This methodology is also appropriate for combining data from sample surveys and related sources.

Usage

```
metabup(y, nv, type = NULL, d2max = NULL, ngrid2 = NULL, N = NULL)
```

Arguments

y	vector of counts or effect estimates.
nv	vector of total counts n (if y's are counts) or variances associated with the estimates(if y's are estimates).
type	assumes a single value: 1 (counts and total counts as inputs) or 2 (estimates and variances as inputs). Default is type 2.
d2max	maximum value of the prior variance delta^2 to be used in the grid sampling. Default is .Machine\$double.xmin.
ngrid2	number of grid points for the prior variance. Default is 1000 if d2max > .Machine\$double.xmin.
N	sample size to be drawn from the partition-delta^2 grid. Default is 1000.

Value

list consisting of the sample and posterior effect estimates and standard deviations, the partitions with the largest posterior probabilities, and the similarity matrix.

References

- Cahoy and Sedransk (2023). *Combining data from surveys and related sources*. Surv. Methodol., To appear.
- Cahoy and Sedransk (2022). *Bayesian inference for asymptomatic COVID-19 infection rates*. Stat Med, 41(16):3131-3148, <doi:10.1002/sim.9408>
- Evans and Sedransk (2001). *Combining data from experiments that may be similar*. Biometrika, 88(3):643-656, <doi:10.1093/biomet/88.3.643>
- Malec and Sedransk (1992). *Bayesian methodology for combining the results from different experiments when the specifications for pooling are uncertain*. Biometrika, 79(3):593-601, <doi:10.1093/biomet/79.3.593>

Examples

```

y=c(4, 18, 40, 130)
nv=c(13, 83, 60,166)
require(partitions)
out=metabup(y, nv, type=1)

#estimates
out[1]
#the partitions with the largest posterior p(g|y)
out[2:3]

#plotting similarity matrix
require(ggplot2)
L=length(y)
indmat=matrix(unlist(out[4]),ncol=L, byrow=FALSE)
psingle<-rep(0,L)
sim_mat<-indmat +t(indmat)
diag(sim_mat)<-psingle #rep(1,L)
xy=expand.grid(x=1:L, y=1:L)
index=as.vector( sim_mat)
mat_data = cbind(xy,index)
brlab<-round(seq(0, max(sim_mat)+0.05, length.out=4),2)
p <- ggplot(data = mat_data) +                         # Set data
geom_tile(aes(x = x, y = y, fill =index)) +
scale_fill_gradientn(colours=rev(heat.colors(5)),na.value = "transparent",
                      breaks=brlab,labels=brlab,
                      limits=c(0,max(sim_mat)+0.075))+ 
scale_x_continuous(name="Study Number", breaks=1:L,   limits=c(0.5,+L+0.5)) +
scale_y_continuous(name="", breaks=1:L,   limits=c(0.5,L+0.5))
p + theme(axis.title = element_text() )

ph=c(31, 21.7, 66.7,78.3)/100
y=log(ph/(1-ph))
n=c(13, 83, 60,166)
nv=1/(ph*(1-ph)*n)  #variance
require(partitions)
out=metabup(y, nv)

#estimates
out[1]
#the partitions with the largest posterior p(g|y)
out[2:3]

#plotting similarity matrix
require(ggplot2)
L=length(y)
indmat=matrix(unlist(out[4]),ncol=L, byrow=FALSE)
psingle<-rep(0,L)

```

```
sim_mat<-indmat +t(indmat)
diag(sim_mat)<-psingle #rep(1,L)
xy=expand.grid(x=1:L, y=1:L)
index=as.vector( sim_mat)
mat_data = cbind(xy,index)
brlab<-round(seq(0, max(sim_mat)+0.05, length.out=4),2)
p <- ggplot(data = mat_data) +                               # Set data
  geom_tile(aes(x = x, y = y, fill =index)) +
  scale_fill_gradientn(colours=rev(heat.colors(5)),na.value = "transparent",
                        breaks=brlab,labels=brlab,
                        limits=c(0,max(sim_mat)+0.075))+ 
  scale_x_continuous(name="Study Number", breaks=1:L,   limits=c(0.5,+L+0.5)) +
  scale_y_continuous(name="", breaks=1:L,   limits=c(0.5,L+0.5))
p + theme(axis.title = element_text() )
```

Index

metabup, [2](#)