

Package ‘oro.nifti’

October 14, 2022

Version 0.11.4

Title Rigorous - 'NIFTI' + 'ANALYZE' + 'AFNI' : Input / Output

Description Functions for the input/output and visualization of medical imaging data that follow either the 'ANALYZE', 'NIFTI' or 'AFNI' formats. This package is part of the Rigorous Analytics bundle.

Depends R (>= 2.14.0)

Suggests XML, testthat, covr, knitr, rmarkdown, rtticles

Imports stats, bitops, splines, graphics, grDevices, methods, utils, abind, RNifti (>= 0.9.0)

Enhances fmri, oro.dicom

License BSD_3_clause + file LICENSE

BugReports <https://github.com/bjw34032/oro.nifti/issues>

URL <https://rigorousanalytics.blogspot.com>

Collate 'auditTrail.R' 'niftiS4.R' 'analyzeS4.R' 'afniS4.R' 'is.R' 'nifti_assign.R' 'coerce.R' 'writeS4.R' 'convert_anlz.R' 'convert_nifti.R' 'cal_img.R' 'drop_img_dim.R' 'hotmetal.R' 'miscellaneous.R' 'plot.R' 'slice.R' 'slice_overlay.R' 'blend.R' 'readS4.R' 'remove.R' 'tim_colors.R' 'transform.R' 'wrappers.R' 'onefile.R' 'voxdim.R' 'anlz_Operators.R' 'Operators.R' 'zero_trans.R' 'aux_file.R' 'cal_max.R' 'cal_min.R' 'descrip.R' 'glmax.R' 'glmin.R' 'pixdim.R' 'qform_code.R' 'scl_inter.R' 'scl_slope.R' 'sform_code.R' 'vox_offset.R' 'bitpix.R' 'data_type.R' 'datatype.R' 'db_name.R' 'dim_.R' 'dim_info.R' 'extender.R' 'extents.R' 'img_data.R' 'intent_code.R' 'intent_name.R' 'intent_p1.R' 'intent_p2.R' 'intent_p3.R' 'magic.R' 'qoffset_x.R' 'qoffset_y.R' 'qoffset_z.R' 'quatern_b.R' 'quatern_c.R' 'quatern_d.R' 'quaternion.R' 'regular.R' 'session_error.R' 'sizeof_hdr.R' 'slice_code.R' 'slice_duration.R' 'slice_end.R' 'slice_start.R' 'srow_x.R' 'srow_y.R' 'srow_z.R' 'toffset.R' 'xyzt_units.R' 'cal_units.R' 'compressed.R' 'dim_un0.R' 'exp_date.R' 'exp_time.R' 'field_skip.R' 'funused1.R'

'funused2.R' 'funused3.R' 'generated.R' 'hist_un0.R'
 'hkey_un0.R' 'niftiImage_class.R' 'nii2oro.R' 'oro2nii.R'
 'omax.R' 'omin.R' 'orient.R' 'origin.R' 'patient_id.R'
 'scannum.R' 'smax.R' 'smin.R' 'start_field.R' 'unused1.R'
 'verified.R' 'views.R' 'vols_added.R' 'vox_units.R' 'voxres.R'
 'img_length.R' 'zzz.R' 'zzz_niftiImage.R'

RoxygenNote 7.2.1**Encoding** UTF-8**NeedsCompilation** no

Author Brandon Whitcher [aut, cre],
 Volker Schmid [aut],
 Andrew Thornton [aut],
 Karsten Tabelow [ctb],
 Jon Clayden [ctb],
 John Muschelli [aut]

Maintainer Brandon Whitcher <bwhitcher@gmail.com>**Repository** CRAN**Date/Publication** 2022-08-10 16:10:02 UTC**R topics documented:**

afni-class	5
anzl	7
anzl-class	8
anzl-nifti-ops	10
as.anlz	11
as.nifti	12
Audit Trails	12
audit.trail-methods	16
aux_file-methods	17
bitpix-methods	19
blend	20
calibrateImage	21
cal_max-methods	22
cal_min-methods	24
cal_units-methods	26
coerce-methods	27
compressed-methods	28
Convert ANALYZE Codes	29
Convert NIFTI Codes	30
convert.scene	31
datatype-methods	32
data_type-methods	33
db_name-methods	35
descrip-methods	36
dim_-methods	38

dim_info-methods	39
dim_un0-methods	40
dropImageDimension	41
exp_date-methods	42
exp_time-methods	43
extender-methods	44
extents-methods	45
field_skip-methods	46
funused1-methods	47
funused2-methods	48
funused3-methods	49
generated-methods	50
glmax-methods	51
glmin-methods	52
hist_un0-methods	53
hkey_un0-methods	54
hotmetal	55
image-methods	56
img_data-methods	58
img_length	59
integerTranslation	59
intent_code-methods	60
intent_name-methods	61
intent_p1-methods	63
intent_p2-methods	64
intent_p3-methods	65
internalImage-class	67
is.afni	67
is.anlz	68
is.nifti	68
magic-methods	69
nifti	70
nifti-class	72
nifti-operators	74
niftiAuditTrail-class	75
niftiExtension-class	76
niftiExtensionSection-class	76
niftiImage-class	77
nifti_assign-methods	77
nii2oro	78
nsli	78
omax-methods	79
omin-methods	80
onefile	81
orient-methods	81
orientation-methods	82
origin-methods	83
oro2nii	84

orthographic-methods	85
overlay-methods	88
patient_id-methods	92
performPermutation	94
pixdim-methods	94
qform_code-methods	96
qoffset_x-methods	97
qoffset_y-methods	98
qoffset_z-methods	100
quaternion2rotation	101
quatern_b-methods	102
quatern_c-methods	104
quatern_d-methods	105
readAFNI	106
readANALYZE	107
readNIfTI	109
regular-methods	111
reorient	112
resetSlopeIntercept	113
rmnii.gz	113
scannum-methods	114
scl_inter-methods	115
scl_slope-methods	116
session_error-methods	118
sform_code-methods	119
sizeof_hdr-methods	120
slice-methods	121
slice_code-methods	124
slice_duration-methods	125
slice_end-methods	126
slice_overlay-methods	128
slice_start-methods	132
smax-methods	134
smin-methods	135
srow_x-methods	136
srow_y-methods	137
srow_z-methods	138
start_field-methods	139
tim.colors	140
toffset-methods	141
translateCoordinate	142
unused1-methods	143
verified-methods	144
views-methods	145
vols_added-methods	146
voxdim	147
voxres	148
vox_offset-methods	148

vox_units-methods	150
writeAFNI-methods	151
writeANALYZE-methods	152
writeNIfTI-methods	154
xyzt2space	157
xyzt_units-methods	159

Index	161
--------------	------------

afni-class	<i>Class "afni"</i>
------------	---------------------

Description

The AFNI class for medical imaging data.

Usage

```
## S4 method for signature 'afni'
show(object)
```

Arguments

object An object of class afni.

Objects from the Class

Objects can be created by calls of the form `new("afni", data, dim, dimnames, ...)`.

Slots

```
.Data: Object of class "array" contains the imaging data
DATASET_RANK: Object of class "integer"
DATASET_DIMENSIONS: Object of class "integer"
TYPESTRING: Object of class "character"
SCENE_DATA: Object of class "integer"
ORIENT_SPECIFIC: Object of class "integer"
ORIGIN: Object of class "numeric"
DELTA: Object of class "numeric"
TAXIS_NUMS: Object of class "integer"
TAXIS_FLOATS: Object of class "numeric"
TAXIS_OFFSETS: Object of class "numeric"
IDCODE_STRING: Object of class "character"
IDCODE_DATE: Object of class "character"
BYTEORDER_STRING: Object of class "character"
```

BRICK_STATS: Object of class "numeric"
BRICK_TYPES: Object of class "integer"
BRICK_FLOAT_FACS: Object of class "numeric"
BRICK_LABS: Object of class "character"
BRICK_STATAUX: Object of class "numeric"
STAT_AUX: Object of class "numeric"
HISTORY_NOTE: Object of class "character"
NOTES_COUNT: Object of class "integer"
NOTE_NUMBER: Object of class "character"
TAGALIGN_MATVEC: Object of class "numeric"
VOLREG_MATVEC: Object of class "array"
VOLREG_ROTCOM: Object of class "character"
VOLREG_CENTER_OLD: Object of class "numeric"
VOLREG_CENTER_BASE: Object of class "numeric"
VOLREG_ROT_PARENT_IDCODE: Object of class "character"
VOLREG_ROT_PARENT_NAME: Object of class "character"
VOLREG_GRID_PARENT_IDCODE: Object of class "character"
VOLREG_GRID_PARENT_NAME: Object of class "character"
VOLREG_INPUT_IDCODE: Object of class "character"
VOLREG_INPUT_NAME: Object of class "character"
VOLREG_BASE_IDCODE: Object of class "character"
VOLREG_BASE_NAME: Object of class "character"
VOLREG_ROTCOM_NUM: Object of class "integer"
IDCODE_ANAT_PARENT: Object of class "character"
T03D_ZPAD: Object of class "integer"
IDCODE_WARP_PARENT: Object of class "character"
WARP_TYPE: Object of class "integer"
WARP_DATA: Object of class "numeric"
MARKS_XYZ: Object of class "numeric"
MARKS_LAB: Object of class "character"
MARKS_HELP: Object of class "character"
MARKS_FLAGS: Object of class "integer"
TAGSET_NUM: Object of class "integer"
TAGSET_FLOATS: Object of class "numeric"
TAGSET_LABELS: Object of class "character"
LABEL_1: Object of class "character"
LABEL_2: Object of class "character"
DATASET_NAME: Object of class "character"
DATASET_KEYWORDS: Object of class "character"
BRICK_KEYWORDS: Object of class "character"

Extends

Class "array", from data part.
 Class "matrix", by class "array", distance 2, with explicit test and coerce.
 Class "structure", by class "array", distance 2.
 Class "vector", by class "array", distance 3, with explicit coerce.
 Class "vector", by class "array", distance 5, with explicit test and coerce.

Author(s)

Karsten Tabelow <karsten.tabelow@wias-berlin.de>

References

AFNI
<http://afni.nimh.nih.gov/pub/dist/src/README.attributes>

See Also

[nifti](#), [anlz](#)

Examples

```
showClass("afni")
```

 anlz

Constructor for Analyze

Description

Constructor for Analyze class objects.

Usage

```
anlz(img = array(0, dim = rep(1, 4)), dim, datatype = 2, ...)
```

Arguments

img	is a multidimensional array of data.
dim	is the dimension of the data (default = missing).
datatype	is an integer that denotes the type of data contained in each voxel. See the function <code>convert.datatype.anlz</code> or the ANALYZE documentation for more details.
...	allows for additional 'slots' to be specified.

Value

An object of class anlz.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>

See Also

[anlz](#), [nifti](#), [nifti](#), [convert.datatype.anlz](#)

Examples

```
aim <- anlz() # default
```

anlz-class

Class "anlz"

Description

The ANALYZE class for medical imaging data.

Usage

```
## S4 method for signature 'anlz'
show(object)
```

Arguments

object An object of class anlz.

Objects from the Class

Objects can be created by calls of the form `new("anlz", data, dim, dimnames, ...)` or by calling the `anlz` function.

Slots

```
.Data: Object of class "array" contains the imaging data
sizeof_hdr: Object of class "numeric" contains the size of the header (= 348)
data_type: Object of class "character"
db_name: Object of class "character"
extents: Object of class "numeric"
session_error: Object of class "numeric"
```

regular: Object of class "character"
hkey_un0: Object of class "character"
dim_: Object of class "vector" contains the dimensions of the imaging data
vox_units: Object of class "character"
cal_units: Object of class "character"
unused1: Object of class "numeric"
datatype: Object of class "numeric"
bitpix: Object of class "numeric" contains the number of bits per voxel (pixel)
dim_un0: Object of class "numeric"
pixdim: Object of class "vector" contains the real-world dimensions of the imaging data
vox_offset: Object of class "numeric"
funused1: Object of class "numeric"
funused2: Object of class "numeric"
funused3: Object of class "numeric"
cal_max: Object of class "numeric" contains the maximum display intensity
cal_min: Object of class "numeric" contains the minimum display intensity
compressed: Object of class "numeric"
verified: Object of class "numeric"
glmax: Object of class "numeric"
glmin: Object of class "numeric"
descrip: Object of class "character"
aux_file: Object of class "character"
orient: Object of class "character"
origin: Object of class "numeric"
generated: Object of class "character"
scannum: Object of class "character"
patient_id: Object of class "character"
exp_date: Object of class "character"
exp_time: Object of class "character"
hist_un0: Object of class "character"
views: Object of class "numeric"
vols_added: Object of class "numeric"
start_field: Object of class "numeric"
field_skip: Object of class "numeric"
omax: Object of class "numeric"
omin: Object of class "numeric"
smax: Object of class "numeric"
smin: Object of class "numeric"

Extends

Class `"array"`, from data part.
Class `"matrix"`, by class `"array"`, distance 2, with explicit test and coerce.
Class `"structure"`, by class `"array"`, distance 2.
Class `"vector"`, by class `"array"`, distance 3, with explicit coerce.
Class `"vector"`, by class `"array"`, distance 5, with explicit test and coerce.

Methods

image signature(x = "anlz"): displays the image(s).
show signature(object = "anlz"): prints out a summary of the imaging data.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>

See Also

`nifti`, `niftiExtension`

Examples

```
showClass("anlz")
```

anlz-nifti-ops

Operations for Objects in the ANALYZE and NIFTI classes

Description

Overloaded operators for anlz and nifti objects

Usage

```
## S4 method for signature 'anlz,anlz'  
Ops(e1, e2)  
  
## S4 method for signature 'anlz,numeric'  
Ops(e1, e2)  
  
## S4 method for signature 'numeric,anlz'  
Ops(e1, e2)
```

```
## S4 method for signature 'nifti,anlz'
Ops(e1, e2)

## S4 method for signature 'anlz,nifti'
Ops(e1, e2)
```

Arguments

```
e1          object
e2          object
```

Author(s)

John Muschelli <muschellij2@gmail.com>

Examples

```
img01 <- anlz(array(1:64, c(4,4,4,1)), datatype=4)
img02 <- anlz(array(64:1, c(4,4,4,1)), datatype=4)
is.anlz(img01 + img02)
is.anlz(sqrt(2) * img01)
is.anlz(img02 / pi)
```

as.anlz

as.anlz

Description

Internal function that converts multidimensional arrays to ANALYZE class objects.

Usage

```
as.anlz(from, value = NULL, verbose = FALSE)
```

Arguments

```
from          is the object to be converted.
value         is the nifti class object to use as a template for various ANALYZE header
              information.
verbose       is a logical variable (default = FALSE) that allows text-based feedback during
              execution of the function.
```

Value

An object of class `anlz`.

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net>,
 Brandon Whitcher <bwhitcher@gmail.com>

as.nifti

as.nifti

Description

Internal function that converts multidimensional arrays to NIFTI class objects.

Usage

```
as.nifti(from, value = NULL, verbose = FALSE)
```

Arguments

from	is the object to be converted.
value	is the anlz class object to use as a template for various NIFTI header information.
verbose	is a logical variable (default = FALSE) that allows text-based feedback during execution of the function.

Value

An object of class nifti.

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net>.
 Brandon Whitcher <bwhitcher@gmail.com>

Audit Trails

Facilitate the Creation and Modification of Audit Trails

Description

Facilitate the creation and modification of audit trails for NIFTI class objects.

Usage

```
oro.nifti.info(type)

enableAuditTrail()

getLastCallWithName(functionName)

newAuditTrail()

niftiExtensionToAuditTrail(
  nim,
  workingDirectory = NULL,
  filename = NULL,
  call = NULL
)

niftiAuditTrailSystemNode(
  type = "system-info",
  workingDirectory = NULL,
  filename = NULL,
  call = NULL
)

niftiAuditTrailSystemNodeEvent(
  trail,
  type = NULL,
  call = NULL,
  workingDirectory = NULL,
  filename = NULL,
  comment = NULL
)

niftiAuditTrailCreated(
  history = NULL,
  call = NULL,
  workingDirectory = NULL,
  filename = NULL
)

niftiAuditTrailEvent(trail, type = NULL, call = NULL, comment = NULL)
```

Arguments

type	An identifier to add some meaning to the event.
functionName	The name of a function on the call stack.
nim	is an object of class <code>niftiAuditTrail</code> or can be converted to such.
workingDirectory	The working directory associated with the 'filename'.

filename	The filename associated with the nifti object.
call	A call, function name in the call-stack or a string.
trail	The XMLAbstractNode representing the audit trail or the niftiAuditTrail object with a trail that will be amended.
comment	Some textual comment
history	An XMLAbstractNode to store historical events for inclusion in the 'trail'.

Details

The function `oro.nifti.info` is used to find the ecode or the XML namespace relevant to the audit trail.

The function `enableAuditTrail` is turned "off" by default to minimize package dependencies. Should one wish to turn "on" the audit trail functionality, then one should set the option `NIFTI.audit.trail` to `TRUE` and call the function `enableAuditTrail`. Setting the option `NIFTI.audit.trail` to `FALSE` will disable the audit trail.

The function `newAuditTrail` returns an `XMLAbstractNode` representing the root node of an audit trail. This is mostly intended as an internal function.

The function `niftiExtensionToAuditTrail` takes an object representing a NIFTI object, casts it as a `niftiAuditTrail` and checks if there is an extension (a `niftiExtensionSection`) with ecode equal to `oro.nifti.info("ecode")`; i.e. has a extension with data representing a serialized audit trail. The function will then strip the object of this extension parsing the serialized edata into an audit trail and adding a 'read' event to the trail.

The function `niftiAuditTrailToExtension` takes a `niftiAuditTrail` and returns a `niftiExtensionSection` with edata containing the serialized form of the audit trail after adding a 'saved' event to the trail.

The function `niftiAuditTrailSystemNodeEvent` adds an element with name equal to `type` to the trail. It uses the `niftiAuditTrailSystemNode` function to create the node.

The function `niftiAuditTrailSystemNode` is an internal function creating an `XMLAbstractNode` element with name `type` and attributes giving information about the R system and library. The `filename` and `call` will also be added as attributes if available.

The function `niftiAuditTrailEvent` adds an element with name `event` to the trail. The arguments `type`, `filename`, `call` are added as attributes and the `comment` is the text value of the element.

The function `niftiAuditTrailCreated` will create a new audit trail containing a system node element created with the child `history` with the contents `history`. If the last element of the `history` given is an event with `type="processing"`, then this node will be removed from the `history` and its `call` attribute will be used as the value of the `call` attribute on the created node.

The function `getLastCallWithName` will search the call stack for a call of the function `functionName`, returning last call to that function if possible. It will default to the call of the function which called the function which called `getLastCallWithName` if there was no such call (and if there was no such call it will return the call of itself).

Note

These functions are mostly intended to be used internally in order to document the changes that occur to NIFTI objects due to functions that are audit-trail aware. However, as the precise manner

in which these functions are used is not documented anywhere else, we shall proceed to describe which functions are audit-trail aware and how they interact with the audit trail.

`as.nifti` and its S4 alias `as(nim, "nifti")` will always produce `niftiAuditTrail` objects if the functionality is turned on. The function `niftiAuditTrailCreated` will be used and if an exemplar object is provided (e.g., `as.nifti(array, niftiExemplar)`) then the trail of the exemplar will be used as the history.

`readNIFTI` and `writeNIFTI` also always produce `niftiAuditTrail` objects if the functionality is turned on. The functions `niftiExtensionToAuditTrail` and `niftiAuditTrailToExtension` are used internally by these functions to facilitate this behaviour.

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net> and Brandon Whitcer <bwhitcer@gmail.com>

Examples

```
## A good example of the use of these functions is shown by this
## wrapper function which takes a function fun(nim, ...) returning
## lists of arrays which are nifti-ized using as(...)
options("niftiAuditTrail"=TRUE)
enableAuditTrail()

wrapper <- function(functionToWrap, nameOfCallingFunction, nim, ...) {
  if (!is(nim, "nifti"))
    nim <- as(nim, "nifti")

  if (is(nim, "niftiAuditTrail")) {
    ## This will force as(...) to set the call which created the
    ## results to the calling function's call rather than
    ## as(result, nifti) as it would otherwise do
    slot(nim, "trail") <- niftiAuditTrailEvent(slot(nim, "trail"), "processing",
                                              nameOfCallingFunction)
  }

  result <- functionToWrap(nim, ...)
  as(result, "nifti") <- nim
  return(result)
}

## An example of how wrapper is used follows:
functionToWrap <- function(ignored, x, y) {
  return (array(1, dim=c(x,y)))
}

## The nifti-ized form
niftiizedForm <- function(nim,...) {
  return(wrapper(functionToWrap, "niftiizedForm", nim, ...))
}

## Not run:
if (isTRUE(getOption("niftiAuditTrail"))) {
```

```
    print(slot(as.nifti(functionToWrap(nifti()), 4, 4), nifti()), "trail")
    print(slot(niftiizedForm(nifti()), 4, 4), "trail")
  }

## End(Not run)
```

audit.trail-methods *Extract or Replace NIFTI Audit Trail*

Description

Operators that act on the audit trail (XML) in the NIFTI header.

Usage

```
audit.trail(object)

## S4 method for signature 'nifti'
audit.trail(object)

audit.trail(object) <- value

## S4 replacement method for signature 'nifti'
audit.trail(object) <- value
```

Arguments

object	is of class nifti.
value	Value to assign to trail slot

Methods

object = "nifti" Extract or replace NIFTI audit trail.

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net>

aux_file-methods *Extract Image Attribute aux_file*

Description

Methods that act on the aux_file field in the NIFTI/ANALYZE header.

Usage

```
aux_file(object)

## S4 method for signature 'nifti'
aux_file(object)

## S4 method for signature 'anlz'
aux_file(object)

aux_file(object) <- value

## S4 replacement method for signature 'nifti'
aux_file(object) <- value

## S4 replacement method for signature 'anlz'
aux_file(object) <- value

aux.file(object)

## S4 method for signature 'nifti'
aux.file(object)

## S4 method for signature 'anlz'
aux.file(object)

aux.file(object) <- value

## S4 replacement method for signature 'nifti'
aux.file(object) <- value

## S4 replacement method for signature 'anlz'
aux.file(object) <- value

## S4 method for signature 'niftiImage'
aux_file(object)

## S4 replacement method for signature 'niftiImage'
aux_file(object) <- value
```

Arguments

object is an object of class `nifti` or `anlz`.
value is the value to assign to the `aux_file` field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
## Not run:
url <- "http://nifti.nimh.nih.gov/nifti-1/data/avg152T1_RL_nifti.nii.gz"
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                    "mniRL.nii.gz")
download.file(url, urlfile, quiet=TRUE)

## End(Not run)
options("niftiAuditTrail"=FALSE)

urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                    "mniRL.nii.gz")
mniRL <- readNIFTI(urlfile)
aux.file(mniRL)
aux.file(mniRL) <- "avg152T1_RL_nifti"
aux.file(mniRL)
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
aux_file(img)
aux_file(img) = "hey"
stopifnot(aux_file(img) == "hey")
```

bitpix-methods	<i>Extract Image Attribute</i> bitpix
----------------	---------------------------------------

Description

Methods that act on the bitpix field in the NIFTI/ANALYZE header.

Usage

```
bitpix(object)

## S4 method for signature 'nifti'
bitpix(object)

## S4 method for signature 'anlz'
bitpix(object)

bitpix(object) <- value

## S4 replacement method for signature 'nifti'
bitpix(object) <- value

## S4 replacement method for signature 'anlz'
bitpix(object) <- value

## S4 method for signature 'niftiImage'
bitpix(object)
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the bitpix field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
bitpix(img)
```

blend

Merge Two NIFTI or ANALYZE Volumes

Description

Two volumes of medical imaging data are merged together in the superior-inferior (or z) direction. One assumes that there is at least one slice that overlaps between the two volumes.

Usage

```
blendVolumes(x, y, seqX, seqY, method = "linear")

## S4 method for signature 'nifti,nifti'
blend(x, y, seqX, seqY, method = "linear")

## S4 method for signature 'anlz,anlz'
blend(x, y, seqX, seqY, method = "linear")

## S4 method for signature 'anlz,nifti'
blend(x, y, seqX, seqY, method = "linear")

## S4 method for signature 'nifti,anlz'
blend(x, y, seqX, seqY, method = "linear")
```

Arguments

`x, y` are objects of class `nifti` or `anlz`.
`seqX, seqY` are vectors that provide the z -coordinate values for the two imaging volumes.
`method` is the type of weighing to use when combining information where there is an overlap (default = "linear").

Value

A single volume that blends the voxel-wise information from `x` and `y`.

Methods

```
x = "nifti", y = "nifti" Merge x and y.
x = "anlz", y = "anlz" Merge x on y.
x = "nifti", y = "anlz" Merge x on y.
x = "anlz", y = "nifti" Merge x and y.
```

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

See Also

[image-methods](#), [overlay-methods](#)

calibrateImage *Set Minimum/Maximum Values for NIfTI data*

Description

Rescales image `cal_max` and `cal_min` slots to be the max and min, respectively, of an object of class `nifti`, with `na.rm = TRUE`. This is so that when images are rendered/written, the values correspond to those in the array (stored in `.Data` slot) are plotted on correct greyscale and no error is given by `writeNIfTI`.

Usage

```
calibrateImage(img, infok = TRUE)
```

```
cal_img(img, infok = TRUE)
```

Arguments

`img` is a `nifti` object.

`infok` is a logical value whether or not `Inf` and `-Inf` are acceptable (default = `TRUE`). If `FALSE` and max or min is infinity, then `cal_min` or `cal_max` is set to infinity (negative or positive), respectively.

Value

An object of class `nifti`.

Author(s)

John Muschelli <muschellij2@gmail.com>

cal_max-methods *Extract Image Attribute cal_max*

Description

Methods that act on the cal_max field in the NIFTI/ANALYZE header.

Usage

```
cal_max(object)

## S4 method for signature 'nifti'
cal_max(object)

## S4 method for signature 'anlz'
cal_max(object)

cal_max(object) <- value

## S4 replacement method for signature 'nifti'
cal_max(object) <- value

## S4 replacement method for signature 'anlz'
cal_max(object) <- value

cal.max(object)

## S4 method for signature 'nifti'
cal.max(object)

## S4 method for signature 'anlz'
cal.max(object)

cal.max(object) <- value

## S4 replacement method for signature 'nifti'
cal.max(object) <- value

## S4 replacement method for signature 'anlz'
cal.max(object) <- value

## S4 method for signature 'niftiImage'
cal.max(object)

## S4 replacement method for signature 'niftiImage'
cal.max(object) <- value
```

```
## S4 method for signature 'niftiImage'
cal_max(object)

## S4 replacement method for signature 'niftiImage'
cal_max(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the cal_max field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
## Not run:
url <- "http://nifti.nimh.nih.gov/nifti-1/data/avg152T1_LR_nifti.nii.gz"
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                    "mniLR.nii.gz")
download.file(url, urlfile, quiet=TRUE)

## End(Not run)
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                    "mniLR.nii.gz")
mniLR <- readNIFTI(urlfile)
cal.max(mniLR)
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
cal.max(img)
cal_max(img)
cal.max(img) = 2500
stopifnot(cal_max(img) == 2500)
cal_max(img) = 2500
cal.min(img)
cal.min(img) = 2
stopifnot(cal_min(img) == 2)
cal_min(img)
```

```
cal_min(img) = 0
stopifnot(cal_min(img) == 0)
```

cal_min-methods *Extract Image Attribute cal_min*

Description

Methods that act on the cal_min field in the NIFTI/ANALYZE header.

Usage

```
cal_min(object)

## S4 method for signature 'nifti'
cal_min(object)

## S4 method for signature 'anlz'
cal_min(object)

cal_min(object) <- value

## S4 replacement method for signature 'nifti'
cal_min(object) <- value

## S4 replacement method for signature 'anlz'
cal_min(object) <- value

cal.min(object)

## S4 method for signature 'nifti'
cal.min(object)

## S4 method for signature 'anlz'
cal.min(object)

cal.min(object) <- value

## S4 replacement method for signature 'nifti'
cal.min(object) <- value

## S4 replacement method for signature 'anlz'
cal.min(object) <- value

## S4 method for signature 'niftiImage'
cal.min(object)
```

```
## S4 replacement method for signature 'niftiImage'  
cal.min(object) <- value  
  
## S4 method for signature 'niftiImage'  
cal_min(object)  
  
## S4 replacement method for signature 'niftiImage'  
cal_min(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the cal_min field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
## Not run:  
url <- "http://nifti.nimh.nih.gov/nifti-1/data/avg152T1_LR_nifti.nii.gz"  
urlfile <- file.path(system.file("nifti", package="oro.nifti"),  
                      "mniLR.nii.gz")  
download.file(url, urlfile, quiet=TRUE)  
  
## End(Not run)  
urlfile <- file.path(system.file("nifti", package="oro.nifti"),  
                      "mniLR.nii.gz")  
mniLR <- readNIFTI(urlfile)  
cal.min(mniLR)
```

cal_units-methods *Extract Image Attribute cal_units*

Description

Methods that act on the `cal_units` field in the NIFTI/ANALYZE header.

Usage

```
cal_units(object)

## S4 method for signature 'anlz'
cal_units(object)

cal_units(object) <- value

## S4 replacement method for signature 'anlz'
cal_units(object) <- value

cal.units(object)

## S4 method for signature 'anlz'
cal.units(object)

cal.units(object) <- value

## S4 replacement method for signature 'anlz'
cal.units(object) <- value
```

Arguments

<code>object</code>	is an object of class <code>nifti</code> or <code>anlz</code> .
<code>value</code>	is the value to assign to the <code>cal_units</code> field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
 NIfTI-1
<http://nifti.nimh.nih.gov/>

coerce-methods

*Force an Object to Belong to the ANALYZE or NIfTI Class***Description**

Methods for function coerce in Package ‘methods’.

Arguments

object	is an object of class array or inherits from array.
Class	is the name of the class to which ‘object’ should be coerced; i.e., nifti.
from	is the object to be converted.
value	is the nifti class object to use as a template for various ANALYZE/NIfTI header information.
verbose	is a logical variable (default = FALSE) that allows text-based feedback during execution of the function.

Value

An object of class anlz or nifti.

Methods

from = "anlz", to = "nifti" An object of class anlz is coerced into a NIfTI object.
from = "array", to = "anlz" An object of class array is coerced into an ANALYZE object.
from = "array", to = "nifti" An object of class array is coerced into a NIfTI object.
from = "list", to = "anlz" All objects of class array in the list are coerced into ANALYZE objects. All other objects are left alone. The original list structure is retained.
from = "list", to = "nifti" All objects of class array in the list are coerced into NIfTI objects. All other objects are left alone. The original list structure is retained.

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net>,
 Brandon Whitcher <bwhitcher@gmail.com>

See Also

[as](#)

compressed-methods *Extract Image Attribute* compressed

Description

Methods that act on the compressed field in the NIFTI/ANALYZE header.

Usage

```
compressed(object)

## S4 method for signature 'anzl'
compressed(object)

compressed(object) <- value

## S4 replacement method for signature 'anzl'
compressed(object) <- value
```

Arguments

object	is an object of class <code>nifti</code> or <code>anzl</code> .
value	is the value to assign to the compressed field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Convert ANALYZE Codes *Convert ANALYZE Codes*

Description

Codes that appear in the ANALYZE header are mapped to meaningful character strings.

Usage

```
convert.bitpix.anlz(bitpix = NULL)
convert.datatype.anlz(datatype.code = NULL)
convert.orient.anlz(orientation)
```

Arguments

<code>bitpix</code>	is the bit-per-pixel code.
<code>datatype.code</code>	defines data type.
<code>orientation</code>	defines the orientation.

Details

switch statements are used to map a numeric code to the appropriate string.

Value

A character string.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>

See Also

[convert.datatype](#), [convert.bitpix](#), [convert.intent](#), [convert.form](#), [convert.units](#), [convert.slice](#)

Examples

```
## 4 = SIGNED_SHORT
convert.datatype.anlz(4)
## 16 = FLOAT
convert.datatype.anlz(16)
## 2 = "sagittal unflipped"
convert.orient.anlz(2)
## 4 = "coronal flipped"
convert.orient.anlz(4)
```

Convert NIFTI Codes *Convert NIFTI Codes*

Description

Codes that appear in the ANALYZE header are mapped to meaningful character strings.

Usage

```
convert.bitpix(bitpix = NULL)

convert.datatype(datatype.code = NULL)

convert.intent(intent.code = NULL)

convert.form(form.code)

convert.units(units, inverse = FALSE)

convert.slice(slice.code)
```

Arguments

<code>bitpix</code>	is the bit-per-pixel code.
<code>datatype.code</code>	defines data type.
<code>intent.code</code>	is the NIFTI intent code.
<code>form.code</code>	is the (x, y, z) coordinate system.
<code>units</code>	is the units of <code>pixdim[1..4]</code> .
<code>inverse</code>	is a logical value that denotes the direction of unit conversion.
<code>slice.code</code>	is the slice timing order.

Details

`switch` statements are used to map a numeric code to the appropriate string.

Value

A character string.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

References

Neuroimaging Informatics Technology Initiative (NIFTI)
<http://nifti.nimh.nih.gov/>

Examples

```
## 4 = SIGNED_SHORT
convert.datatype.anlz(4)
## 16 = FLOAT
convert.datatype.anlz(16)
## 2 = "sagittal unflipped"
convert.orient.anlz(2)
## 4 = "coronal flipped"
convert.orient.anlz(4)
```

convert.scene

Convert AFNI data codes

Description

Codes that appear in the AFNI header are mapped to meaningful character strings.

Usage

```
convert.scene(scene.data, typestring)
```

Arguments

scene.data	defines data type.
typestring	defines whether func or anat data.

Details

switch statements are used to map a numeric code to the appropriate string.

Value

A character string.

Author(s)

Karsten Tabelow <karsten.tabelow@wias-berlin.de>

References

AFNI

<http://afni.nimh.nih.gov/pub/dist/src/README.attributes>

See Also

[convert.datatype.anlz](#), [convert.orient.anlz](#)

Examples

```
## 4 = CT for anatomic data
convert.scene(4, "3DIM_HEAD_ANAT")
```

datatype-methods *Extract Image Attribute* datatype

Description

Methods that act on the datatype field in the NIFTI/ANALYZE header.

Usage

```
datatype(object)

## S4 method for signature 'nifti'
datatype(object)

## S4 method for signature 'anlz'
datatype(object)

datatype(object) <- value

## S4 replacement method for signature 'nifti'
datatype(object) <- value

## S4 method for signature 'ANY'
datatype(object)

## S4 replacement method for signature 'anlz'
datatype(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the datatype field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
Nifti-1
<http://nifti.nimh.nih.gov/>

data_type-methods *Extract Image Attribute data_type*

Description

Methods that act on the data_type field in the NIFTI/ANALYZE header.

Usage

```
data_type(object)

## S4 method for signature 'nifti'
data_type(object)

## S4 method for signature 'anlz'
data_type(object)

data_type(object) <- value

## S4 replacement method for signature 'nifti'
data_type(object) <- value

## S4 replacement method for signature 'anlz'
data_type(object) <- value

data.type(object)
```

```
## S4 method for signature 'nifti'  
data.type(object)  
  
## S4 method for signature 'anlz'  
data.type(object)  
  
data.type(object) <- value  
  
## S4 replacement method for signature 'nifti'  
data.type(object) <- value  
  
## S4 replacement method for signature 'anlz'  
data.type(object) <- value  
  
## S4 method for signature 'niftiImage'  
data_type(object)  
  
## S4 method for signature 'niftiImage'  
datatype(object)
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the data_type field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")  
img = RNifti::readNifti(file)  
data_type(img)  
datatype(img)
```

db_name-methods	<i>Extract Image Attribute db_name</i>
-----------------	--

Description

Methods that act on the db_name field in the NIFTI/ANALYZE header.

Usage

```
db_name(object)

## S4 method for signature 'nifti'
db_name(object)

## S4 method for signature 'anlz'
db_name(object)

db_name(object) <- value

## S4 replacement method for signature 'nifti'
db_name(object) <- value

## S4 replacement method for signature 'anlz'
db_name(object) <- value

db.name(object)

## S4 method for signature 'nifti'
db.name(object)

## S4 method for signature 'anlz'
db.name(object)

db.name(object) <- value

## S4 replacement method for signature 'nifti'
db.name(object) <- value

## S4 replacement method for signature 'anlz'
db.name(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the db_name field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

descrip-methods	<i>Extract Image Attribute</i> descrip
-----------------	--

Description

Methods that act on the descrip field in the NIFTI/ANALYZE header.

Usage

```
descrip(object)

## S4 method for signature 'nifti'
descrip(object)

## S4 method for signature 'anlz'
descrip(object)

descrip(object) <- value

## S4 replacement method for signature 'nifti'
descrip(object) <- value

## S4 replacement method for signature 'anlz'
descrip(object) <- value

## S4 method for signature 'niftiImage'
descrip(object)

## S4 replacement method for signature 'niftiImage'
descrip(object) <- value
```

Arguments

object is an object of class `nifti` or `anlz`.
 value is the value to assign to the `descrip` field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
 Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
 NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
## Not run:
url <- "http://nifti.nimh.nih.gov/nifti-1/data/avg152T1_LR_nifti.nii.gz"
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                     "mniLR.nii.gz")
download.file(url, urlfile, quiet=TRUE)

## End(Not run)
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                     "mniLR.nii.gz")
mniLR <- readNIFTI(urlfile)
descrip(mniLR)
## Not run:
descrip(mniLR) <- paste(descrip(mniLR), version$version.string, sep="; ")
descrip(mniLR)

## End(Not run)
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
descrip(img)
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
descrip(img) = "a file"
descrip(img)
stopifnot(descrip(img) == "a file")
```

dim_-methods *Extract Image Attribute dim_*

Description

Methods that act on the dim_ field in the NIFTI/ANALYZE header.

Usage

```
dim_(object)

## S4 method for signature 'nifti'
dim_(object)

## S4 method for signature 'anlz'
dim_(object)

dim_(object) <- value

## S4 replacement method for signature 'nifti'
dim_(object) <- value

## S4 replacement method for signature 'anlz'
dim_(object) <- value

## S4 method for signature 'ANY'
dim_(object)
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the dim_ field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

dim_info-methods *Extract Image Attribute dim_info*

Description

Methods that act on the dim_info field in the NIFTI/ANALYZE header.

Usage

```
dim_info(object)

## S4 method for signature 'nifti'
dim_info(object)

dim_info(object) <- value

## S4 replacement method for signature 'nifti'
dim_info(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the dim_info field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

dim_un0-methods *Extract Image Attribute dim_un0*

Description

Methods that act on the dim_un0 field in the NIFTI/ANALYZE header.

Usage

```
dim_un0(object)

## S4 method for signature 'anzl'
dim_un0(object)

dim_un0(object) <- value

## S4 replacement method for signature 'anzl'
dim_un0(object) <- value
```

Arguments

object is an object of class nifti or anzl.
value is the value to assign to the dim_un0 field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

dropImageDimension *Drop Image Dimension*

Description

Drops a dimension of an image that has one-dimension and sets respective values to 0 in pixdim or 1 in dim.

Usage

```
dropImageDimension(img, onlylast = TRUE, warn = TRUE)
```

```
drop_img_dim(img, onlylast = TRUE, warn = TRUE)
```

Arguments

img	nifti object
onlylast	is a logical variable (default = TRUE). Drop the dimension only if it is the last dimension. For example, if dim is 10x10x1x10 then no dimension is dropped, but if dim is 10x10x10x1 then it will be changed to 10x10x10.
warn	produces a text output if the number of dimensions is under three.

Value

Object of class nifti

Examples

```
nim <- nifti(array(rnorm(10^3), dim = rep(10, 3)))
nim2 <- nifti(array(rnorm(10^3), dim = c(10, 10, 1, 10)))
dropImageDimension(nim2)
dropImageDimension(nim2, onlylast = FALSE)
nim3 <- nifti(array(rnorm(10^3), dim = c(10, 10, 10, 1)))
dropImageDimension(nim3)
dropImageDimension(nim3, onlylast = FALSE) # the same as above
nim4 <- nifti(array(rnorm(10^3), dim = c(10, 10, 10, 1, 10)))
dim(nim4[, , 1, ])
dim(nim4[, , 1, , drop=TRUE])
dropImageDimension(nim4)

nim5 <- nifti(array(rnorm(10^4), dim = c(1, 10, 10, 10, 1, 10)))
dropImageDimension(nim5)
dropImageDimension(nim5, onlylast = FALSE)

nim6 <- nifti(array(rnorm(10^3), dim = c(1, 10, 10, 10, 1, 1)))
dropImageDimension(nim6)
## Not run:
```

```
## 27 scans of Colin Holmes (MNI) brain co-registered and averaged
## NIfTI two-file format
URL <- "http://imaging.mrc-cbu.cam.ac.uk/downloads/Colin/colin_1mm.tgz"
urlfile <- file.path(tempdir(), "colin_1mm.tgz")
download.file(URL, dest=urlfile, quiet=TRUE)
untar(urlfile, exdir=tempdir())
colin <- readNIfTI(file.path(tempdir(), "colin_1mm"))
dim(colin)
dim_(colin)
pixdim(colin)
# this will error
writeNIfTI(colin, filename = tempfile())
colin <- dropImageDimension(colin)
writeNIfTI(colin, filename = tempfile())

## End(Not run)
```

exp_date-methods	<i>Extract Image Attribute</i> exp_date
------------------	---

Description

Methods that act on the exp_date field in the NIfTI/ANALYZE header.

Usage

```
exp_date(object)

## S4 method for signature 'anzl'
exp_date(object)

exp_date(object) <- value

## S4 replacement method for signature 'anzl'
exp_date(object) <- value
```

Arguments

object	is an object of class nifti or anzl.
value	is the value to assign to the exp_date field.

Details

See documentation on the ANALYZE and/or NIfTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

exp_time-methods *Extract Image Attribute exp_time*

Description

Methods that act on the exp_time field in the NIfTI/ANALYZE header.

Usage

```
exp_time(object)

## S4 method for signature 'anzl'
exp_time(object)

exp_time(object) <- value

## S4 replacement method for signature 'anzl'
exp_time(object) <- value
```

Arguments

object is an object of class nifti or anzl.
value is the value to assign to the exp_time field.

Details

See documentation on the ANALYZE and/or NIfTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

extender-methods *Extract Image Attribute* extender

Description

Methods that act on the extender field in the NIFTI/ANALYZE header.

Usage

```
extender(object)

## S4 method for signature 'nifti'
extender(object)

extender(object) <- value

## S4 replacement method for signature 'nifti'
extender(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the extender field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

extents-methods *Extract Image Attribute* extents

Description

Methods that act on the extents field in the NIFTI/ANALYZE header.

Usage

```
extents(object)

## S4 method for signature 'nifti'
extents(object)

## S4 method for signature 'anlz'
extents(object)

extents(object) <- value

## S4 replacement method for signature 'nifti'
extents(object) <- value

## S4 replacement method for signature 'anlz'
extents(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the extents field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

field_skip-methods *Extract Image Attribute field_skip*

Description

Methods that act on the field_skip field in the NIFTI/ANALYZE header.

Usage

```
field_skip(object)

## S4 method for signature 'anzl'
field_skip(object)

field_skip(object) <- value

## S4 replacement method for signature 'anzl'
field_skip(object) <- value

field.skip(object)

## S4 method for signature 'anzl'
field.skip(object)

field.skip(object) <- value

## S4 replacement method for signature 'anzl'
field.skip(object) <- value
```

Arguments

object is an object of class nifti or anzl.
value is the value to assign to the field_skip field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

funused1-methods	<i>Extract Image Attribute</i> funused1
------------------	---

Description

Methods that act on the funused1 field in the NIfTI/ANALYZE header.

Usage

```
funused1(object)

## S4 method for signature 'anzl'
funused1(object)

funused1(object) <- value

## S4 replacement method for signature 'anzl'
funused1(object) <- value
```

Arguments

object	is an object of class nifti or anzl.
value	is the value to assign to the funused1 field.

Details

See documentation on the ANALYZE and/or NIfTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

funused2-methods *Extract Image Attribute funused2*

Description

Methods that act on the funused2 field in the NIFTI/ANALYZE header.

Usage

```
funused2(object)

## S4 method for signature 'anlz'
funused2(object)

funused2(object) <- value

## S4 replacement method for signature 'anlz'
funused2(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the funused2 field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

funused3-methods *Extract Image Attribute funused3*

Description

Methods that act on the funused3 field in the NIFTI/ANALYZE header.

Usage

```
funused3(object)

## S4 method for signature 'anzl'
funused3(object)

funused3(object) <- value

## S4 replacement method for signature 'anzl'
funused3(object) <- value
```

Arguments

object	is an object of class nifti or anzl.
value	is the value to assign to the funused3 field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

generated-methods *Extract Image Attribute* generated

Description

Methods that act on the generated field in the NIFTI/ANALYZE header.

Usage

```
generated(object)

## S4 method for signature 'anlz'
generated(object)

generated(object) <- value

## S4 replacement method for signature 'anlz'
generated(object) <- value
```

Arguments

object	is an object of class <code>nifti</code> or <code>anlz</code> .
value	is the value to assign to the generated field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

`glmax-methods`*Extract Image Attribute glmax*

Description

Methods that act on the `glmax` field in the NIFTI/ANALYZE header.

Usage

```
glmax(object)

## S4 method for signature 'nifti'
glmax(object)

## S4 method for signature 'anlz'
glmax(object)

glmax(object) <- value

## S4 replacement method for signature 'nifti'
glmax(object) <- value

## S4 replacement method for signature 'anlz'
glmax(object) <- value
```

Arguments

<code>object</code>	is an object of class <code>nifti</code> or <code>anlz</code> .
<code>value</code>	is the value to assign to the <code>glmax</code> field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

glmin-methods

Extract Image Attribute glmin

Description

Methods that act on the glmin field in the NIFTI/ANALYZE header.

Usage

```
glmin(object)

## S4 method for signature 'nifti'
glmin(object)

## S4 method for signature 'anlz'
glmin(object)

glmin(object) <- value

## S4 replacement method for signature 'nifti'
glmin(object) <- value

## S4 replacement method for signature 'anlz'
glmin(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the glmin field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

hist_un0-methods *Extract Image Attribute hist_un0*

Description

Methods that act on the hist_un0 field in the NIFTI/ANALYZE header.

Usage

```
hist_un0(object)

## S4 method for signature 'anzl'
hist_un0(object)

hist_un0(object) <- value

## S4 replacement method for signature 'anzl'
hist_un0(object) <- value
```

Arguments

object	is an object of class nifti or anzl.
value	is the value to assign to the hist_un0 field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

hkey_un0-methods *Extract Image Attribute* hkey_un0

Description

Methods that act on the hkey_un0 field in the NIFTI/ANALYZE header.

Usage

```
hkey_un0(object)

## S4 method for signature 'anlz'
hkey_un0(object)

hkey_un0(object) <- value

## S4 replacement method for signature 'anlz'
hkey_un0(object) <- value

hkey.un0(object)

## S4 method for signature 'anlz'
hkey.un0(object)

hkey.un0(object) <- value

## S4 replacement method for signature 'anlz'
hkey.un0(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the hkey_un0 field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

hotmetal

Hot Metal Color Table

Description

The hotmetal color table patterned after the one used in Matlab.

Usage

```
hotmetal(n = 64)
```

Arguments

`n` is the number of color levels (default = 64).

Details

Based on the `tim.colors` function in the **fields** package. The `hotmetal` function has been modified to break any dependence on code in the **fields** package. Spline interpolation (`interpSpline`) is used when the number of requested colors is not the default.

Value

A vector of character strings giving the colors in hexadecimal format.

See Also

[terrain.colors](#), [tim.colors](#), [topo.colors](#)

Examples

```
hotmetal(10)  
image(outer(1:20,1:20,"+"), col=hotmetal(75), main="hotmetal")
```

image-methods

Methods for Function 'image'

Description

Produce “lightbox” layout of images for nifti, anlz and afni objects.

Usage

```
## S4 method for signature 'nifti'
image(
  x,
  z = 1,
  w = 1,
  col = gray(0:64/64),
  plane = c("axial", "coronal", "sagittal"),
  plot.type = c("multiple", "single"),
  zlim = NULL,
  xlab = "",
  ylab = "",
  axes = FALSE,
  oma = rep(0, 4),
  mar = rep(0, 4),
  bg = "black",
  ...
)

## S4 method for signature 'anlz'
image(
  x,
  z = 1,
  w = 1,
  col = gray(0:64/64),
  plane = c("axial", "coronal", "sagittal"),
  plot.type = c("multiple", "single"),
  zlim = NULL,
  xlab = "",
  ylab = "",
  axes = FALSE,
  oma = rep(0, 4),
  mar = rep(0, 4),
  bg = "black",
  ...
)

## S4 method for signature 'afni'
image(x, ...)
```

Arguments

<code>x</code>	is an object of class <code>nifti</code> or similar.
<code>z</code>	is the slice to be displayed (ignored when <code>plot.type = "multiple"</code>).
<code>w</code>	is the time point to be displayed (4D arrays only).
<code>col</code>	is grayscale (by default).
<code>plane</code>	is the plane of acquisition to be displayed (choices are 'axial', 'coronal', 'sagittal').
<code>plot.type</code>	allows the choice between all slices being displayed, in a matrix (left-to-right, top-to-bottom), or a single slice.
<code>zlim</code>	is set to NULL by default and utilizes the internal image range.
<code>xlab</code>	is set to "" since all margins are set to zero.
<code>ylab</code>	is set to "" since all margins are set to zero.
<code>axes</code>	is set to FALSE since all margins are set to zero.
<code>oma</code>	is the size of the outer margins in the <code>par</code> function.
<code>mar</code>	is the number of lines of margin in the <code>par</code> function.
<code>bg</code>	is the background color in the <code>par</code> function.
<code>...</code>	other arguments to the <code>image</code> function may be provided here.

Details

Uses the S3 generic function `image`, with medical-image friendly settings, to display `nifti`, `anlz` and `afni` class objects in a "lightbox" layout.

Methods

- `x = "ANY"` Generic function: see [image](#).
- `x = "nifti"` Produce images for `x`.
- `x = "anlz"` Produce images for `x`.
- `x = "afni"` Produce images for `x`.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

See Also

[orthographic-methods](#), [overlay-methods](#)

img_data-methods *Extract Image Attribute* .Data

Description

Methods that act on the .Data field in the NIFTI/ANALYZE header.

Usage

```
img_data(object)

## S4 method for signature 'nifti'
img_data(object)

## S4 method for signature 'anlz'
img_data(object)

## S4 method for signature 'character'
img_data(object)

## S4 method for signature 'ANY'
img_data(object)

img_data(object) <- value

## S4 replacement method for signature 'nifti'
img_data(object) <- value

## S4 replacement method for signature 'anlz'
img_data(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the .Data field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
 NIfTI-1
<http://nifti.nimh.nih.gov/>

img_length	<i>Gets Image Length in Each Dimension</i>
------------	--

Description

Multiplies the number of slices by the voxel resolution for each direction.

Usage

```
img_length(img, units = c("mm", "cm"))
```

Arguments

img	Image object, any method with voxdim and dim_
units	output unit, either cubic mm or cubic cm.

Value

Scalar numeric, one number, in mm or cm.

Examples

```
nim <- nifti(array(rnorm(10^3), dim = c(5, 2, 100)),
pixdim = c(1, 0.5, 0.2, 1))
img_length(nim)
```

integerTranslation	<i>integerTranslation</i>
--------------------	---------------------------

Description

...

Usage

```
integerTranslation(nim, data, verbose = FALSE)

invertIntegerTranslation(nim, verbose = FALSE)
```

Arguments

nim	is an object of class nifti.
data	is ...
verbose	is a logical variable (default = FALSE) that allows text-based feedback during execution of the function.

Details

...

Value

...

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net>

 intent_code-methods *Extract Image Attribute* intent_code

Description

Methods that act on the intent_code field in the NIFTI/ANALYZE header.

Usage

```

intent_code(object)

## S4 method for signature 'nifti'
intent_code(object)

intent_code(object) <- value

## S4 replacement method for signature 'nifti'
intent_code(object) <- value

intent.code(object)

## S4 method for signature 'nifti'
intent.code(object)

intent.code(object) <- value

## S4 replacement method for signature 'nifti'
intent.code(object) <- value

```

```
## S4 method for signature 'niftiImage'  
intent_code(object)  
  
## S4 replacement method for signature 'niftiImage'  
intent_code(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the intent_code field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")  
img = RNifti::readNifti(file)  
intent_code(img)  
intent_code(img) = 4  
stopifnot(intent_code(img) == 4)
```

intent_name-methods *Extract Image Attribute* intent_name

Description

Methods that act on the intent_name field in the NIFTI/ANALYZE header.

Usage

```
intent_name(object)

## S4 method for signature 'nifti'
intent_name(object)

intent_name(object) <- value

## S4 replacement method for signature 'nifti'
intent_name(object) <- value

intent.name(object)

## S4 method for signature 'nifti'
intent.name(object)

intent.name(object) <- value

## S4 replacement method for signature 'nifti'
intent.name(object) <- value

## S4 method for signature 'niftiImage'
intent_name(object)

## S4 replacement method for signature 'niftiImage'
intent_name(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the intent_name field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
intent_name(img)
intent_name(img) = "hey"
stopifnot(intent_name(img) == "hey")
```

intent_p1-methods *Extract Image Attribute* intent_p1

Description

Methods that act on the intent_p1 field in the NIFTI/ANALYZE header.

Usage

```
intent_p1(object)

## S4 method for signature 'nifti'
intent_p1(object)

intent_p1(object) <- value

## S4 replacement method for signature 'nifti'
intent_p1(object) <- value

intent.p1(object)

## S4 method for signature 'nifti'
intent.p1(object)

intent.p1(object) <- value

## S4 replacement method for signature 'nifti'
intent.p1(object) <- value

## S4 method for signature 'niftiImage'
intent_p1(object)

## S4 replacement method for signature 'niftiImage'
intent_p1(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the intent_p1 field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
intent_p1(img)
intent_p1(img) = 2
stopifnot(intent_p1(img) == 2)
intent_p2(img)
intent_p2(img) = 2
stopifnot(intent_p2(img) == 2)
intent_p3(img)
intent_p3(img) = 2
stopifnot(intent_p3(img) == 2)
```

intent_p2-methods *Extract Image Attribute intent_p2*

Description

Methods that act on the intent_p2 field in the NIFTI/ANALYZE header.

Usage

```
intent_p2(object)

## S4 method for signature 'nifti'
intent_p2(object)

intent_p2(object) <- value

## S4 replacement method for signature 'nifti'
intent_p2(object) <- value
```

```
intent.p2(object)

## S4 method for signature 'nifti'
intent.p2(object)

intent.p2(object) <- value

## S4 replacement method for signature 'nifti'
intent.p2(object) <- value

## S4 method for signature 'niftiImage'
intent.p2(object)

## S4 replacement method for signature 'niftiImage'
intent.p2(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the intent_p2 field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

intent_p3-methods *Extract Image Attribute* intent_p3

Description

Methods that act on the intent_p3 field in the NIFTI/ANALYZE header.

Usage

```
intent_p3(object)

## S4 method for signature 'nifti'
intent_p3(object)

intent_p3(object) <- value

## S4 replacement method for signature 'nifti'
intent_p3(object) <- value

intent.p3(object)

## S4 method for signature 'nifti'
intent.p3(object)

intent.p3(object) <- value

## S4 replacement method for signature 'nifti'
intent.p3(object) <- value

## S4 method for signature 'niftiImage'
intent_p3(object)

## S4 replacement method for signature 'niftiImage'
intent_p3(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the intent_p3 field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

`internalImage-class` *"internalImage" class*

Description

"internalImage" class

`is.afni` *check object*

Description

Check whether object is of class `afni`.

Usage

`is.afni(x)`

Arguments

`x` is an object to be checked.

Value

Logical indicating whether object is of class `afni`.

Author(s)

Karsten Tabelow <karsten.tabelow@wias-berlin.de>

References

AFNI
<http://afni.nimh.nih.gov/pub/dist/src/README.attributes>

See Also

`afni`

is.anlz	<i>check object</i>
---------	---------------------

Description

Check whether object is of class `anlz`.

Usage

```
is.anlz(x)
```

Arguments

`x` is an object to be checked.

Value

Logical indicating whether object is of class `anlz`.

Author(s)

Karsten Tabelow <karsten.tabelow@wias-berlin.de>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>

See Also

`anlz`

is.nifti	<i>check object</i>
----------	---------------------

Description

Check whether object is of class `nifti`.

Usage

```
is.nifti(x)
```

```
is.niftiExtension(x)
```

Arguments

x is an object to be checked.

Value

Logical indicating whether object is of class `nifti`.

Author(s)

Karsten Tabelow <karsten.tabelow@wias-berlin.de>

References

NIfTI-1
<http://nifti.nimh.nih.gov/>

See Also

`nifti`

magic-methods

Extract Image Attribute magic

Description

Methods that act on the magic field in the NIFTI/ANALYZE header.

Usage

```
magic(object)

## S4 method for signature 'nifti'
magic(object)

magic(object) <- value

## S4 replacement method for signature 'nifti'
magic(object) <- value

## S4 method for signature 'niftiImage'
magic(object)

## S4 replacement method for signature 'niftiImage'
magic(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the magic field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
Nifti-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
magic(img)
magic(img) = "ni1"
stopifnot(magic(img) == "ni1")
magic(img) = "n+1"
stopifnot(magic(img) == "n+1")
magic(img) = "r" # bad magic
stopifnot(magic(img) == "")
```

nifti

Constructor for Nifti

Description

Constructor for NIFTI class objects.

Usage

```
nifti(  
  img = array(0, dim = rep(1, 4)),  
  dim,  
  datatype = 2,  
  cal.min = NULL,  
  cal.max = NULL,  
  pixdim = NULL,
```

```
    ...  
  )
```

Arguments

<code>img</code>	is a multidimensional array of data.
<code>dim</code>	is the dimension of the data (default = missing).
<code>datatype</code>	is an integer that denotes the type of data contained in each voxel. See <code>convert.datatype</code> or the NIFTI documentation for more details.
<code>cal.min</code>	allows user-specified minimum value in the array (visualization purposes only).
<code>cal.max</code>	allows user-specified maximum value in the array (visualization purposes only).
<code>pixdim</code>	allows user-specified pixel dimension vector (length = 8).
<code>...</code>	allows for additional 'slots' to be specified.

Value

An object of class `nifti`.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

References

NIfTI-1
<http://nifti.nimh.nih.gov/>

See Also

[nifti](#), [anlz](#), [convert.datatype](#)

Examples

```
options("niftiAuditTrail"=FALSE)  
  
nim <- nifti() # default  
nim  
nim <- nifti(datatype=4) # 2-byte integers  
nim
```

nifti-class

Class "nifti"

Description

The NIFTI class for medical imaging data.

Usage

```
## S4 method for signature 'nifti'
show(object)
```

Arguments

object An object of class nifti.

Objects from the Class

Objects can be created by calls of the form `new("nifti", data, dim, dimnames, ...)` or by calling the `nifti` function.

Slots

.Data: Object of class "array" contains the imaging data
sizeof_hdr: Object of class "numeric" contains the size of the header (= 348)
data_type: Object of class "character"
db_name: Object of class "character"
extents: Object of class "numeric"
session_error: Object of class "numeric"
regular: Object of class "character"
dim_info: Object of class "numeric" contains MRI slice ordering
dim_: Object of class "vector" contains the dimensions of the imaging data
intent_p1: Object of class "numeric"
intent_p2: Object of class "numeric"
intent_p3: Object of class "numeric"
intent_code: Object of class "numeric"
datatype: Object of class "numeric"
bitpix: Object of class "numeric" contains the number of bits per voxel (pixel)
slice_start: Object of class "numeric"
pixdim: Object of class "vector" contains the real-world dimensions of the imaging data
vox_offset: Object of class "numeric" contains the voxel offset (= 352 when no extensions exist)
scl_slope: Object of class "numeric"

scl_inter: Object of class "numeric"
 slice_end: Object of class "numeric"
 slice_code: Object of class "numeric"
 xyzt_units: Object of class "numeric"
 cal_max: Object of class "numeric" contains the maximum display intensity
 cal_min: Object of class "numeric" contains the minimum display intensity
 slice_duration: Object of class "numeric"
 toffset: Object of class "numeric"
 glmax: Object of class "numeric"
 glmin: Object of class "numeric"
 descrip: Object of class "character"
 aux_file: Object of class "character"
 qform_code: Object of class "numeric"
 sform_code: Object of class "numeric"
 quatern_b: Object of class "numeric"
 quatern_c: Object of class "numeric"
 quatern_d: Object of class "numeric"
 qoffset_x: Object of class "numeric"
 qoffset_y: Object of class "numeric"
 qoffset_z: Object of class "numeric"
 srow_x: Object of class "vector"
 srow_y: Object of class "vector"
 srow_z: Object of class "vector"
 intent_name: Object of class "character"
 magic: Object of class "character"
 extender: Object of class "vector"
 reoriented: Object of class "logical"

Extends

Class "[array](#)", from data part.
 Class "[matrix](#)", by class "array", distance 2, with explicit test and coerce.
 Class "[structure](#)", by class "array", distance 2.
 Class "[vector](#)", by class "array", distance 3, with explicit coerce.
 Class "[vector](#)", by class "array", distance 5, with explicit test and coerce.

Methods

image signature(x = "nifti"): displays the image(s).
orthographic signature(x = "nifti"): displays the image(s).
overlay signature(x = "nifti", y = "nifti"): displays the image(s).
show signature(object = "nifti"): prints out a summary of the imaging data.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>,
Andrew Thornton <zeripath@users.sourceforge.net>

References

NIfTI-1
<http://nifti.nimh.nih.gov/>

See Also

[anz](#), [niftiExtension](#), [niftiAuditTrail](#)

Examples

```
showClass("nifti")
```

nifti-operators

Operations for NIfTI Objects

Description

Overloaded operators for nifti objects

Usage

```
## S4 method for signature 'nifti,nifti'  
Ops(e1, e2)  
  
## S4 method for signature 'nifti,numeric'  
Ops(e1, e2)  
  
## S4 method for signature 'numeric,nifti'  
Ops(e1, e2)
```

Arguments

e1 is an object of class nifti.
e2 is an object of class nifti.

Author(s)

John Muschelli <muschellij2@gmail.com>

Examples

```
img01 <- nifti(array(1:64, c(4,4,4,1)), datatype=4)
img02 <- nifti(array(64:1, c(4,4,4,1)), datatype=4)
is.nifti(img01 + img02)
is.nifti(sqrt(2) * img01)
is.nifti(img02 / pi)
```

niftiAuditTrail-class *Class "niftiAuditTrail"*

Description

An extension of the NIFTI class that adds an audit trail in XML format.

Objects from the Class

Objects can be created by calls of the form `new("niftiAuditTrail", data, dim, dimnames, ...)`.

Methods

`show` signature(object = "niftiAuditTrail"): prints out a summary of the imaging data.

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net>

References

NIFTI-1
<http://nifti.nimh.nih.gov/>

See Also

[nifti](#), [niftiExtension](#)

Examples

```
showClass("niftiAuditTrail")
```

niftiExtension-class *Class "niftiExtension"*

Description

An extension of the NIFTI class that allows “extensions” that conform to the NIFTI data standard.

Objects from the Class

Objects can be created by calls of the form `new("niftiExtension", data, dim, dimnames, ...)`.

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net>

References

NIFTI-1
<http://nifti.nimh.nih.gov/>

See Also

[nifti](#), [niftiAuditTrail](#)

Examples

```
showClass("niftiExtension")
```

niftiExtensionSection-class
 Class "niftiExtensionSection"

Description

A `niftiExtensionSection` contains the fields that conform to the NIFTI standard regarding header extensions. A `niftiExtension` is composed of one or more of these objects.

Objects from the Class

Objects can be created by calls of the form `new("niftiExtensionSection", data, dim, dimnames, ...)`.

Author(s)

Brandon Whitcer <bwhitcher@gmail.com>,
Andrew Thornton <zeripath@users.sourceforge.net>

References

NIfTI-1
<http://nifti.nimh.nih.gov/>

See Also

[niftiExtension](#), [nifti](#)

Examples

```
showClass("niftiExtensionSection")
```

niftiImage-class	<i>"niftiImage" class</i>
------------------	---------------------------

Description

"niftiImage" class

nifti_assign-methods	<i>Methods for Function [<code><-</code> in Package 'base']</i>
----------------------	--

Description

Methods for function [`<-` in Package 'base']

Methods

x = "nifti", i = "ANY", j = "ANY", value = "ANY" Replaces the data at the provided co-ordinates with the value provided and updates the header.

x = "nifti", i = "numeric", j = "numeric", value = "ANY" Replaces the data at the provided co-ordinates with the value provided and updates the header.

x = "nifti", i = "ANY", j = "missing", value = "ANY" Replaces the data row i of the provided nifti object with the value provided and updates the header.

x = "nifti", i = "numeric", j = "missing", value = "ANY" Replaces the data row i of the provided nifti object with the value provided and updates the header.

x = "nifti", i = "missing", j = "missing", value = "array" Replaces the data of the provided nifti object with the array provided and updates the header.

nii2oro	<i>Convert RNifti niftiImage to oro.nifti nifti object</i>
---------	--

Description

Converts a niftiImage from RNifti to a nifti object from the oro.nifti package

Usage

```
nii2oro(image)
```

Arguments

image niftiImage object

Value

Object of class `nifti`

nsl	<i>Dimension Accessor Functions</i>
-----	-------------------------------------

Description

Functions to extract the higher dimensions from ANALYZE/NIFTI data.

Usage

```
nsl(x)
```

```
NSLI(x)
```

```
ntim(x)
```

```
NTIM(x)
```

Arguments

x is a three- or four-dimensional array (e.g., read in from an ANALYZE/NIFTI file).

Details

Simple calls to `dim` to replicate the functionality of `nrow` and `ncol` for higher dimensions of an array that are commonly required when manipulating medical imaging data.

Value

Third (slice) or fourth (time) dimension of the array.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

See Also

[readNIFTI](#), [readANALYZE](#)

omax-methods

Extract Image Attribute omax

Description

Methods that act on the omax field in the NIFTI/ANALYZE header.

Usage

```
omax(object)

## S4 method for signature 'anlz'
omax(object)

omax(object) <- value

## S4 replacement method for signature 'anlz'
omax(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the omax field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

omin-methods	<i>Extract Image Attribute</i> omin
--------------	-------------------------------------

Description

Methods that act on the omin field in the NIFTI/ANALYZE header.

Usage

```
omin(object)

## S4 method for signature 'anzl'
omin(object)

omin(object) <- value

## S4 replacement method for signature 'anzl'
omin(object) <- value
```

Arguments

object	is an object of class nifti or anzl.
value	is the value to assign to the omin field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

onefile	<i>Creates the onefile Specification for NIfTI</i>
---------	--

Description

Changes the magic and vox_offset slots to be consistent with the onefile option in [writeNIfTI](#). As of version 0.4.0, oro.nifti did not support the "ni1" magic type for output.

Usage

```
onefile(img)
```

Arguments

img is a nifti-class object.

Value

Object of class nifti.

Author(s)

John Muschelli <muschellij2@gmail.com>

References

NIfTI-1
<http://nifti.nimh.nih.gov/>

orient-methods	<i>Extract Image Attribute orient</i>
----------------	---------------------------------------

Description

Methods that act on the orient field in the NIfTI/ANALYZE header.

Usage

```
orient(object)

## S4 method for signature 'anzl'
orient(object)

orient(object) <- value

## S4 replacement method for signature 'anzl'
orient(object) <- value
```

Arguments

object is an object of class `nifti` or `anlz`.
value is the value to assign to the `orient` field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

orientation-methods *Extract NIFTI 3D Image Orientation*

Description

Methods that act on the “qform” and “sform” information in the NIFTI header.

Usage

```
sform(object)

## S4 method for signature 'nifti'
sform(object)

qform(object)

## S4 method for signature 'nifti'
qform(object)
```

Arguments

object is an object of class `nifti`.

Methods

object = "nifti" Extract or replace NIFTI description.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

Examples

```
## Not run:
url <- "http://nifti.nimh.nih.gov/nifti-1/data/avg152T1_LR_nifti.nii.gz"
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                    "mniLR.nii.gz")
download.file(url, urlfile, quiet=TRUE)

## End(Not run)
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                    "mniLR.nii.gz")
mniLR <- readNIFTI(urlfile)
sform(mniLR)
```

origin-methods

Extract Image Attribute origin

Description

Methods that act on the origin field in the NIFTI/ANALYZE header.

Usage

```
origin(object)

## S4 method for signature 'nifti'
origin(object)

## S4 method for signature 'anlz'
origin(object)

## S4 method for signature 'ANY'
origin(object)

origin(object) <- value

## S4 replacement method for signature 'anlz'
origin(object) <- value

## S4 replacement method for signature 'nifti'
origin(object) <- value
```

Arguments

object is an object of class `nifti` or `anlz`.
value is the value to assign to the `origin` field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
fname = system.file("nifti", "mniRL.nii.gz",  
package = "oro.nifti")  
img = readNIFTI(fname)  
oimg = origin(img)  
stopifnot(all(oimg == c(-90, -126, -72)))  
zero_img = img  
origin(zero_img) = rep(0, 3)  
stopifnot(all(origin(zero_img) == 0))
```

oro2nii

Convert oro.nifti nifti to RNifti niftiImage object

Description

Converts a `nifti` from `oro.nifti` to a `niftiImage` object from the `RNifti` package

Usage

```
oro2nii(image, verbose = FALSE)
```

Arguments

image `nifti` object
verbose print messages, passed to `writeNIFTI`

Value

Object of class `niftiImage`

orthographic-methods *Methods for Function 'orthographic' in Package 'dcmriS4'*

Description

Produce orthographic display for `nifti`, `anlz` and `afni` objects.

Usage

```
orthographic.nifti(  
  x,  
  y = NULL,  
  xyz = NULL,  
  w = 1,  
  col = gray(0:64/64),  
  col.y = hotmetal(),  
  zlim = NULL,  
  zlim.y = NULL,  
  crosshairs = TRUE,  
  col.crosshairs = "red",  
  xlab = "",  
  ylab = "",  
  axes = FALSE,  
  oma = rep(0, 4),  
  mar = rep(0, 4),  
  bg = "black",  
  text = NULL,  
  text.color = "white",  
  text.cex = 2,  
  ...  
)  
  
orthographic(x, ...)  
  
## S4 method for signature 'nifti'  
orthographic(  
  x,  
  y = NULL,  
  xyz = NULL,  
  w = 1,  
  col = gray(0:64/64),  
  col.y = hotmetal(),  
  zlim = NULL,
```

```

    zlim.y = NULL,
    crosshairs = TRUE,
    col.crosshairs = "red",
    xlab = "",
    ylab = "",
    axes = FALSE,
    oma = rep(0, 4),
    mar = rep(0, 4),
    bg = "black",
    text = NULL,
    text.color = "white",
    text.cex = 2,
    ...
)

## S4 method for signature 'anlz'
orthographic(
  x,
  y = NULL,
  xyz = NULL,
  w = 1,
  col = gray(0:64/64),
  col.y = hotmetal(),
  zlim = NULL,
  zlim.y = NULL,
  crosshairs = TRUE,
  col.crosshairs = "red",
  xlab = "",
  ylab = "",
  axes = FALSE,
  oma = rep(0, 4),
  mar = rep(0, 4),
  bg = "black",
  text = NULL,
  text.color = "white",
  text.cex = 2,
  ...
)

## S4 method for signature 'array'
orthographic(x, ...)

## S4 method for signature 'afni'
orthographic(x, ...)

```

Arguments

`x` is an object of class `nifti` or similar.

<code>y</code>	is an object of class <code>nifti</code> or similar for the overlay.
<code>xyz</code>	is the coordinate for the center of the crosshairs.
<code>w</code>	is the time point to be displayed (4D arrays only).
<code>col</code>	is grayscale (by default).
<code>col.y</code>	is hotmetal (by default).
<code>zlim</code>	is the minimum and maximum 'z' values passed into <code>image</code> .
<code>zlim.y</code>	is the minimum and maximum 'z' values passed into <code>image</code> for the overlay.
<code>crosshairs</code>	is a logical value for the presence of crosshairs in all three orthogonal planes (default = TRUE).
<code>col.crosshairs</code>	is the color of the crosshairs (default = red).
<code>xlab</code>	is set to "" since all margins are set to zero.
<code>ylab</code>	is set to "" since all margins are set to zero.
<code>axes</code>	is set to FALSE since all margins are set to zero.
<code>oma</code>	is the size of the outer margins in the <code>par</code> function.
<code>mar</code>	is the number of lines of margin in the <code>par</code> function.
<code>bg</code>	is the background color in the <code>par</code> function.
<code>text</code>	allows the user to specify text to appear in the fourth (unused) pane.
<code>text.color</code>	is the color of the user-specified text (default = "white").
<code>text.cex</code>	is the size of the user-specified text (default = 2).
<code>...</code>	other arguments to the <code>image</code> function may be provided here.

Methods

- `x = "afni"` Produce orthographic display for `x`.
- `x = "anlz"` Produce orthographic display for `x`.
- `x = "array"` Produce orthographic display for `x`.
- `x = "nifti"` Produce orthographic display for `x`.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

See Also

[image-methods](#), [overlay-methods](#)

Examples

```
fname = system.file(
  file.path("nifti", "mniRL.nii.gz"),
  package = "oro.nifti")
eve = readNIfTI(fname)
orthographic(eve)

image(eve, z = 45)
image(eve, z = 45, plot.type = "single")
image(eve, z = c(45, 50), plot.type = "single")
```

overlay-methods

Methods for Function overlay

Description

Methods for function overlay

Usage

```
overlay.nifti(
  x,
  y,
  z = 1,
  w = 1,
  col.x = gray(0:64/64),
  col.y = hotmetal(),
  zlim.x = NULL,
  zlim.y = NULL,
  plane = c("axial", "coronal", "sagittal"),
  plot.type = c("multiple", "single"),
  xlab = "",
  ylab = "",
  axes = FALSE,
  oma = rep(0, 4),
  mar = rep(0, 4),
  bg = "black",
  NA.x = FALSE,
  NA.y = FALSE,
  ...
)

overlay(x, y, ...)

## S4 method for signature 'nifti,missing'
overlay(
  x,
```

```
    y,  
    z = 1,  
    w = 1,  
    col.x = gray(0:64/64),  
    col.y = hotmetal(),  
    zlim.x = NULL,  
    zlim.y = NULL,  
    plane = c("axial", "coronal", "sagittal"),  
    plot.type = c("multiple", "single"),  
    xlab = "",  
    ylab = "",  
    axes = FALSE,  
    oma = rep(0, 4),  
    mar = rep(0, 4),  
    bg = "black",  
    NA.x = FALSE,  
    NA.y = FALSE,  
    ...  
  )  
  
## S4 method for signature 'nifti,nifti'  
overlay(  
  x,  
  y,  
  z = 1,  
  w = 1,  
  col.x = gray(0:64/64),  
  col.y = hotmetal(),  
  zlim.x = NULL,  
  zlim.y = NULL,  
  plane = c("axial", "coronal", "sagittal"),  
  plot.type = c("multiple", "single"),  
  xlab = "",  
  ylab = "",  
  axes = FALSE,  
  oma = rep(0, 4),  
  mar = rep(0, 4),  
  bg = "black",  
  NA.x = FALSE,  
  NA.y = FALSE,  
  ...  
)  
  
## S4 method for signature 'anlz,anlz'  
overlay(  
  x,  
  y,  
  z = 1,
```

```
w = 1,
col.x = gray(0:64/64),
col.y = hotmetal(),
zlim.x = NULL,
zlim.y = NULL,
plane = c("axial", "coronal", "sagittal"),
plot.type = c("multiple", "single"),
xlab = "",
ylab = "",
axes = FALSE,
oma = rep(0, 4),
mar = rep(0, 4),
bg = "black",
NA.x = FALSE,
NA.y = FALSE,
...
)

## S4 method for signature 'anlz,nifti'
overlay(
  x,
  y,
  z = 1,
  w = 1,
  col.x = gray(0:64/64),
  col.y = hotmetal(),
  zlim.x = NULL,
  zlim.y = NULL,
  plane = c("axial", "coronal", "sagittal"),
  plot.type = c("multiple", "single"),
  xlab = "",
  ylab = "",
  axes = FALSE,
  oma = rep(0, 4),
  mar = rep(0, 4),
  bg = "black",
  NA.x = FALSE,
  NA.y = FALSE,
  ...
)

## S4 method for signature 'nifti,anlz'
overlay(
  x,
  y,
  z = 1,
  w = 1,
  col.x = gray(0:64/64),
```

```

    col.y = hotmetal(),
    zlim.x = NULL,
    zlim.y = NULL,
    plane = c("axial", "coronal", "sagittal"),
    plot.type = c("multiple", "single"),
    xlab = "",
    ylab = "",
    axes = FALSE,
    oma = rep(0, 4),
    mar = rep(0, 4),
    bg = "black",
    NA.x = FALSE,
    NA.y = FALSE,
    ...
)

## S4 method for signature 'array,array'
overlay(x, y, ...)

## S4 method for signature 'array,nifti'
overlay(x, y, ...)

## S4 method for signature 'nifti,array'
overlay(x, y, ...)

## S4 method for signature 'array,anlz'
overlay(x, y, ...)

## S4 method for signature 'anlz,array'
overlay(x, y, ...)

## S4 method for signature 'afni,afni'
overlay(x, y, ...)

## S4 method for signature 'afni,array'
overlay(x, y, ...)

```

Arguments

<code>x, y</code>	is an object of class <code>nifti</code> or similar.
<code>z</code>	is the slice to be displayed (ignored when <code>plot.type = "multiple"</code>).
<code>w</code>	is the time point to be displayed (4D arrays only).
<code>col.x</code>	is grayscale (by default).
<code>col.y</code>	is hotmetal (by default).
<code>zlim.x, zlim.y</code>	are set to <code>NULL</code> (by default) and taken from the header information.
<code>plane</code>	is the plane of acquisition to be displayed (choices are 'axial', 'coronal', 'sagittal').

plot.type	allows the choice between all slices being displayed, in a matrix (left-to-right, top-to-bottom), or a single slice.
xlab	is set to "" since all margins are set to zero.
ylab	is set to "" since all margins are set to zero.
axes	is set to FALSE since all margins are set to zero.
oma	is the size of the outer margins in the par function.
mar	is the number of lines of margin in the par function.
bg	is the background color in the par function.
NA.x	Set any values of 0 in x to NA
NA.y	Set any values of 0 in y to NA
...	other arguments to the image function may be provided here.

Details

The `image` command is used multiple times to simultaneously visualize one of the three orthogonal planes in two multidimensional arrays, one on top of the other, for medical imaging data.

Methods

`x = "nifti", y = "nifti"` Produce overlay of y on x.
`x = "anlz", y = "anlz"` Produce overlay of y on x.
`x = "afni", y = "afni"` Produce overlay of y on x.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

See Also

[image-methods](#), [overlay-methods](#)

patient_id-methods *Extract Image Attribute patient_id*

Description

Methods that act on the `patient_id` field in the NIFTI/ANALYZE header.

Usage

```
patient_id(object)

## S4 method for signature 'anzl'
patient_id(object)

patient_id(object) <- value

## S4 replacement method for signature 'anzl'
patient_id(object) <- value

patient.id(object)

## S4 method for signature 'anzl'
patient.id(object)

patient.id(object) <- value

## S4 replacement method for signature 'anzl'
patient.id(object) <- value
```

Arguments

object	is an object of class nifti or anzl.
value	is the value to assign to the patient_id field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

performPermutation *Transform array with orthogonal permutation matrix*

Description

Given an orthogonal permutation matrix T , an array of dimensions and a one-dimensional representation of data. It will return a transformed array with the transformed dimensions.

Usage

```
performPermutation(T, real.dimensions, data, verbose = FALSE)
```

Arguments

`T` is an orthogonal matrix.

`real.dimensions` is a one-dimensional array, representing the length of dimensions in data.

`data` is a one-dimensional representation of the data to be transformed.

`verbose` is a logical variable (default = FALSE) that allows text-based feedback during execution of the function.

Details

This function is mainly used by the [reorient](#) function to transform nifti data into neuroradiological convention.

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net>

See Also

[reorient](#), [inverseReorient](#)

pixdim-methods *Extract Image Attribute pixdim*

Description

Methods that act on the `pixdim` field in the NIFTI/ANALYZE header.

Usage

```
pixdim(object)

## S4 method for signature 'nifti'
pixdim(object)

## S4 method for signature 'ANY'
pixdim(object)

## S4 method for signature 'anlz'
pixdim(object)

pixdim(object) <- value

## S4 replacement method for signature 'nifti'
pixdim(object) <- value

## S4 replacement method for signature 'anlz'
pixdim(object) <- value

## S4 replacement method for signature 'ANY'
pixdim(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the pixdim field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
## Not run:
url <- "http://nifti.nimh.nih.gov/nifti-1/data/avg152T1_LR_nifti.nii.gz"
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
```

```

"mniLR.nii.gz")
download.file(url, urlfile, quiet=TRUE)

## End(Not run)
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                    "mniLR.nii.gz")
mniLR <- readNIFTI(urlfile)
pixdim(mniLR)

```

qform_code-methods *Extract Image Attribute* qform_code

Description

Methods that act on the qform_code field in the NIFTI/ANALYZE header.

Usage

```

qform_code(object)

## S4 method for signature 'nifti'
qform_code(object)

qform_code(object) <- value

## S4 replacement method for signature 'nifti'
qform_code(object) <- value

qform_code(object)

## S4 method for signature 'nifti'
qform_code(object)

qform_code(object) <- value

## S4 replacement method for signature 'nifti'
qform_code(object) <- value

## S4 method for signature 'niftiImage'
qform_code(object)

## S4 replacement method for signature 'niftiImage'
qform_code(object) <- value

```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the qform_code field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
qform_code(img)
qform_code(img) = 8
stopifnot(qform_code(img) == 8)
```

qoffset_x-methods *Extract Image Attribute* qoffset_x

Description

Methods that act on the qoffset_x field in the NIFTI/ANALYZE header.

Usage

```
qoffset_x(object)

## S4 method for signature 'nifti'
qoffset_x(object)

qoffset_x(object) <- value

## S4 replacement method for signature 'nifti'
qoffset_x(object) <- value

qoffset.x(object)

## S4 method for signature 'nifti'
qoffset.x(object)
```

```
qoffset.x(object) <- value

## S4 replacement method for signature 'nifti'
qoffset.x(object) <- value

## S4 method for signature 'niftiImage'
qoffset_x(object)

## S4 replacement method for signature 'niftiImage'
qoffset_x(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the qoffset_x field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
qoffset_x(img)
qoffset_x(img) = 10
stopifnot(qoffset_x(img) == 10)
```

qoffset_y-methods

Extract Image Attribute qoffset_y

Description

Methods that act on the qoffset_y field in the NIFTI/ANALYZE header.

Usage

```
qoffset_y(object)

## S4 method for signature 'nifti'
qoffset_y(object)

qoffset_y(object) <- value

## S4 replacement method for signature 'nifti'
qoffset_y(object) <- value

qoffset.y(object)

## S4 method for signature 'nifti'
qoffset.y(object)

qoffset.y(object) <- value

## S4 replacement method for signature 'nifti'
qoffset.y(object) <- value

## S4 method for signature 'niftiImage'
qoffset_y(object)

## S4 replacement method for signature 'niftiImage'
qoffset_y(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the qoffset_y field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
qoffset_y(img)
qoffset_y(img) = 10
stopifnot(qoffset_y(img) == 10)
```

qoffset_z-methods *Extract Image Attribute qoffset_z*

Description

Methods that act on the qoffset_z field in the NIFTI/ANALYZE header.

Usage

```
qoffset_z(object)

## S4 method for signature 'nifti'
qoffset_z(object)

qoffset_z(object) <- value

## S4 replacement method for signature 'nifti'
qoffset_z(object) <- value

qoffset.z(object)

## S4 method for signature 'nifti'
qoffset.z(object)

qoffset.z(object) <- value

## S4 replacement method for signature 'nifti'
qoffset.z(object) <- value

## S4 method for signature 'niftiImage'
qoffset_z(object)

## S4 replacement method for signature 'niftiImage'
qoffset_z(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the qoffset_z field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
qoffset_z(img)
qoffset_z(img) = 10
stopifnot(qoffset_z(img) == 10)
```

quaternion2rotation *Convert Quaternion into a Rotation Matrix*

Description

The affine/rotation matrix R is calculated from the quaternion parameters.

Usage

```
quaternion2rotation(b, c, d, tol = 1e-07)
```

```
quaternion2mat44(nim, tol = 1e-07)
```

Arguments

b	is the quaternion b parameter.
c	is the quaternion c parameter.
d	is the quaternion d parameter.
tol	is a very small value used to judge if a number is essentially zero.
nim	is an object of class <code>nifti</code> .

Details

The quaternion representation is chosen for its compactness in representing rotations. The orientation of the (x, y, z) axes relative to the (i, j, k) axes in 3D space is specified using a unit quaternion $[a, b, c, d]$, where $a^2 + b^2 + c^2 + d^2 = 1$. The (b, c, d) values are all that is needed, since we require that $a = [1 - (b^2 + c^2 + d^2)]^{1/2}$ be non-negative. The (b, c, d) values are stored in the (quatern_b, quatern_c, quatern_d) fields.

Value

The (proper) 3×3 rotation matrix or 4×4 affine matrix.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

References

NIfTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
## This R matrix is represented by quaternion [a,b,c,d] = [0,1,0,0]
## (which encodes a 180 degree rotation about the x-axis).
(R <- quaternion2rotation(1, 0, 0))
```

quatern_b-methods *Extract Image Attribute quatern_b*

Description

Methods that act on the quatern_b field in the NIFTI/ANALYZE header.

Usage

```
quatern_b(object)

## S4 method for signature 'nifti'
quatern_b(object)

quatern_b(object) <- value

## S4 replacement method for signature 'nifti'
quatern_b(object) <- value

quatern.b(object)
```

```
## S4 method for signature 'nifti'
quatern.b(object)

quatern.b(object) <- value

## S4 replacement method for signature 'nifti'
quatern.b(object) <- value

## S4 method for signature 'niftiImage'
quatern_b(object)

## S4 replacement method for signature 'niftiImage'
quatern_b(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the quatern_b field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
quatern_b(img)
quatern_b(img) = 3
stopifnot(quatern_b(img) == 3)
quatern_c(img)
quatern_c(img) = 3
stopifnot(quatern_c(img) == 3)
quatern_d(img)
quatern_d(img) = 3
stopifnot(quatern_d(img) == 3)
```

quatern_c-methods *Extract Image Attribute quatern_c*

Description

Methods that act on the quatern_c field in the NIFTI/ANALYZE header.

Usage

```
quatern_c(object)

## S4 method for signature 'nifti'
quatern_c(object)

quatern_c(object) <- value

## S4 replacement method for signature 'nifti'
quatern_c(object) <- value

quatern.c(object)

## S4 method for signature 'nifti'
quatern.c(object)

quatern.c(object) <- value

## S4 replacement method for signature 'nifti'
quatern.c(object) <- value

## S4 method for signature 'niftiImage'
quatern_c(object)

## S4 replacement method for signature 'niftiImage'
quatern_c(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the quatern_c field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

quatern_d-methods *Extract Image Attribute quatern_d*

Description

Methods that act on the quatern_d field in the NIFTI/ANALYZE header.

Usage

```
quatern_d(object)

## S4 method for signature 'nifti'
quatern_d(object)

quatern_d(object) <- value

## S4 replacement method for signature 'nifti'
quatern_d(object) <- value

quatern.d(object)

## S4 method for signature 'nifti'
quatern.d(object)

quatern.d(object) <- value

## S4 replacement method for signature 'nifti'
quatern.d(object) <- value

## S4 method for signature 'niftiImage'
quatern_d(object)

## S4 replacement method for signature 'niftiImage'
quatern_d(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the quatern_d field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

readAFNI

readAFNI

Description

These functions read in the header information and multidimensional array from a binary file in AFNI format into a `afni`-class object.

Usage

```
readAFNI(fname, vol = NULL, verbose = FALSE, warn = -1, call = NULL)
```

Arguments

<code>fname</code>	is the file name of the AFNI file.
<code>vol</code>	vector of brick numbers to be read from file.
<code>verbose</code>	is a logical variable (default = FALSE) that allows text-based feedback during execution of the function.
<code>warn</code>	is a number to regulate the display of warnings (default = -1). See options for more details.
<code>call</code>	keeps track of the current function call for use in the AFNI extension.

Details

The `readAFNI` function utilizes internal methods `readBin` and `readLines` to efficiently extract information from the header and binary file(s). Compression is allowed on the BRIK file using `gzip`.

Current acceptable data types include

list("INT16") DT SIGNED SHORT (16 bits per voxel)

list("FLOAT32") DT FLOAT (32 bits per voxel)

list("COMPLEX128") DT COMPLEX (128 bits per voxel)

Value

object of class `afni`

Author(s)

Karsten Tabelow <karsten.tabelow@wias-berlin.de>

References

AFNI
<http://afni.nimh.nih.gov/pub/dist/src/README.attributes>

See Also

`readANALYZE`, `readNIFTI`

Examples

```
## Not run:
## Taken from the AFNI Matlab Library
## http://afni.nimh.nih.gov/pub/dist/data/afni_matlab_data.tgz
afni.path <- system.file("afni", package="oro.nifti")
orig <- readAFNI(file.path(afni.path, "ARzs_CW_avvr.DEL+orig"))
image(orig, zlim=c(0.5,256), oma=rep(2,4))
orthographic(orig, zlim=c(0.5,256), oma=rep(2,4))
## Taken from the AFNI installation
TT <- readAFNI(file.path(afni.path, "TT_N27_EZ_LR+tlrc"))
image(TT, zlim=c(0.5,256), oma=rep(2,4))
orthographic(TT, zlim=c(0.5,256), oma=rep(2,4))

## End(Not run)
```

`readANALYZE`

readANALYZE

Description

These functions read in the header information and multi-dimensional array from a binary file in Analyze 7.5 format.

Usage

```
readANALYZE(fname, SPM = FALSE, verbose = FALSE, warn = -1)
```

Arguments

<code>fname</code>	Pathname of the Analyze pair of files <code>.img</code> and <code>.hdr</code> without the suffix.
<code>SPM</code>	is a logical variable (default = FALSE) that forces the voxel data values to be rescaled using the <code>funused1</code> ANALYZE header field. This is an undocumented convention of ANALYZE files processed using the Statistical Parametric Mapping (SPM) software.
<code>verbose</code>	is a logical variable (default = FALSE) that allows text-based feedback during execution of the function.
<code>warn</code>	is a number to regulate the display of warnings (default = -1). See <code>options</code> for more details.

Details

The internal functions `readBin` and `rawToChar` are utilized in order to efficiently extract information from a binary file. The types of data are limited to 1- and 2-byte integers, 4-byte floats and 8-byte doubles.

Value

An object of class `anlz` is produced.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>,
Volker Schmid <volkerschmid@users.sourceforge.net>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>

See Also

[readNIFTI](#)

Examples

```
## avg152T1
anzl.path <- system.file("anzl", package="oro.nifti")
mni152 <- readANALYZE(file.path(anzl.path, "avg152T1"))
image(mni152, oma=rep(2,4))
orthographic(mni152, oma=rep(2,4))
```

readNifTI	<i>readNifTI</i>
-----------	------------------

Description

These functions read in the header information and multidimensional array from a binary file in NIfTI-1 format into a `nifti`-class object.

Usage

```
readNifTI(
  fname,
  verbose = FALSE,
  warn = -1,
  reorient = TRUE,
  call = NULL,
  read_data = TRUE,
  rescale_data = TRUE
)

nifti_header(fname, verbose = FALSE, warn = -1)
```

Arguments

<code>fname</code>	is the file name of the NIfTI file(s).
<code>verbose</code>	is a logical variable (default = FALSE) that allows text-based feedback during execution of the function.
<code>warn</code>	is a number to regulate the display of warnings (default = -1). See options for more details.
<code>reorient</code>	is a logical variable (default = TRUE) that enforces Qform/Sform transformations.
<code>call</code>	keeps track of the current function call for use in the NifTI extension.
<code>read_data</code>	Should the data be read in? If this is FALSE, then an array of NAs are given instead of the true data. Useful if you are simply interested in the header.
<code>rescale_data</code>	Should the data be rescaled using the slope and intercept values? If so, slope and intercept will be reset

Details

The `readNifTI` function utilizes internal methods `readBin` and `readChar` to efficiently extract information from the binary file(s).

Current acceptable data types include

- list("UINT8")** BINARY (1 bit per voxel)
- list("INT16")** SIGNED SHORT (16 bits per voxel)
- list("INT32")** SIGNED INT (32 bits per voxel)

```
list("FLOAT32") FLOAT (32 bits per voxel)
list("DOUBLE64") DOUBLE (64 bits per voxel)
list("UINT16") UNSIGNED SHORT (16 bits per voxel)
list("UINT32") UNSIGNED INT (32 bits per voxel)
```

Value

An object of class `nifti`.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>,
Volker Schmid <volkerschmid@users.sourceforge.net>,
Andrew Thornton <zeripath@users.sourceforge.net>

References

NIfTI-1
<http://nifti.nimh.nih.gov/>

See Also

[readAFNI](#), [readANALYZE](#)

Examples

```
## Not run:
url <- "http://nifti.nimh.nih.gov/nifti-1/data/filtered_func_data.nii.gz"
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                    "filtered_func_data")
download.file(url, urlfile, quiet=TRUE)

## End(Not run)
## The NIfTI file provided here contains the first 18 volumes (10%)
## of the original data set
urlfile <- file.path(system.file("nifti", package="oro.nifti"),
                    "filtered_func_data")
(ffd <- readNIfTI(urlfile))
image(ffd, oma=rep(2,4))
orthographic(ffd, oma=rep(2,4))
## Not run:
## 27 scans of Colin Holmes (MNI) brain co-registered and averaged
## NIfTI two-file format
URL <- "http://imaging.mrc-cbu.cam.ac.uk/downloads/Colin/colin_1mm.tgz"
urlfile <- file.path(tempdir(), "colin_1mm.tgz")
download.file(URL, dest=urlfile, quiet=TRUE)
untar(urlfile, exdir=tempdir())
colin <- readNIfTI(file.path(tempdir(), "colin_1mm"))
image(colin, oma=rep(2,4))
orthographic(colin, oma=rep(2,4))
```

```
## End(Not run)
```

regular-methods	<i>Extract Image Attribute</i>	regular
-----------------	--------------------------------	---------

Description

Methods that act on the regular field in the NIFTI/ANALYZE header.

Usage

```
regular(object)

## S4 method for signature 'nifti'
regular(object)

## S4 method for signature 'anlz'
regular(object)

regular(object) <- value

## S4 replacement method for signature 'nifti'
regular(object) <- value

## S4 replacement method for signature 'anlz'
regular(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the regular field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

reorient *Reorient Image using NIfTI header*

Description

Transforms in the NIfTI header are parsed and normalized versions of these transforms are applied.

Usage

```
reorient(nim, data, verbose = FALSE, invert = FALSE, tol = 1e-07)
```

```
inverseReorient(nim, verbose = FALSE)
```

Arguments

nim	is an object of class <code>nifti</code> .
data	is an array associated with <code>nim</code> .
verbose	is a logical variable (default = <code>FALSE</code>) that allows text-based feedback during execution of the function.
invert	stores the inverse transform.
tol	is a very small value used to judge if a number is essentially zero.

Details

This function utilizes the `performPermutation` function internally.

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net>,
Brandon Whitcher <bwhitcher@gmail.com>

See Also

[performPermutation](#)

resetSlopeIntercept *Change Intercept to 0 and Slope to 1 in NIfTI Object*

Description

Forces image scl_slope to 1 and scl_inter to be 0 of slots of class nifti. This is so that when images are rendered/written, the values correspond to those in the array (stored in the .Data slot) and are not scaled.

Usage

```
resetSlopeIntercept(img)
```

```
zero_trans(img)
```

Arguments

img is a nifti object (or character of filename). If an anlz object is passed, the unaltered anlz object is returned.

Value

An object of the same type passed.

Author(s)

John Muschelli <muschellij2@gmail.com>

rmniigz *Remove File Extensions Around the NIfTI/ANALYZE Formats*

Description

Simple function(s) that remove file extensions commonly found when using NIfTI-1 or ANALYZE format files.

Usage

```
rmniigz(x)
```

```
rmnii(x)
```

```
rmgz(x)
```

```
rmhdrgz(x)
```

```
rmhdr(x)
rmimggz(x)
rmimg(x)
```

Arguments

x is the file name.

Value

The file name without offending suffix.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

scannum-methods *Extract Image Attribute* scannum

Description

Methods that act on the scannum field in the NIFTI/ANALYZE header.

Usage

```
scannum(object)

## S4 method for signature 'anzl'
scannum(object)

scannum(object) <- value

## S4 replacement method for signature 'anzl'
scannum(object) <- value
```

Arguments

object is an object of class nifti or anzl.
value is the value to assign to the scannum field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>
 Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
 NIfTI-1
<http://nifti.nimh.nih.gov/>

scl_inter-methods *Extract Image Attribute* scl_inter

Description

Methods that act on the scl_inter field in the NIFTI/ANALYZE header.

Usage

```
scl_inter(object)

## S4 method for signature 'nifti'
scl_inter(object)

scl_inter(object) <- value

## S4 replacement method for signature 'nifti'
scl_inter(object) <- value

scl.inter(object)

## S4 method for signature 'nifti'
scl.inter(object)

scl.inter(object) <- value

## S4 replacement method for signature 'nifti'
scl.inter(object) <- value

## S4 method for signature 'niftiImage'
scl_inter(object)

## S4 method for signature 'niftiImage'
scl.inter(object)
```

Arguments

object is an object of class nifti or anlz.
 value is the value to assign to the scl_inter field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
 Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
 NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
scl_inter(img)
scl.inter(img)
```

scl_slope-methods *Extract Image Attribute scl_slope*

Description

Methods that act on the scl_slope field in the NIFTI/ANALYZE header.

Usage

```
scl_slope(object)

## S4 method for signature 'nifti'
scl_slope(object)

scl_slope(object) <- value

## S4 replacement method for signature 'nifti'
scl_slope(object) <- value

scl.slope(object)
```

```
## S4 method for signature 'nifti'  
scl.slope(object)  
  
scl.slope(object) <- value  
  
## S4 replacement method for signature 'nifti'  
scl.slope(object) <- value  
  
## S4 method for signature 'niftiImage'  
scl_slope(object)  
  
## S4 method for signature 'niftiImage'  
scl.slope(object)
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the scl_slope field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")  
img = RNifti::readNifti(file)  
scl_slope(img)  
scl.slope(img)
```

session_error-methods *Extract Image Attribute session_error*

Description

Methods that act on the session_error field in the NIFTI/ANALYZE header.

Usage

```
session_error(object)

## S4 method for signature 'nifti'
session_error(object)

## S4 method for signature 'anlz'
session_error(object)

session_error(object) <- value

## S4 replacement method for signature 'nifti'
session_error(object) <- value

## S4 replacement method for signature 'anlz'
session_error(object) <- value

session.error(object)

## S4 method for signature 'nifti'
session.error(object)

## S4 method for signature 'anlz'
session.error(object)

session.error(object) <- value

## S4 replacement method for signature 'nifti'
session.error(object) <- value

## S4 replacement method for signature 'anlz'
session.error(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the session_error field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

sform_code-methods *Extract Image Attribute* sform_code

Description

Methods that act on the sform_code field in the NIFTI/ANALYZE header.

Usage

```
sform_code(object)

## S4 method for signature 'nifti'
sform_code(object)

sform_code(object) <- value

## S4 replacement method for signature 'nifti'
sform_code(object) <- value

sform.code(object)

## S4 method for signature 'nifti'
sform.code(object)

sform.code(object) <- value

## S4 replacement method for signature 'nifti'
sform.code(object) <- value

## S4 method for signature 'niftiImage'
sform_code(object)
```

```
## S4 replacement method for signature 'niftiImage'  
sform_code(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the sform_code field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")  
img = RNifti::readNifti(file)  
sform_code(img)  
sform_code(img) = 4  
stopifnot(sform_code(img) == 4)
```

sizeof_hdr-methods *Extract Image Attribute sizeof_hdr*

Description

Methods that act on the sizeof_hdr field in the NIFTI/ANALYZE header.

Usage

```
sizeof_hdr(object)  
  
## S4 method for signature 'nifti'  
sizeof_hdr(object)  
  
## S4 method for signature 'anlz'  
sizeof_hdr(object)
```

```
sizeof_hdr(object)

## S4 method for signature 'nifti'
sizeof_hdr(object)

## S4 method for signature 'anlz'
sizeof_hdr(object)

sizeof_hdr(object) <- value

## S4 replacement method for signature 'nifti'
sizeof_hdr(object) <- value

## S4 replacement method for signature 'anlz'
sizeof_hdr(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the data_type field.

Details

See documentation on the ANALYZE and/or NIfTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

Description

Produce “lightbox” layout of slices for nifti, anlz and afni objects.

Usage

```
slice(x, ...)  
  
## S4 method for signature 'nifti'  
slice(  
  x,  
  z = 1,  
  w = 1,  
  col = gray(0:64/64),  
  plane = c("axial", "coronal", "sagittal"),  
  zlim = NULL,  
  xlab = "",  
  ylab = "",  
  axes = FALSE,  
  oma = rep(0, 4),  
  mar = rep(0, 4),  
  bg = "black",  
  useRaster = TRUE,  
  ...  
)  
  
## S4 method for signature 'anlz'  
slice(  
  x,  
  z = 1,  
  w = 1,  
  col = gray(0:64/64),  
  plane = c("axial", "coronal", "sagittal"),  
  zlim = NULL,  
  xlab = "",  
  ylab = "",  
  axes = FALSE,  
  oma = rep(0, 4),  
  mar = rep(0, 4),  
  bg = "black",  
  useRaster = TRUE,  
  ...  
)  
  
## S4 method for signature 'array'  
slice(x, ...)  
  
## S4 method for signature 'afni'  
slice(x, ...)
```

Arguments

x is an object of class `nifti` or similar.

...	other arguments to the image function may be provided here.
z	is the slice to be displayed (ignored when plot.type = "multiple").
w	is the time point to be displayed (4D arrays only).
col	is grayscale (by default).
plane	is the plane of acquisition to be displayed (choices are 'axial', 'coronal', 'sagittal').
zlim	is set to NULL by default and utilizes the internal image range.
xlab	is set to "" since all margins are set to zero.
ylab	is set to "" since all margins are set to zero.
axes	is set to FALSE since all margins are set to zero.
oma	is the size of the outer margins in the par function.
mar	is the number of lines of margin in the par function.
bg	is the background color in the par function.
useRaster	if TRUE, a bitmap raster is used to plot the image instead of polygons. Passed to image

Details

Uses the S3 generic function `slice`, with medical-image friendly settings, to display `nifti`, `anlz` and `afni` class objects in a "lightbox" layout.

Methods

`x = "ANY"` Generic function: see [image](#).

`x = "nifti"` Produce images for `x`.

`x = "anlz"` Produce images for `x`.

`x = "afni"` Produce images for `x`.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

See Also

[orthographic-methods](#), [image-methods](#)

slice_code-methods *Extract Image Attribute slice_code*

Description

Methods that act on the slice_code field in the NIFTI/ANALYZE header.

Usage

```
slice_code(object)

## S4 method for signature 'nifti'
slice_code(object)

slice_code(object) <- value

## S4 replacement method for signature 'nifti'
slice_code(object) <- value

slice.code(object)

## S4 method for signature 'nifti'
slice.code(object)

slice.code(object) <- value

## S4 replacement method for signature 'nifti'
slice.code(object) <- value

## S4 method for signature 'niftiImage'
slice_code(object)

## S4 replacement method for signature 'niftiImage'
slice_code(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the slice_code field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
slice_code(img)
slice_code(img) = 8
stopifnot(slice_code(img) == 8)
```

slice_duration-methods

Extract Image Attribute slice_duration

Description

Methods that act on the slice_duration field in the NIFTI/ANALYZE header.

Usage

```
slice_duration(object)

## S4 method for signature 'nifti'
slice_duration(object)

slice_duration(object) <- value

## S4 replacement method for signature 'nifti'
slice_duration(object) <- value

slice.duration(object)

## S4 method for signature 'nifti'
slice.duration(object)

slice.duration(object) <- value

## S4 replacement method for signature 'nifti'
slice.duration(object) <- value

## S4 method for signature 'niftiImage'
slice_duration(object)
```

```
## S4 replacement method for signature 'niftiImage'
slice_duration(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the slice_duration field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
slice_duration(img)
slice_duration(img) = 8
stopifnot(slice_duration(img) == 8)
```

slice_end-methods *Extract Image Attribute slice_end*

Description

Methods that act on the slice_end field in the NIFTI/ANALYZE header.

Usage

```
slice_end(object)

## S4 method for signature 'nifti'
slice_end(object)

slice_end(object) <- value
```

```
## S4 replacement method for signature 'nifti'  
slice_end(object) <- value  
  
slice_end(object)  
  
## S4 method for signature 'nifti'  
slice_end(object)  
  
slice_end(object) <- value  
  
## S4 replacement method for signature 'nifti'  
slice_end(object) <- value  
  
## S4 method for signature 'niftiImage'  
slice_end(object)  
  
## S4 replacement method for signature 'niftiImage'  
slice_end(object) <- value  
  
## S4 method for signature 'niftiImage'  
slice_end(object)  
  
## S4 replacement method for signature 'niftiImage'  
slice_end(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the slice_end field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
```

```

img = RNifti::readNifti(file)
slice_end(img)
slice_end(img) = 4
stopifnot(slice_end(img) == 4)
slice.end(img)
slice.end(img) = 0

```

slice_overlay-methods *Methods for Function slice_overlay*

Description

Methods for function slice_overlay

Usage

```

slice_overlay.nifti(
  x,
  y,
  z = 1,
  w = 1,
  col.x = gray(0:64/64),
  col.y = hotmetal(),
  zlim.x = NULL,
  zlim.y = NULL,
  plane = c("axial", "coronal", "sagittal"),
  xlab = "",
  ylab = "",
  axes = FALSE,
  oma = rep(0, 4),
  mar = rep(0, 4),
  bg = "black",
  NA.x = FALSE,
  NA.y = TRUE,
  useRaster = TRUE,
  ...
)

slice_overlay(x, y, ...)

## S4 method for signature 'nifti,missing'
slice_overlay(
  x,
  y,
  z = 1,
  w = 1,
  col.x = gray(0:64/64),

```

```
    col.y = hotmetal(),
    zlim.x = NULL,
    zlim.y = NULL,
    plane = c("axial", "coronal", "sagittal"),
    xlab = "",
    ylab = "",
    axes = FALSE,
    oma = rep(0, 4),
    mar = rep(0, 4),
    bg = "black",
    NA.x = FALSE,
    NA.y = TRUE,
    useRaster = TRUE,
    ...
)

## S4 method for signature 'nifti,nifti'
slice_overlay(
  x,
  y,
  z = 1,
  w = 1,
  col.x = gray(0:64/64),
  col.y = hotmetal(),
  zlim.x = NULL,
  zlim.y = NULL,
  plane = c("axial", "coronal", "sagittal"),
  xlab = "",
  ylab = "",
  axes = FALSE,
  oma = rep(0, 4),
  mar = rep(0, 4),
  bg = "black",
  NA.x = FALSE,
  NA.y = TRUE,
  useRaster = TRUE,
  ...
)

## S4 method for signature 'anlz,anlz'
slice_overlay(
  x,
  y,
  z = 1,
  w = 1,
  col.x = gray(0:64/64),
  col.y = hotmetal(),
  zlim.x = NULL,
```

```
zlim.y = NULL,
plane = c("axial", "coronal", "sagittal"),
xlab = "",
ylab = "",
axes = FALSE,
oma = rep(0, 4),
mar = rep(0, 4),
bg = "black",
NA.x = FALSE,
NA.y = TRUE,
useRaster = TRUE,
...
)

## S4 method for signature 'anlz,nifti'
slice_overlay(
  x,
  y,
  z = 1,
  w = 1,
  col.x = gray(0:64/64),
  col.y = hotmetal(),
  zlim.x = NULL,
  zlim.y = NULL,
  plane = c("axial", "coronal", "sagittal"),
  xlab = "",
  ylab = "",
  axes = FALSE,
  oma = rep(0, 4),
  mar = rep(0, 4),
  bg = "black",
  NA.x = FALSE,
  NA.y = TRUE,
  useRaster = TRUE,
  ...
)

## S4 method for signature 'nifti,anlz'
slice_overlay(
  x,
  y,
  z = 1,
  w = 1,
  col.x = gray(0:64/64),
  col.y = hotmetal(),
  zlim.x = NULL,
  zlim.y = NULL,
  plane = c("axial", "coronal", "sagittal"),
```

```

    xlab = "",
    ylab = "",
    axes = FALSE,
    oma = rep(0, 4),
    mar = rep(0, 4),
    bg = "black",
    NA.x = FALSE,
    NA.y = TRUE,
    useRaster = TRUE,
    ...
)

## S4 method for signature 'array,array'
slice_overlay(x, y, ...)

## S4 method for signature 'array,nifti'
slice_overlay(x, y, ...)

## S4 method for signature 'nifti,array'
slice_overlay(x, y, ...)

## S4 method for signature 'array,anlz'
slice_overlay(x, y, ...)

## S4 method for signature 'anlz,array'
slice_overlay(x, y, ...)

## S4 method for signature 'afni,afni'
slice_overlay(x, y, ...)

## S4 method for signature 'afni,array'
slice_overlay(x, y, ...)

```

Arguments

<code>x, y</code>	is an object of class <code>nifti</code> or similar.
<code>z</code>	is the slice to be displayed (ignored when <code>plot.type = "multiple"</code>).
<code>w</code>	is the time point to be displayed (4D arrays only).
<code>col.x</code>	is grayscale (by default).
<code>col.y</code>	is hotmetal (by default).
<code>zlim.x, zlim.y</code>	are set to NULL (by default) and taken from the header information.
<code>plane</code>	is the plane of acquisition to be displayed (choices are 'axial', 'coronal', 'sagittal').
<code>xlab</code>	is set to "" since all margins are set to zero.
<code>ylab</code>	is set to "" since all margins are set to zero.
<code>axes</code>	is set to FALSE since all margins are set to zero.

oma	is the size of the outer margins in the par function.
mar	is the number of lines of margin in the par function.
bg	is the background color in the par function.
NA.x	Set any values of 0 in x to NA
NA.y	Set any values of 0 in y to NA
useRaster	if TRUE, a bitmap raster is used to plot the image instead of polygons. Passed to image
...	other arguments to the image function may be provided here.

Details

The image command is used multiple times to simultaneously visualize one of the three orthogonal planes in two multidimensional arrays, one on top of the other, for medical imaging data.

Methods

`x = "nifti", y = "nifti"` Produce slice_overlay of y on x.

`x = "anlz", y = "anlz"` Produce slice_overlay of y on x.

`x = "afni", y = "afni"` Produce slice_overlay of y on x.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

See Also

[image-methods](#), [slice_overlay-methods](#)

slice_start-methods *Extract Image Attribute slice_start*

Description

Methods that act on the slice_start field in the NIFTI/ANALYZE header.

Usage

```
slice_start(object)

## S4 method for signature 'nifti'
slice_start(object)

slice_start(object) <- value

## S4 replacement method for signature 'nifti'
```

```
slice_start(object) <- value

slice.start(object)

## S4 method for signature 'nifti'
slice.start(object)

slice.start(object) <- value

## S4 replacement method for signature 'nifti'
slice.start(object) <- value

## S4 method for signature 'niftiImage'
slice_start(object)

## S4 replacement method for signature 'niftiImage'
slice_start(object) <- value

## S4 method for signature 'niftiImage'
slice.start(object)

## S4 replacement method for signature 'niftiImage'
slice.start(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the slice_start field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
```

```
slice_start(img)
slice_start(img) = 4
stopifnot(slice_start(img) == 4)
slice.start(img)
slice.start(img) = 0
```

smax-methods

Extract Image Attribute smax

Description

Methods that act on the smax field in the NIFTI/ANALYZE header.

Usage

```
smax(object)

## S4 method for signature 'anzl'
smax(object)

smax(object) <- value

## S4 replacement method for signature 'anzl'
smax(object) <- value
```

Arguments

object	is an object of class nifti or anzl.
value	is the value to assign to the smax field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

smin-methods	<i>Extract Image Attribute</i> smin
--------------	-------------------------------------

Description

Methods that act on the smin field in the NIFTI/ANALYZE header.

Usage

```
smin(object)

## S4 method for signature 'anzl'
smin(object)

smin(object) <- value

## S4 replacement method for signature 'anzl'
smin(object) <- value
```

Arguments

object	is an object of class nifti or anzl.
value	is the value to assign to the smin field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

srow_x-methods *Extract Image Attribute srow_x*

Description

Methods that act on the srow_x field in the NIFTI/ANALYZE header.

Usage

```
srow_x(object)

## S4 method for signature 'nifti'
srow_x(object)

srow_x(object) <- value

## S4 replacement method for signature 'nifti'
srow_x(object) <- value

srow.x(object)

## S4 method for signature 'nifti'
srow.x(object)

srow.x(object) <- value

## S4 replacement method for signature 'nifti'
srow.x(object) <- value

## S4 method for signature 'niftiImage'
srow_x(object)

## S4 replacement method for signature 'niftiImage'
srow_x(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the srow_x field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
 NIfTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
srow_x(img)
srow_x(img) = rep(0, 4)
stopifnot(srow_x(img) == rep(0, 4))

srow_y(img)
srow_y(img) = rep(0, 4)
stopifnot(srow_y(img) == rep(0, 4))

srow_z(img)
srow_z(img) = rep(0, 4)
stopifnot(srow_z(img) == rep(0, 4))
```

srow_y-methods

Extract Image Attribute srow_y

Description

Methods that act on the `srow_y` field in the NIfTI/ANALYZE header.

Usage

```
srow_y(object)

## S4 method for signature 'nifti'
srow_y(object)

srow_y(object) <- value

## S4 replacement method for signature 'nifti'
srow_y(object) <- value

srow.y(object)

## S4 method for signature 'nifti'
srow.y(object)

srow.y(object) <- value
```

```
## S4 replacement method for signature 'nifti'  
srow.y(object) <- value  
  
## S4 method for signature 'niftiImage'  
srow_y(object)  
  
## S4 replacement method for signature 'niftiImage'  
srow_y(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the srow_y field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

srow_z-methods	<i>Extract Image Attribute srow_z</i>
----------------	---------------------------------------

Description

Methods that act on the srow_z field in the NIFTI/ANALYZE header.

Usage

```
srow_z(object)  
  
## S4 method for signature 'nifti'  
srow_z(object)  
  
srow_z(object) <- value  
  
## S4 replacement method for signature 'nifti'
```

```
srow_z(object) <- value  
  
srow.z(object)  
  
## S4 method for signature 'nifti'  
srow.z(object)  
  
srow.z(object) <- value  
  
## S4 replacement method for signature 'nifti'  
srow.z(object) <- value  
  
## S4 method for signature 'niftiImage'  
srow_z(object)  
  
## S4 replacement method for signature 'niftiImage'  
srow_z(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the srow_z field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

start_field-methods *Extract Image Attribute* start_field

Description

Methods that act on the start_field field in the NIFTI/ANALYZE header.

Usage

```
start_field(object)

## S4 method for signature 'anzl'
start_field(object)

start_field(object) <- value

## S4 replacement method for signature 'anzl'
start_field(object) <- value
```

Arguments

object is an object of class nifti or anzl.
value is the value to assign to the start_field field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

tim.colors

Tim's Useful Color Table

Description

A pleasing rainbow style color table patterned after that used in Matlab.

Usage

```
tim.colors(n = 64)
```

Arguments

n is the number of color levels (default = 64).

Details

Based on the `tim.colors` function in the **fields** package. The `tim.colors` function here has been modified to break any dependence on code in the **fields** package. Spline interpolation (`interpSpline`) is used when the number of requested colors is not the default.

Value

A vector of character strings giving the colors in hexadecimal format.

Author(s)

Tim Hoar (GSP-NCAR); modified by Brandon Whitcher

See Also

[hotmetal](#), [topo.colors](#), [terrain.colors](#)

Examples

```
tim.colors(10)
image(outer(1:20, 1:20, "+"), col=tim.colors(75), main="tim.colors")
```

toffset-methods

Extract Image Attribute toffset

Description

Methods that act on the `toffset` field in the NIFTI/ANALYZE header.

Usage

```
toffset(object)

## S4 method for signature 'nifti'
toffset(object)

toffset(object) <- value

## S4 replacement method for signature 'nifti'
toffset(object) <- value

## S4 method for signature 'niftiImage'
toffset(object)

## S4 replacement method for signature 'niftiImage'
toffset(object) <- value
```

Arguments

object is an object of class `nifti` or `anlz`.
value is the value to assign to the `toffset` field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
toffset(img)
toffset(img) = 8
stopifnot(toffset(img) == 8)
```

translateCoordinate *Translate Voxel Coordinates*

Description

Translates a voxel index into the continuous coordinate space defined by the NIFTI `qform` and `sform` information.

Usage

```
translateCoordinate(i, nim, verbose = FALSE)
```

Arguments

`i` An index vector in `nim`.
`nim` An object of class `nifti`.
`verbose` Provide detailed output to the user.

Details

This function takes as input a `nifti` object and an index vector in the voxel space of the object and translates that voxel index into the continuous coordinate space defined by the object's `qform` and `sform`.

Please note:

1. By default the index `i` varies most rapidly, etc.
2. The ANALYZE 7.5 coordinate system is

```
+x = Left
+y = Anterior
+z = Superior
```

(A left-handed co-ordinate system).

3. The three methods below give the locations of the voxel centres in the `x,y,z` system. In many cases programs will want to display the data on other grids. In which case the program will be required to convert the desired `(x,y,z)` values in to voxel values using the inverse transformation.
4. Method 2 uses a factor `qfac` which is either `-1` or `1`. `qfac` is stored in `pixdim[0]`. If `pixdim[0] != 1` or `-1`, which should not occur, we assume `1`.
5. The units of the `xyzt` are set in `xyzt_units` field.

Value

A `nifti`-class object with translated coordinates.

Author(s)

Andrew Thornton <zeripath@users.sourceforge.net>

Examples

```
ffd <- readNIFTI(file.path(system.file("nifti", package="oro.nifti"),
                                   "filtered_func_data"))
xyz <- c(1,1,1)
translateCoordinate(xyz, ffd, verbose=TRUE)
xyz <- trunc(dim(ffd)[1:3]/2)
translateCoordinate(xyz, ffd, verbose=TRUE)
```

unused1-methods

Extract Image Attribute unused1

Description

Methods that act on the `unused1` field in the NIFTI/ANALYZE header.

Usage

```
unused1(object)

## S4 method for signature 'anlz'
unused1(object)

unused1(object) <- value

## S4 replacement method for signature 'anlz'
unused1(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the unused1 field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

verified-methods

Extract Image Attribute verified

Description

Methods that act on the verified field in the NIFTI/ANALYZE header.

Usage

```
verified(object)

## S4 method for signature 'anlz'
verified(object)

verified(object) <- value
```

```
## S4 replacement method for signature 'anlz'  
verified(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the verified field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

views-methods *Extract Image Attribute* views

Description

Methods that act on the views field in the NIFTI/ANALYZE header.

Usage

```
views(object)  
  
## S4 method for signature 'anlz'  
views(object)  
  
views(object) <- value  
  
## S4 replacement method for signature 'anlz'  
views(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the views field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
 Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
 NIFTI-1
<http://nifti.nimh.nih.gov/>

vols_added-methods *Extract Image Attribute* vols_added

Description

Methods that act on the vols_added field in the NIFTI/ANALYZE header.

Usage

```
vols_added(object)

## S4 method for signature 'anzl'
vols_added(object)

vols_added(object) <- value

## S4 replacement method for signature 'anzl'
vols_added(object) <- value

vols.added(object)

## S4 method for signature 'anzl'
vols.added(object)

vols.added(object) <- value

## S4 replacement method for signature 'anzl'
vols.added(object) <- value
```

Arguments

object is an object of class nifti or anzl.
 value is the value to assign to the vols_added field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

voxdim

Gets Voxel Dimensions

Description

Grabs the pixdim and takes the correct elements

Usage

```
voxdim(img)
```

Arguments

img nifti object

Value

Vector of length 3

Examples

```
nim <- nifti(array(rnorm(10^3), dim = c(5, 2, 100)),  
pixdim = c(1, 0.5, 0.2, 1))  
voxdim(nim)
```

voxres	<i>Gets Voxel Resolution</i>
--------	------------------------------

Description

Grabs the 3 voxel dimensions and takes the product

Usage

```
voxres(img, units = c("mm", "cm"))
```

Arguments

img	nifti object
units	output unit, either cubic mm or cubic cm.

Value

Scalar numeric, one number, in cubic mm or cubic cm (cc/mL).

vox_offset-methods	<i>Extract Image Attribute vox_offset</i>
--------------------	---

Description

Methods that act on the vox_offset field in the NIFTI/ANALYZE header.

Usage

```
vox_offset(object)

## S4 method for signature 'nifti'
vox_offset(object)

## S4 method for signature 'anlz'
vox_offset(object)

vox_offset(object) <- value

## S4 replacement method for signature 'nifti'
vox_offset(object) <- value

## S4 replacement method for signature 'anlz'
vox_offset(object) <- value
```

```
vox.offset(object)

## S4 method for signature 'nifti'
vox.offset(object)

## S4 method for signature 'anlz'
vox.offset(object)

vox.offset(object) <- value

## S4 replacement method for signature 'nifti'
vox.offset(object) <- value

## S4 replacement method for signature 'anlz'
vox.offset(object) <- value

## S4 method for signature 'niftiImage'
vox_offset(object)

## S4 method for signature 'niftiImage'
vox.offset(object)
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the vox_offset field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIFTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
vox_offset(img)
img = RNifti::readNifti(file)
vox.offset(img)
```

vox_units-methods *Extract Image Attribute vox_units*

Description

Methods that act on the vox_units field in the NIFTI/ANALYZE header.

Usage

```
vox_units(object)

## S4 method for signature 'anlz'
vox_units(object)

vox_units(object) <- value

## S4 replacement method for signature 'anlz'
vox_units(object) <- value

vox.units(object)

## S4 method for signature 'anlz'
vox.units(object)

vox.units(object) <- value

## S4 replacement method for signature 'anlz'
vox.units(object) <- value
```

Arguments

object is an object of class nifti or anlz.
value is the value to assign to the vox_units field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschelli2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
 NIFTI-1
<http://nifti.nimh.nih.gov/>

writeAFNI-methods *writeAFNI*

Description

This function saves a afni-class object to HEAD/BRIK pair in AFNI format.

Usage

```
writeAFNI(nim, ...)

## S4 method for signature 'afni'
writeAFNI(nim, fname, verbose = FALSE, warn = -1)
```

Arguments

nim	is an object of class afni.
...	Additional variables defined by the method.
fname	is the path and file name to save the AFNI file (.HEAD/BRIK) without the suffix.
verbose	is a logical variable (default = FALSE) that allows text-based feedback during execution of the function.
warn	is a number to regulate the display of warnings (default = -1). See options for more details.

Details

The writeAFNI function utilizes the internal writeBin and writeLines command to write information to header/binary file pair.

Current acceptable data types include

INT16" DT SIGNED SHORT (16 bits per voxel)

FLOAT32" DT FLOAT (32 bits per voxel)

"COMPLEX128" DT COMPLEX (128 bits per voxel)

Value

Nothing.

Methods

nim = "afni" Write AFNI volume to disk.

nim = "ANY" Not implemented.

Author(s)

Karsten Tabelow <karsten.tabelow@wias-berlin.de>

References

AFNI

<http://afni.nimh.nih.gov/pub/dist/src/README.attributes>

See Also

[writeANALYZE](#), [writeNIFTI](#)

Examples

```
## Taken from the AFNI Matlab Library
## http://afni.nimh.nih.gov/pub/dist/data/afni_matlab_data.tgz
afni.path <- system.file("afni", package="oro.nifti")
orig <- readAFNI(file.path(afni.path, "ARzs_CW_avvr.DEL+orig"))
fname = file.path(tempdir(), "test-afni-image")
writeAFNI(orig, fname, verbose=TRUE)

data <- readAFNI(fname, verbose=TRUE)
image(orig, zlim=c(0.5,256), oma=rep(2,4), bg="white")
image(data, zlim=c(0.5,256), oma=rep(2,4), bg="white")
abs.err <- abs(data - orig)
image(as(abs.err, "nifti"), zlim=range(0,1), oma=rep(2,4),
      bg="white")
```

writeANALYZE-methods *writeANALYZE*

Description

This function saves an Analyze-class object to a single binary file in Analyze format.

Usage

```
## S4 method for signature 'anlz'
writeANALYZE(
  aim,
  filename,
  gzipped = TRUE,
```

```
    verbose = FALSE,  
    warn = -1,  
    compression = 9  
  )
```

Arguments

aim	is an object of class anlz.
filename	is the path and file name to save the Analyze file pair (.hdr,img) without the suffixes.
gzipped	is a character string that enables exportation of compressed (.gz) files (default = TRUE).
verbose	is a logical variable (default = FALSE) that allows text-based feedback during execution of the function.
warn	is a number to regulate the display of warnings (default = -1). See options for more details.
compression	The amount of compression to be applied when writing a file when gzipped = TRUE

Details

The writeANALYZE function utilizes the internal writeBin and writeChar command to write information to a binary file.

Value

Nothing.

Methods

object = "anlz" Write ANALYZE volume to disk.

Author(s)

Brandon Whitcher <bwhitcher@gmail.com>

References

Analyze 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>

See Also

[writeAFNI](#), [writeNIFTI](#)

Examples

```

norm <- dnorm(seq(-5, 5, length=32), sd=2)
norm <- (norm-min(norm)) / max(norm-min(norm))
img <- outer(outer(norm, norm), norm)
img <- round(255*img)
img[17:32,,] <- 255 - img[17:32,,]
img.anlz <- anlz(img) # create Analyze object

fname = file.path(tempdir(), "test-anlz-image-uint8")

writeANALYZE(img.anlz, fname, verbose=TRUE)
## These files should be viewable in, for example, FSLview
## Make sure you adjust the min/max values for proper visualization
data <- readANALYZE(fname, verbose=TRUE)
image(img.anlz, oma=rep(2,4), bg="white")
image(data, oma=rep(2,4), bg="white")
abs.err <- abs(data - img.anlz)
image(as(abs.err, "anlz"), zlim=range(img.anlz), oma=rep(2,4), bg="white")

## Not run:
## Loop through all possible data types
datatypes <- list(code=c(2, 4, 8, 16, 64),
                  name=c("uint8", "int16", "int32", "float", "double"))
equal <- vector("list")
for (i in 1:length(datatypes$code)) {
  fname <- paste("test-anlz-image-", datatypes$name[i], sep="")
  fname = file.path(tempdir(), fname)
  rm(img.anlz)
  img.anlz <- anlz(img, datatype=datatypes$code[i])
  writeANALYZE(img.anlz, fname)
  equal[[i]] <- all(readANALYZE(fname) == img)
}
names(equal) <- datatypes$name
unlist(equal)

## End(Not run)

```

writeNIfTI-methods *writeNIfTI*

Description

This function saves a NIfTI-class object to a single binary file in NIfTI format.

Usage

```

## S4 method for signature 'nifti'
writeNIfTI(

```

```
    nim,
    filename,
    onefile = TRUE,
    gzipped = TRUE,
    verbose = FALSE,
    warn = -1,
    compression = 9
)

## S4 method for signature 'niftiExtension'
writeNIfTI(
  nim,
  filename,
  onefile = TRUE,
  gzipped = TRUE,
  verbose = FALSE,
  warn = -1,
  compression = 9
)

## S4 method for signature 'anlz'
writeNIfTI(
  nim,
  filename,
  onefile = TRUE,
  gzipped = TRUE,
  verbose = FALSE,
  warn = -1,
  compression = 9
)

## S4 method for signature 'array'
writeNIfTI(
  nim,
  filename,
  onefile = TRUE,
  gzipped = TRUE,
  verbose = FALSE,
  warn = -1,
  compression = 9
)
```

Arguments

nim	is an object of class nifti or anlz.
filename	is the path and file name to save the NIfTI file (.nii) without the suffix.
onefile	is a logical value that allows the scanning of single-file (.nii) or dual-file format (.hdr and .img) NIfTI files (default = TRUE).

gzipped	is a character string that enables exportation of compressed (.gz) files (default = TRUE).
verbose	is a logical variable (default = FALSE) that allows text-based feedback during execution of the function.
warn	is a number to regulate the display of warnings (default = -1). See options for more details.
compression	The amount of compression to be applied when writing a file when gzipped = TRUE

Details

The writeNIfTI function utilizes the internal writeBin and writeChar command to write information to a binary file.

Current acceptable data types include

- list("UINT8")** DT BINARY (1 bit per voxel)
- list("INT16")** DT SIGNED SHORT (16 bits per voxel)
- list("INT32")** DT SIGNED INT (32 bits per voxel)
- list("FLOAT32")** DT FLOAT (32 bits per voxel)
- list("DOUBLE64")** DT DOUBLE (64 bits per voxel)
- list("UINT16")** DT UNSIGNED SHORT (16 bits per voxel)

Value

Nothing.

Methods

- object = "anlz"** Convert ANALYZE object to class nifti and write the NIfTI volume to disk.
- object = "array"** Convert array to class nifti and write the NIfTI volume to disk.
- object = "nifti"** Write NIfTI volume to disk.

Author(s)

Brandon Whitcer <bwhitcer@gmail.com>,
Volker Schmid <volkerschmid@users.sourceforge.net>

References

NIfTI-1
<http://nifti.nimh.nih.gov/>

See Also

[writeAFNI](#), [writeANALYZE](#)

Examples

```

norm <- dnorm(seq(-5, 5, length=32), sd=2)
norm <- (norm-min(norm)) / max(norm-min(norm))
img <- outer(outer(norm, norm), norm)
img <- round(255 * img)
img[17:32,,] <- 255 - img[17:32,,]
img.nifti <- nifti(img) # create NIFTI object

fname = file.path(tempdir(), "test-nifti-image-uint8")

writeNIFTI(img.nifti, fname, verbose=TRUE)
## These files should be viewable in, for example, FSLview
## Make sure you adjust the min/max values for proper visualization
data <- readNIFTI(fname, verbose=TRUE)
image(img.nifti, oma=rep(2,4), bg="white")
image(data, oma=rep(2,4), bg="white")
abs.err <- abs(data - img.nifti)
image(as(abs.err, "nifti"), zlim=range(img.nifti), oma=rep(2,4),
      bg="white")

## Not run:
## Loop through all possible data types
datatypes <- list(code=c(2, 4, 8, 16, 64),
                  name=c("uint8", "int16", "int32", "float", "double"))
equal <- vector("list")
for (i in 1:length(datatypes$code)) {
  fname <- paste("test-nifti-image-", datatypes$name[i], sep="")
  fname = file.path(tempdir(), fname)
  rm(img.nifti)
  img.nifti <- nifti(img, datatype=datatypes$code[i])
  writeNIFTI(img.nifti, fname, verbose=TRUE)
  equal[[i]] <- all(readNIFTI(fname) == img)
}
names(equal) <- datatypes$name
unlist(equal)

## End(Not run)

```

xyzt2space

Bitwise Conversion Subroutines

Description

Units of spatial and temporal dimensions, and MRI-specific spatial and temporal information.

Usage

```
xyzt2space(xyzt)
```

```
xyzt2time(xyzt)
```

```
space.time2xyzt(ss, tt)
```

```
dim2freq(di)
```

```
dim2phase(di)
```

```
dim2slice(di)
```

Arguments

xyzt	represents the units of pixdim[1..4] in the NIfTI header.
ss	is the character string of spatial units. Valid strings are: “Unknown”, “meter”, “mm” and “micron”.
tt	is the character string of temporal units. Valid strings are: “sec”, “msec”, “usec”, “Hz”, “ppm” and “rads”.
di	represents MRI slice ordering in the NIfTI header.

Details

The functions `xyzt2space` and `xyzt2time` can be used to mask off the undesired bits from the `xyzt_units` fields, leaving “pure” space and time codes.

http://nifti.nimh.nih.gov/nifti-1/documentation/nifti1fields/nifti1fields_pages/xyzt_units.html

The functions `dim2freq`, `dim2phase`, and `dim2slice` can be used to extract values from the `dim_info` byte.

http://nifti.nimh.nih.gov/nifti-1/documentation/nifti1fields/nifti1fields_pages/dim_info.html

Value

For `diminfo`: the frequency, phase and slice dimensions encode which spatial dimension (1,2, or 3) corresponds to which acquisition dimension for MRI data. For `xyzt_units`: the codes are used to indicate the units of `pixdim`. Dimensions 1,2,3 are for x,y,z; dimension 4 is for time (t).

Author(s)

B. Whitcher <bwhitcher@gmail.com>

References

Neuroimaging Informatics Technology Initiative (NIFTI)

<http://nifti.nimh.nih.gov/>

See Also

[convert.units](#), [convert.slice](#)

xyzt_units-methods *Extract Image Attribute* xyzt_units

Description

Methods that act on the xyzt_units field in the NIFTI/ANALYZE header.

Usage

```
xyzt_units(object)

## S4 method for signature 'nifti'
xyzt_units(object)

xyzt_units(object) <- value

## S4 replacement method for signature 'nifti'
xyzt_units(object) <- value

xyzt.units(object)

## S4 method for signature 'nifti'
xyzt.units(object)

xyzt.units(object) <- value

## S4 replacement method for signature 'nifti'
xyzt.units(object) <- value

## S4 method for signature 'niftiImage'
xyzt_units(object)

## S4 replacement method for signature 'niftiImage'
xyzt_units(object) <- value
```

Arguments

object	is an object of class nifti or anlz.
value	is the value to assign to the xyzt_units field.

Details

See documentation on the ANALYZE and/or NIFTI data standards for more details.

Author(s)

John Muschelli <muschellij2@gmail.com>,
Brandon Whitcher <bwhitcher@gmail.com>

References

ANALYZE 7.5
<http://eeg.sourceforge.net/ANALYZE75.pdf>
NIfTI-1
<http://nifti.nimh.nih.gov/>

Examples

```
file = system.file("extdata", "example.nii.gz", package = "RNifti")
img = RNifti::readNifti(file)
xyzt_units(img)
xyzt_units(img) = 8
stopifnot(xyzt_units(img) == 8)
```

Index

- * **Misc**
 - rmniigz, 113
- * **aplot**
 - hotmetal, 55
 - tim.colors, 140
- * **classes**
 - afni-class, 5
 - anlz-class, 8
 - nifti-class, 72
 - niftiAuditTrail-class, 75
 - niftiExtension-class, 76
 - niftiExtensionSection-class, 76
- * **file**
 - readAFNI, 106
 - readANALYZE, 107
 - readNIfTI, 109
 - writeAFNI-methods, 151
 - writeANALYZE-methods, 152
 - writeNIfTI-methods, 154
- * **internalImage**
 - internalImage-class, 67
- * **methods**
 - audit.trail-methods, 16
 - blend, 20
 - coerce-methods, 27
 - image-methods, 56
 - nifti_assign-methods, 77
 - orientation-methods, 82
 - orthographic-methods, 85
 - overlay-methods, 88
 - readAFNI, 106
 - slice-methods, 121
 - slice_overlay-methods, 128
 - writeAFNI-methods, 151
 - writeANALYZE-methods, 152
 - writeNIfTI-methods, 154
- * **misc**
 - convert.scene, 31
 - nsli, 78
 - xyzt2space, 157
- * **niftiImage**
 - niftiImage-class, 77
 - [<- ,ANY,ANY,ANY,ANY-method (nifti_assign-methods), 77
 - [<- ,nifti,ANY,ANY,ANY-method (nifti_assign-methods), 77
 - [<- ,nifti,ANY,missing,ANY-method (nifti_assign-methods), 77
 - [<- ,nifti,missing,missing,array-method (nifti_assign-methods), 77
 - [<- ,nifti,numeric,missing,ANY-method (nifti_assign-methods), 77
 - [<- ,nifti,numeric,numeric,ANY-method (nifti_assign-methods), 77
 - [<--methods (nifti_assign-methods), 77
 - afni, 67, 106, 107
 - afni-class, 5
 - anlz, 7, 7, 8, 68, 71, 74
 - anlz-class, 8
 - anlz-nifti-ops, 10
 - array, 7, 10, 73
 - as, 27
 - as,array,anlz-method (coerce-methods), 27
 - as,array,nifti-method (coerce-methods), 27
 - as.anlz, 11
 - as.nifti, 12
 - as<- ,array,anlz-method (coerce-methods), 27
 - as<- ,array,nifti-method (coerce-methods), 27
 - Audit Trails, 12
 - audit.trail (audit.trail-methods), 16
 - audit.trail,nifti-method (audit.trail-methods), 16
 - audit.trail-methods, 16
 - audit.trail<- (audit.trail-methods), 16

- audit.trail<- ,nifti-method
(audit.trail-methods), 16
- aux.file (aux_file-methods), 17
- aux.file, anlz-method
(aux_file-methods), 17
- aux.file, nifti-method
(aux_file-methods), 17
- aux.file<- (aux_file-methods), 17
- aux.file<- , anlz-method
(aux_file-methods), 17
- aux.file<- , nifti-method
(aux_file-methods), 17
- aux_file (aux_file-methods), 17
- aux_file, anlz-method
(aux_file-methods), 17
- aux_file, nifti-method
(aux_file-methods), 17
- aux_file, niftiImage-method
(aux_file-methods), 17
- aux_file-methods, 17
- aux_file-methods, (aux_file-methods), 17
- aux_file<- (aux_file-methods), 17
- aux_file<- , anlz-method
(aux_file-methods), 17
- aux_file<- , nifti-method
(aux_file-methods), 17
- aux_file<- , niftiImage-method
(aux_file-methods), 17

- bitpix (bitpix-methods), 19
- bitpix, anlz-method (bitpix-methods), 19
- bitpix, nifti-method (bitpix-methods), 19
- bitpix, niftiImage-method
(bitpix-methods), 19
- bitpix-methods, 19
- bitpix-methods, (bitpix-methods), 19
- bitpix<- (bitpix-methods), 19
- bitpix<- , anlz-method (bitpix-methods),
19
- bitpix<- , nifti-method (bitpix-methods),
19

- blend, 20
- blend, anlz, anlz-method (blend), 20
- blend, anlz, anlz-methods (blend), 20
- blend, anlz, nifti-method (blend), 20
- blend, anlz, nifti-methods (blend), 20
- blend, nifti, anlz-method (blend), 20
- blend, nifti, anlz-methods (blend), 20
- blend, nifti, nifti-method (blend), 20

- blend, nifti, nifti-methods (blend), 20
- blendVolumes (blend), 20

- cal.max (cal_max-methods), 22
- cal.max, anlz-method (cal_max-methods),
22
- cal.max, nifti-method (cal_max-methods),
22
- cal.max, niftiImage-method
(cal_max-methods), 22
- cal.max<- (cal_max-methods), 22
- cal.max<- , anlz-method
(cal_max-methods), 22
- cal.max<- , nifti-method
(cal_max-methods), 22
- cal.max<- , niftiImage-method
(cal_max-methods), 22
- cal.min (cal_min-methods), 24
- cal.min, anlz-method (cal_min-methods),
24
- cal.min, nifti-method (cal_min-methods),
24
- cal.min, niftiImage-method
(cal_min-methods), 24
- cal.min<- (cal_min-methods), 24
- cal.min<- , anlz-method
(cal_min-methods), 24
- cal.min<- , nifti-method
(cal_min-methods), 24
- cal.min<- , niftiImage-method
(cal_min-methods), 24
- cal.units (cal_units-methods), 26
- cal.units, anlz-method
(cal_units-methods), 26
- cal.units, nifti-method
(cal_units-methods), 26
- cal.units<- (cal_units-methods), 26
- cal.units<- , anlz-method
(cal_units-methods), 26
- cal_img (calibrateImage), 21
- cal_max (cal_max-methods), 22
- cal_max, anlz-method (cal_max-methods),
22
- cal_max, nifti-method (cal_max-methods),
22
- cal_max, niftiImage-method
(cal_max-methods), 22
- cal_max-methods, 22
- cal_max-methods, (cal_max-methods), 22

- cal_max<- (cal_max-methods), 22
- cal_max<-, anlz-method
 - (cal_max-methods), 22
- cal_max<-, nifti-method
 - (cal_max-methods), 22
- cal_max<-, niftiImage-method
 - (cal_max-methods), 22
- cal_min (cal_min-methods), 24
- cal_min, anlz-method (cal_min-methods), 24
- cal_min, nifti-method (cal_min-methods), 24
- cal_min, niftiImage-method
 - (cal_min-methods), 24
- cal_min-methods, 24
- cal_min-methods, (cal_min-methods), 24
- cal_min<- (cal_min-methods), 24
- cal_min<-, anlz-method
 - (cal_min-methods), 24
- cal_min<-, nifti-method
 - (cal_min-methods), 24
- cal_min<-, niftiImage-method
 - (cal_min-methods), 24
- cal_units (cal_units-methods), 26
- cal_units, anlz-method
 - (cal_units-methods), 26
- cal_units-methods, 26
- cal_units-methods, (cal_units-methods), 26
- cal_units<- (cal_units-methods), 26
- cal_units<-, anlz-method
 - (cal_units-methods), 26
- calibrateImage, 21
- coerce, anlz, nifti-method
 - (coerce-methods), 27
- coerce, array, anlz-method
 - (coerce-methods), 27
- coerce, array, nifti-method
 - (coerce-methods), 27
- coerce, list, anlz-method
 - (coerce-methods), 27
- coerce, list, nifti-method
 - (coerce-methods), 27
- coerce-methods, 27
- coerce<-, anlz, nifti-method
 - (coerce-methods), 27
- coerce<-, array, anlz-method
 - (coerce-methods), 27
- coerce<-, array, nifti-method
 - (coerce-methods), 27
- coerce<-, list, anlz-method
 - (coerce-methods), 27
- coerce<-, list, nifti-method
 - (coerce-methods), 27
- compressed (compressed-methods), 28
- compressed, anlz-method
 - (compressed-methods), 28
- compressed-methods, 28
- compressed-methods, (compressed-methods), 28
- compressed<- (compressed-methods), 28
- compressed<-, anlz-method
 - (compressed-methods), 28
- Convert ANALYZE Codes, 29
- Convert NIFTI Codes, 30
- convert.bitpix, 29
- convert.bitpix (Convert NIFTI Codes), 30
- convert.bitpix.anlz (Convert ANALYZE Codes), 29
- convert.datatype, 29, 71
- convert.datatype (Convert NIFTI Codes), 30
- convert.datatype.anlz, 8, 32
- convert.datatype.anlz (Convert ANALYZE Codes), 29
- convert.form, 29
- convert.form (Convert NIFTI Codes), 30
- convert.intent, 29
- convert.intent (Convert NIFTI Codes), 30
- convert.orient.anlz, 32
- convert.orient.anlz (Convert ANALYZE Codes), 29
- convert.scene, 31
- convert.slice, 29, 158
- convert.slice (Convert NIFTI Codes), 30
- convert.units, 29, 158
- convert.units (Convert NIFTI Codes), 30
- data.type (data_type-methods), 33
- data.type, anlz-method
 - (data_type-methods), 33
- data.type, nifti-method
 - (data_type-methods), 33
- data.type<- (data_type-methods), 33
- data.type<-, anlz-method
 - (data_type-methods), 33

- data.type<- ,nifti-method
(data_type-methods), 33
- data_type (data_type-methods), 33
- data_type, anlz-method
(data_type-methods), 33
- data_type, nifti-method
(data_type-methods), 33
- data_type, niftiImage-method
(data_type-methods), 33
- data_type-methods, 33
- data_type-methods, (data_type-methods),
33
- data_type<- (data_type-methods), 33
- data_type<- , anlz-method
(data_type-methods), 33
- data_type<- , nifti-method
(data_type-methods), 33
- datatype (datatype-methods), 32
- datatype, anlz-method
(datatype-methods), 32
- datatype, ANY-method (datatype-methods),
32
- datatype, nifti-method
(datatype-methods), 32
- datatype, niftiImage-method
(data_type-methods), 33
- datatype-methods, 32
- datatype-methods, (datatype-methods), 32
- datatype<- (datatype-methods), 32
- datatype<- , anlz-method
(datatype-methods), 32
- datatype<- , nifti-method
(datatype-methods), 32
- db.name (db_name-methods), 35
- db.name, anlz-method (db_name-methods),
35
- db.name, nifti-method (db_name-methods),
35
- db.name<- (db_name-methods), 35
- db.name<- , anlz-method
(db_name-methods), 35
- db.name<- , nifti-method
(db_name-methods), 35
- db_name (db_name-methods), 35
- db_name, anlz-method (db_name-methods),
35
- db_name, nifti-method (db_name-methods),
35
- db_name-methods, 35
- db_name-methods, (db_name-methods), 35
- db_name<- (db_name-methods), 35
- db_name<- , anlz-method
(db_name-methods), 35
- db_name<- , nifti-method
(db_name-methods), 35
- descrip (descrip-methods), 36
- descrip, anlz-method (descrip-methods),
36
- descrip, nifti-method (descrip-methods),
36
- descrip, niftiImage-method
(descrip-methods), 36
- descrip-methods, 36
- descrip-methods, (descrip-methods), 36
- descrip<- (descrip-methods), 36
- descrip<- , anlz-method
(descrip-methods), 36
- descrip<- , nifti-method
(descrip-methods), 36
- descrip<- , niftiImage-method
(descrip-methods), 36
- dim2freq (xyzt2space), 157
- dim2phase (xyzt2space), 157
- dim2slice (xyzt2space), 157
- dim_ (dim_-methods), 38
- dim_, anlz-method (dim_-methods), 38
- dim_, ANY-method (dim_-methods), 38
- dim_, nifti-method (dim_-methods), 38
- dim_-methods, 38
- dim_-methods, (dim_-methods), 38
- dim_<- (dim_-methods), 38
- dim_<- , anlz-method (dim_-methods), 38
- dim_<- , nifti-method (dim_-methods), 38
- dim_info (dim_info-methods), 39
- dim_info, nifti-method
(dim_info-methods), 39
- dim_info-methods, 39
- dim_info-methods, (dim_info-methods), 39
- dim_info<- (dim_info-methods), 39
- dim_info<- , nifti-method
(dim_info-methods), 39
- dim_un0 (dim_un0-methods), 40
- dim_un0, anlz-method (dim_un0-methods),
40
- dim_un0-methods, 40
- dim_un0-methods, (dim_un0-methods), 40

- dim_un0<- (dim_un0-methods), 40
- dim_un0<- ,anzl-method
 - (dim_un0-methods), 40
- drop_img_dim(dropImageDimension), 41
- dropImageDimension, 41
- enableAuditTrail (Audit Trails), 12
- exp_date (exp_date-methods), 42
- exp_date,anzl-method
 - (exp_date-methods), 42
- exp_date-methods, 42
- exp_date-methods, (exp_date-methods), 42
- exp_date<- (exp_date-methods), 42
- exp_date<- ,anzl-method
 - (exp_date-methods), 42
- exp_time (exp_time-methods), 43
- exp_time,anzl-method
 - (exp_time-methods), 43
- exp_time-methods, 43
- exp_time-methods, (exp_time-methods), 43
- exp_time<- (exp_time-methods), 43
- exp_time<- ,anzl-method
 - (exp_time-methods), 43
- extender (extender-methods), 44
- extender,nifti-method
 - (extender-methods), 44
- extender-methods, 44
- extender-methods, (extender-methods), 44
- extender<- (extender-methods), 44
- extender<- ,nifti-method
 - (extender-methods), 44
- extents (extents-methods), 45
- extents,anzl-method (extents-methods), 45
- extents,nifti-method (extents-methods), 45
- extents-methods, 45
- extents-methods, (extents-methods), 45
- extents<- (extents-methods), 45
- extents<- ,anzl-method
 - (extents-methods), 45
- extents<- ,nifti-method
 - (extents-methods), 45
- field.skip (field_skip-methods), 46
- field.skip,anzl-method
 - (field_skip-methods), 46
- field.skip,nifti-method
 - (field_skip-methods), 46
- field.skip<- (field_skip-methods), 46
- field.skip<- ,anzl-method
 - (field_skip-methods), 46
- field_skip (field_skip-methods), 46
- field_skip,anzl-method
 - (field_skip-methods), 46
- field_skip-methods, 46
- field_skip-methods, (field_skip-methods), 46
- field_skip<- (field_skip-methods), 46
- field_skip<- ,anzl-method
 - (field_skip-methods), 46
- funused1 (funused1-methods), 47
- funused1,anzl-method
 - (funused1-methods), 47
- funused1-methods, 47
- funused1-methods, (funused1-methods), 47
- funused1<- (funused1-methods), 47
- funused1<- ,anzl-method
 - (funused1-methods), 47
- funused2 (funused2-methods), 48
- funused2,anzl-method
 - (funused2-methods), 48
- funused2-methods, 48
- funused2-methods, (funused2-methods), 48
- funused2<- (funused2-methods), 48
- funused2<- ,anzl-method
 - (funused2-methods), 48
- funused3 (funused3-methods), 49
- funused3,anzl-method
 - (funused3-methods), 49
- funused3-methods, 49
- funused3-methods, (funused3-methods), 49
- funused3<- (funused3-methods), 49
- funused3<- ,anzl-method
 - (funused3-methods), 49
- generated (generated-methods), 50
- generated,anzl-method
 - (generated-methods), 50
- generated-methods, 50
- generated-methods, (generated-methods), 50
- generated<- (generated-methods), 50
- generated<- ,anzl-method
 - (generated-methods), 50
- getLastCallWithName (Audit Trails), 12
- glmax (glmax-methods), 51
- glmax,anzl-method (glmax-methods), 51

- glmax,nifti-method (glmax-methods), 51
- glmax-methods, 51
- glmax-methods, (glmax-methods), 51
- glmax<- (glmax-methods), 51
- glmax<-, anlz-method (glmax-methods), 51
- glmax<-, nifti-method (glmax-methods), 51
- glmin (glmin-methods), 52
- glmin, anlz-method (glmin-methods), 52
- glmin, nifti-method (glmin-methods), 52
- glmin-methods, 52
- glmin-methods, (glmin-methods), 52
- glmin<- (glmin-methods), 52
- glmin<-, anlz-method (glmin-methods), 52
- glmin<-, nifti-method (glmin-methods), 52

- hist_un0 (hist_un0-methods), 53
- hist_un0, anlz-method
(hist_un0-methods), 53
- hist_un0-methods, 53
- hist_un0-methods, (hist_un0-methods), 53
- hist_un0<- (hist_un0-methods), 53
- hist_un0<-, anlz-method
(hist_un0-methods), 53
- hkey.un0 (hkey_un0-methods), 54
- hkey.un0, anlz-method
(hkey_un0-methods), 54
- hkey.un0, nifti-method
(hkey_un0-methods), 54
- hkey.un0<- (hkey_un0-methods), 54
- hkey.un0<-, anlz-method
(hkey_un0-methods), 54
- hkey_un0 (hkey_un0-methods), 54
- hkey_un0, anlz-method
(hkey_un0-methods), 54
- hkey_un0-methods, 54
- hkey_un0-methods, (hkey_un0-methods), 54
- hkey_un0<- (hkey_un0-methods), 54
- hkey_un0<-, anlz-method
(hkey_un0-methods), 54
- hotmetal, 55, 141

- image, 57, 123, 132
- image, afni-method (image-methods), 56
- image, anlz-method (image-methods), 56
- image, ANY-method (image-methods), 56
- image, nifti-method (image-methods), 56
- image-methods, 56
- image.nifti (image-methods), 56
- img_data (img_data-methods), 58
- img_data, anlz-method
(img_data-methods), 58
- img_data, ANY-method (img_data-methods),
58
- img_data, character-method
(img_data-methods), 58
- img_data, nifti-method
(img_data-methods), 58
- img_data-methods, 58
- img_data-methods, (img_data-methods), 58
- img_data<- (img_data-methods), 58
- img_data<-, anlz-method
(img_data-methods), 58
- img_data<-, nifti-method
(img_data-methods), 58
- img_length, 59
- integerTranslation, 59
- intent.code (intent_code-methods), 60
- intent.code, nifti-method
(intent_code-methods), 60
- intent.code<- (intent_code-methods), 60
- intent.code<-, nifti-method
(intent_code-methods), 60
- intent.name (intent_name-methods), 61
- intent.name, nifti-method
(intent_name-methods), 61
- intent.name<- (intent_name-methods), 61
- intent.name<-, nifti-method
(intent_name-methods), 61
- intent.p1 (intent_p1-methods), 63
- intent.p1, nifti-method
(intent_p1-methods), 63
- intent.p1<- (intent_p1-methods), 63
- intent.p1<-, nifti-method
(intent_p1-methods), 63
- intent.p2 (intent_p2-methods), 64
- intent.p2, nifti-method
(intent_p2-methods), 64
- intent.p2<- (intent_p2-methods), 64
- intent.p2<-, nifti-method
(intent_p2-methods), 64
- intent.p3 (intent_p3-methods), 65
- intent.p3, nifti-method
(intent_p3-methods), 65
- intent.p3<- (intent_p3-methods), 65
- intent.p3<-, nifti-method
(intent_p3-methods), 65
- intent_code (intent_code-methods), 60

- intent_code,nifti-method
(intent_code-methods), 60
- intent_code,niftiImage-method
(intent_code-methods), 60
- intent_code-methods, 60
- intent_code-methods,
(intent_code-methods), 60
- intent_code<- (intent_code-methods), 60
- intent_code<- ,nifti-method
(intent_code-methods), 60
- intent_code<- ,niftiImage-method
(intent_code-methods), 60
- intent_name (intent_name-methods), 61
- intent_name,nifti-method
(intent_name-methods), 61
- intent_name,niftiImage-method
(intent_name-methods), 61
- intent_name-methods, 61
- intent_name-methods,
(intent_name-methods), 61
- intent_name<- (intent_name-methods), 61
- intent_name<- ,nifti-method
(intent_name-methods), 61
- intent_name<- ,niftiImage-method
(intent_name-methods), 61
- intent_p1 (intent_p1-methods), 63
- intent_p1,nifti-method
(intent_p1-methods), 63
- intent_p1,niftiImage-method
(intent_p1-methods), 63
- intent_p1-methods, 63
- intent_p1-methods, (intent_p1-methods),
63
- intent_p1<- (intent_p1-methods), 63
- intent_p1<- ,nifti-method
(intent_p1-methods), 63
- intent_p1<- ,niftiImage-method
(intent_p1-methods), 63
- intent_p2 (intent_p2-methods), 64
- intent_p2,nifti-method
(intent_p2-methods), 64
- intent_p2,niftiImage-method
(intent_p2-methods), 64
- intent_p2-methods, 64
- intent_p2-methods, (intent_p2-methods),
64
- intent_p2<- (intent_p2-methods), 64
- intent_p2<- ,nifti-method
(intent_p2-methods), 64
- intent_p2<- ,niftiImage-method
(intent_p2-methods), 64
- intent_p3 (intent_p3-methods), 65
- intent_p3,nifti-method
(intent_p3-methods), 65
- intent_p3,niftiImage-method
(intent_p3-methods), 65
- intent_p3-methods, 65
- intent_p3-methods, (intent_p3-methods),
65
- intent_p3<- (intent_p3-methods), 65
- intent_p3<- ,nifti-method
(intent_p3-methods), 65
- intent_p3<- ,niftiImage-method
(intent_p3-methods), 65
- internalImage (internalImage-class), 67
- internalImage-class, 67
- inverseReorient, 94
- inverseReorient (reorient), 112
- invertIntegerTranslation
(integerTranslation), 59
- is.afni, 67
- is.anlz, 68
- is.nifti, 68
- is.niftiExtension (is.nifti), 68
- magic (magic-methods), 69
- magic,nifti-method (magic-methods), 69
- magic,niftiImage-method
(magic-methods), 69
- magic-methods, 69
- magic-methods, (magic-methods), 69
- magic<- (magic-methods), 69
- magic<- ,nifti-method (magic-methods), 69
- magic<- ,niftiImage-method
(magic-methods), 69
- matrix, 7, 10, 73
- newAuditTrail (Audit Trails), 12
- nifti, 7, 8, 10, 68, 69, 70, 71, 75–78, 84, 109
- nifti-class, 72
- nifti-operators, 74
- nifti_assign-methods, 77
- nifti_header (readNIFTI), 109
- niftiAuditTrail, 74, 76
- niftiAuditTrail-class, 75
- niftiAuditTrailCreated (Audit Trails),
12

- niftiAuditTrailEvent (Audit Trails), 12
- niftiAuditTrailSystemNode (Audit Trails), 12
- niftiAuditTrailSystemNodeEvent (Audit Trails), 12
- niftiAuditTrailToExtension (Audit Trails), 12
- niftiExtension, 10, 74, 75, 77
- niftiExtension-class, 76
- niftiExtensionSection-class, 76
- niftiExtensionToAuditTrail (Audit Trails), 12
- niftiImage (niftiImage-class), 77
- niftiImage-class, 77
- nii2oro, 78
- NSLI (nsl), 78
- nsl, 78
- NTIM (nsl), 78
- ntim (nsl), 78

- omax (omax-methods), 79
- omax, anlz-method (omax-methods), 79
- omax-methods, 79
- omax-methods, (omax-methods), 79
- omax<- (omax-methods), 79
- omax<- , anlz-method (omax-methods), 79
- omin (omin-methods), 80
- omin, anlz-method (omin-methods), 80
- omin-methods, 80
- omin-methods, (omin-methods), 80
- omin<- (omin-methods), 80
- omin<- , anlz-method (omin-methods), 80
- onfile, 81
- Ops, anlz, anlz-method (anlz-nifti-ops), 10
- Ops, anlz, nifti-method (anlz-nifti-ops), 10
- Ops, anlz, numeric-method (anlz-nifti-ops), 10
- Ops, nifti, anlz-method (anlz-nifti-ops), 10
- Ops, nifti, nifti-method (nifti-operators), 74
- Ops, nifti, numeric-method (nifti-operators), 74
- Ops, numeric, anlz-method (anlz-nifti-ops), 10
- Ops, numeric, nifti-method (nifti-operators), 74

- options, 151, 153, 156
- orient (orient-methods), 81
- orient, anlz-method (orient-methods), 81
- orient-methods, 81
- orient-methods, (orient-methods), 81
- orient<- (orient-methods), 81
- orient<- , anlz-method (orient-methods), 81
- orientation-methods, 82
- origin (origin-methods), 83
- origin, anlz-method (origin-methods), 83
- origin, ANY-method (origin-methods), 83
- origin, nifti-method (origin-methods), 83
- origin-methods, 83
- origin-methods, (origin-methods), 83
- origin<- (origin-methods), 83
- origin<- , anlz-method (origin-methods), 83
- origin<- , nifti-method (origin-methods), 83

- oro.nifti.info (Audit Trails), 12
- oro2nii, 84
- orthographic (orthographic-methods), 85
- orthographic, afni-method (orthographic-methods), 85
- orthographic, anlz-method (orthographic-methods), 85
- orthographic, array-method (orthographic-methods), 85
- orthographic, nifti-method (orthographic-methods), 85
- orthographic-methods, 85
- orthographic.nifti (orthographic-methods), 85
- overlay (overlay-methods), 88
- overlay, afni, afni-method (overlay-methods), 88
- overlay, afni, array-method (overlay-methods), 88
- overlay, anlz, anlz-method (overlay-methods), 88
- overlay, anlz, array-method (overlay-methods), 88
- overlay, anlz, nifti-method (overlay-methods), 88
- overlay, array, anlz-method (overlay-methods), 88
- overlay, array, array-method

- (overlay-methods), 88
- overlay,array,nifti-method
 - (overlay-methods), 88
- overlay,nifti,anlz-method
 - (overlay-methods), 88
- overlay,nifti,array-method
 - (overlay-methods), 88
- overlay,nifti,missing-method
 - (overlay-methods), 88
- overlay,nifti,nifti-method
 - (overlay-methods), 88
- overlay-methods, 88
- overlay.nifti (overlay-methods), 88
- patient.id (patient_id-methods), 92
- patient.id,anlz-method
 - (patient_id-methods), 92
- patient.id,nifti-method
 - (patient_id-methods), 92
- patient.id<- (patient_id-methods), 92
- patient.id<-,anlz-method
 - (patient_id-methods), 92
- patient_id (patient_id-methods), 92
- patient_id,anlz-method
 - (patient_id-methods), 92
- patient_id-methods, 92
- patient_id-methods,
 - (patient_id-methods), 92
- patient_id<- (patient_id-methods), 92
- patient_id<-,anlz-method
 - (patient_id-methods), 92
- performPermutation, 94, 112
- pixdim (pixdim-methods), 94
- pixdim,anlz-method (pixdim-methods), 94
- pixdim,ANY-method (pixdim-methods), 94
- pixdim,nifti-method (pixdim-methods), 94
- pixdim-methods, 94
- pixdim-methods, (pixdim-methods), 94
- pixdim<- (pixdim-methods), 94
- pixdim<-,anlz-method (pixdim-methods), 94
- pixdim<-,ANY-method (pixdim-methods), 94
- pixdim<-,nifti-method (pixdim-methods), 94
- qform (orientation-methods), 82
- qform,nifti-method
 - (orientation-methods), 82
- qform-methods (orientation-methods), 82
- qform.code (qform_code-methods), 96
- qform.code,nifti-method
 - (qform_code-methods), 96
- qform.code<- (qform_code-methods), 96
- qform.code<-,nifti-method
 - (qform_code-methods), 96
- qform_code (qform_code-methods), 96
- qform_code,nifti-method
 - (qform_code-methods), 96
- qform_code,niftiImage-method
 - (qform_code-methods), 96
- qform_code-methods, 96
- qform_code-methods,
 - (qform_code-methods), 96
- qform_code<- (qform_code-methods), 96
- qform_code<-,nifti-method
 - (qform_code-methods), 96
- qform_code<-,niftiImage-method
 - (qform_code-methods), 96
- qoffset.x (qoffset_x-methods), 97
- qoffset.x,nifti-method
 - (qoffset_x-methods), 97
- qoffset.x<- (qoffset_x-methods), 97
- qoffset.x<-,nifti-method
 - (qoffset_x-methods), 97
- qoffset.y (qoffset_y-methods), 98
- qoffset.y,nifti-method
 - (qoffset_y-methods), 98
- qoffset.y<- (qoffset_y-methods), 98
- qoffset.y<-,nifti-method
 - (qoffset_y-methods), 98
- qoffset.z (qoffset_z-methods), 100
- qoffset.z,nifti-method
 - (qoffset_z-methods), 100
- qoffset.z<- (qoffset_z-methods), 100
- qoffset.z<-,nifti-method
 - (qoffset_z-methods), 100
- qoffset_x (qoffset_x-methods), 97
- qoffset_x,nifti-method
 - (qoffset_x-methods), 97
- qoffset_x,niftiImage-method
 - (qoffset_x-methods), 97
- qoffset_x-methods, 97
- qoffset_x-methods, (qoffset_x-methods), 97
- qoffset_x<- (qoffset_x-methods), 97
- qoffset_x<-,nifti-method
 - (qoffset_x-methods), 97

- qoffset_x<- ,niftiImage-method
(qoffset_x-methods), 97
- qoffset_y (qoffset_y-methods), 98
- qoffset_y, nifti-method
(qoffset_y-methods), 98
- qoffset_y, niftiImage-method
(qoffset_y-methods), 98
- qoffset_y-methods, 98
- qoffset_y-methods, (qoffset_y-methods),
98
- qoffset_y<- (qoffset_y-methods), 98
- qoffset_y<- ,nifti-method
(qoffset_y-methods), 98
- qoffset_y<- ,niftiImage-method
(qoffset_y-methods), 98
- qoffset_z (qoffset_z-methods), 100
- qoffset_z, nifti-method
(qoffset_z-methods), 100
- qoffset_z, niftiImage-method
(qoffset_z-methods), 100
- qoffset_z-methods, 100
- qoffset_z-methods, (qoffset_z-methods),
100
- qoffset_z<- (qoffset_z-methods), 100
- qoffset_z<- ,nifti-method
(qoffset_z-methods), 100
- qoffset_z<- ,niftiImage-method
(qoffset_z-methods), 100
- quatern.b (quatern_b-methods), 102
- quatern.b, nifti-method
(quatern_b-methods), 102
- quatern.b<- (quatern_b-methods), 102
- quatern.b<- ,nifti-method
(quatern_b-methods), 102
- quatern.c (quatern_c-methods), 104
- quatern.c, nifti-method
(quatern_c-methods), 104
- quatern.c<- (quatern_c-methods), 104
- quatern.c<- ,nifti-method
(quatern_c-methods), 104
- quatern.d (quatern_d-methods), 105
- quatern.d, nifti-method
(quatern_d-methods), 105
- quatern.d<- (quatern_d-methods), 105
- quatern.d<- ,nifti-method
(quatern_d-methods), 105
- quatern_b (quatern_b-methods), 102
- quatern_b, nifti-method
(quatern_b-methods), 102
- quatern_b<- (quatern_b-methods), 102
- quatern_b<- ,nifti-method
(quatern_b-methods), 102
- quatern_b-methods, 102
- quatern_b-methods, (quatern_b-methods),
102
- quatern_b<- (quatern_b-methods), 102
- quatern_b<- ,nifti-method
(quatern_b-methods), 102
- quatern_b<- ,niftiImage-method
(quatern_b-methods), 102
- quatern_c (quatern_c-methods), 104
- quatern_c, nifti-method
(quatern_c-methods), 104
- quatern_c, niftiImage-method
(quatern_c-methods), 104
- quatern_c-methods, 104
- quatern_c-methods, (quatern_c-methods),
104
- quatern_c<- (quatern_c-methods), 104
- quatern_c<- ,nifti-method
(quatern_c-methods), 104
- quatern_c<- ,niftiImage-method
(quatern_c-methods), 104
- quatern_d (quatern_d-methods), 105
- quatern_d, nifti-method
(quatern_d-methods), 105
- quatern_d, niftiImage-method
(quatern_d-methods), 105
- quatern_d-methods, 105
- quatern_d-methods, (quatern_d-methods),
105
- quatern_d<- (quatern_d-methods), 105
- quatern_d<- ,nifti-method
(quatern_d-methods), 105
- quatern_d<- ,niftiImage-method
(quatern_d-methods), 105
- quaternion2mat44 (quaternion2rotation),
101
- quaternion2rotation, 101
- readAFNI, 106, 110
- readANALYZE, 79, 107, 107, 110
- readNIFTI, 79, 107, 108, 109
- regular (regular-methods), 111
- regular, anlz-method (regular-methods),
111
- regular, nifti-method (regular-methods),
111

- regular-methods, 111
- regular-methods, (regular-methods), 111
- regular<- (regular-methods), 111
- regular<-, anlz-method
(regular-methods), 111
- regular<-, nifti-method
(regular-methods), 111
- reorient, 94, 112
- resetSlopeIntercept, 113
- rmgz (rmniigz), 113
- rmhdr (rmniigz), 113
- rmhdrgz (rmniigz), 113
- rmimg (rmniigz), 113
- rmimggz (rmniigz), 113
- rmnii (rmniigz), 113
- rmniigz, 113

- scannum (scannum-methods), 114
- scannum, anlz-method (scannum-methods),
114
- scannum-methods, 114
- scannum-methods, (scannum-methods), 114
- scannum<- (scannum-methods), 114
- scannum<-, anlz-method
(scannum-methods), 114
- scl.inter (scl_inter-methods), 115
- scl.inter, nifti-method
(scl_inter-methods), 115
- scl.inter, niftiImage-method
(scl_inter-methods), 115
- scl.inter<- (scl_inter-methods), 115
- scl.inter<-, nifti-method
(scl_inter-methods), 115
- scl.slope (scl_slope-methods), 116
- scl.slope, nifti-method
(scl_slope-methods), 116
- scl.slope, niftiImage-method
(scl_slope-methods), 116
- scl.slope<- (scl_slope-methods), 116
- scl.slope<-, nifti-method
(scl_slope-methods), 116
- scl_inter (scl_inter-methods), 115
- scl_inter, nifti-method
(scl_inter-methods), 115
- scl_inter, niftiImage-method
(scl_inter-methods), 115
- scl_inter-methods, 115
- scl_inter-methods, (scl_inter-methods),
115

- scl_inter<- (scl_inter-methods), 115
- scl_inter<-, nifti-method
(scl_inter-methods), 115
- scl_slope (scl_slope-methods), 116
- scl_slope, nifti-method
(scl_slope-methods), 116
- scl_slope, niftiImage-method
(scl_slope-methods), 116
- scl_slope-methods, 116
- scl_slope-methods, (scl_slope-methods),
116
- scl_slope<- (scl_slope-methods), 116
- scl_slope<-, nifti-method
(scl_slope-methods), 116
- session.error (session_error-methods),
118
- session.error, anlz-method
(session_error-methods), 118
- session.error, nifti-method
(session_error-methods), 118
- session.error<-
(session_error-methods), 118
- session.error<-, anlz-method
(session_error-methods), 118
- session.error<-, nifti-method
(session_error-methods), 118
- session_error (session_error-methods),
118
- session_error, anlz-method
(session_error-methods), 118
- session_error, nifti-method
(session_error-methods), 118
- session_error-methods, 118
- session_error-methods,
(session_error-methods), 118
- session_error<-
(session_error-methods), 118
- session_error<-, anlz-method
(session_error-methods), 118
- session_error<-, nifti-method
(session_error-methods), 118
- sform (orientation-methods), 82
- sform, nifti-method
(orientation-methods), 82
- sform-methods (orientation-methods), 82
- sform.code (sform_code-methods), 119
- sform.code, nifti-method
(sform_code-methods), 119

- sform.code<- (sform_code-methods), 119
- sform.code<- ,nifti-method
 - (sform_code-methods), 119
- sform_code (sform_code-methods), 119
- sform_code ,nifti-method
 - (sform_code-methods), 119
- sform_code ,niftiImage-method
 - (sform_code-methods), 119
- sform_code-methods, 119
- sform_code-methods,
 - (sform_code-methods), 119
- sform_code<- (sform_code-methods), 119
- sform_code<- ,nifti-method
 - (sform_code-methods), 119
- sform_code<- ,niftiImage-method
 - (sform_code-methods), 119
- show ,afni-method (afni-class), 5
- show ,anlz-method (anlz-class), 8
- show ,nifti-method (nifti-class), 72
- sizeof_hdr (sizeof_hdr-methods), 120
- sizeof_hdr ,anlz-method
 - (sizeof_hdr-methods), 120
- sizeof_hdr ,nifti-method
 - (sizeof_hdr-methods), 120
- sizeof_hdr (sizeof_hdr-methods), 120
- sizeof_hdr ,anlz-method
 - (sizeof_hdr-methods), 120
- sizeof_hdr ,nifti-method
 - (sizeof_hdr-methods), 120
- sizeof_hdr-methods, 120
- sizeof_hdr-methods,
 - (sizeof_hdr-methods), 120
- sizeof_hdr<- (sizeof_hdr-methods), 120
- sizeof_hdr<- ,anlz-method
 - (sizeof_hdr-methods), 120
- sizeof_hdr<- ,nifti-method
 - (sizeof_hdr-methods), 120
- slice (slice-methods), 121
- slice ,afni-method (slice-methods), 121
- slice ,anlz-method (slice-methods), 121
- slice ,ANY-method (slice-methods), 121
- slice ,array-method (slice-methods), 121
- slice ,nifti-method (slice-methods), 121
- slice-methods, 121
- slice.code (slice_code-methods), 124
- slice.code ,nifti-method
 - (slice_code-methods), 124
- slice.code<- (slice_code-methods), 124
- slice.code<- ,nifti-method
 - (slice_code-methods), 124
- slice.code<- ,niftiImage-method
 - (slice_code-methods), 124
- slice.duration
 - (slice_duration-methods), 125
- slice.duration ,nifti-method
 - (slice_duration-methods), 125
- slice.duration<-
 - (slice_duration-methods), 125
- slice.duration<- ,nifti-method
 - (slice_duration-methods), 125
- slice.end (slice_end-methods), 126
- slice.end ,nifti-method
 - (slice_end-methods), 126
- slice.end ,niftiImage-method
 - (slice_end-methods), 126
- slice.end<- (slice_end-methods), 126
- slice.end<- ,nifti-method
 - (slice_end-methods), 126
- slice.end<- ,niftiImage-method
 - (slice_end-methods), 126
- slice.nifti (slice-methods), 121
- slice.start (slice_start-methods), 132
- slice.start ,nifti-method
 - (slice_start-methods), 132
- slice.start ,niftiImage-method
 - (slice_start-methods), 132
- slice.start<- (slice_start-methods), 132
- slice.start<- ,nifti-method
 - (slice_start-methods), 132
- slice.start<- ,niftiImage-method
 - (slice_start-methods), 132
- slice_code (slice_code-methods), 124
- slice_code ,nifti-method
 - (slice_code-methods), 124
- slice_code ,niftiImage-method
 - (slice_code-methods), 124
- slice_code-methods, 124
- slice_code-methods,
 - (slice_code-methods), 124
- slice_code<- (slice_code-methods), 124
- slice_code<- ,nifti-method
 - (slice_code-methods), 124
- slice_code<- ,niftiImage-method
 - (slice_code-methods), 124
- slice_duration
 - (slice_duration-methods), 125
- slice_duration ,nifti-method
 - (slice_duration-methods), 125

- slice_duration, niftiImage-method
(slice_duration-methods), 125
- slice_duration-methods, 125
- slice_duration-methods,
(slice_duration-methods), 125
- slice_duration<-
(slice_duration-methods), 125
- slice_duration<- , nifti-method
(slice_duration-methods), 125
- slice_duration<- , niftiImage-method
(slice_duration-methods), 125
- slice_end (slice_end-methods), 126
- slice_end, nifti-method
(slice_end-methods), 126
- slice_end, niftiImage-method
(slice_end-methods), 126
- slice_end-methods, 126
- slice_end-methods, (slice_end-methods),
126
- slice_end<- (slice_end-methods), 126
- slice_end<- , nifti-method
(slice_end-methods), 126
- slice_end<- , niftiImage-method
(slice_end-methods), 126
- slice_overlay (slice_overlay-methods),
128
- slice_overlay, afni, afni-method
(slice_overlay-methods), 128
- slice_overlay, afni, array-method
(slice_overlay-methods), 128
- slice_overlay, anlz, anlz-method
(slice_overlay-methods), 128
- slice_overlay, anlz, array-method
(slice_overlay-methods), 128
- slice_overlay, anlz, nifti-method
(slice_overlay-methods), 128
- slice_overlay, array, anlz-method
(slice_overlay-methods), 128
- slice_overlay, array, array-method
(slice_overlay-methods), 128
- slice_overlay, array, nifti-method
(slice_overlay-methods), 128
- slice_overlay, nifti, anlz-method
(slice_overlay-methods), 128
- slice_overlay, nifti, array-method
(slice_overlay-methods), 128
- slice_overlay, nifti, missing-method
(slice_overlay-methods), 128
- slice_overlay, nifti, nifti-method
(slice_overlay-methods), 128
- slice_overlay, nifti, nifti-method
(slice_overlay-methods), 128
- slice_overlay, nifti, nifti-method
(slice_overlay-methods), 128
- slice_start (slice_start-methods), 132
- slice_start, nifti-method
(slice_start-methods), 132
- slice_start, niftiImage-method
(slice_start-methods), 132
- slice_start-methods, 132
- slice_start-methods,
(slice_start-methods), 132
- slice_start<- (slice_start-methods), 132
- slice_start<- , nifti-method
(slice_start-methods), 132
- slice_start<- , niftiImage-method
(slice_start-methods), 132
- smax (smax-methods), 134
- smax, anlz-method (smax-methods), 134
- smax-methods, 134
- smax-methods, (smax-methods), 134
- smax<- (smax-methods), 134
- smax<- , anlz-method (smax-methods), 134
- smin (smin-methods), 135
- smin, anlz-method (smin-methods), 135
- smin-methods, 135
- smin-methods, (smin-methods), 135
- smin<- (smin-methods), 135
- smin<- , anlz-method (smin-methods), 135
- space.time2xyz (xyz2space), 157
- srow.x (srow_x-methods), 136
- srow.x, nifti-method (srow_x-methods),
136
- srow.x<- (srow_x-methods), 136
- srow.x<- , nifti-method (srow_x-methods),
136
- srow.y (srow_y-methods), 137
- srow.y, nifti-method (srow_y-methods),
137
- srow.y<- (srow_y-methods), 137
- srow.y<- , nifti-method (srow_y-methods),
137
- srow.z (srow_z-methods), 138
- srow.z, nifti-method (srow_z-methods),
138
- srow.z<- (srow_z-methods), 138
- srow.z<- , nifti-method (srow_z-methods),

- 138
- srow_x (srow_x-methods), 136
- srow_x,nifti-method (srow_x-methods), 136
- srow_x,niftiImage-method (srow_x-methods), 136
- srow_x-methods, 136
- srow_x-methods, (srow_x-methods), 136
- srow_x<- (srow_x-methods), 136
- srow_x<-,nifti-method (srow_x-methods), 136
- srow_x<-,niftiImage-method (srow_x-methods), 136
- srow_y (srow_y-methods), 137
- srow_y,nifti-method (srow_y-methods), 137
- srow_y,niftiImage-method (srow_y-methods), 137
- srow_y-methods, 137
- srow_y-methods, (srow_y-methods), 137
- srow_y<- (srow_y-methods), 137
- srow_y<-,nifti-method (srow_y-methods), 137
- srow_y<-,niftiImage-method (srow_y-methods), 137
- srow_z (srow_z-methods), 138
- srow_z,nifti-method (srow_z-methods), 138
- srow_z,niftiImage-method (srow_z-methods), 138
- srow_z-methods, 138
- srow_z-methods, (srow_z-methods), 138
- srow_z<- (srow_z-methods), 138
- srow_z<-,nifti-method (srow_z-methods), 138
- srow_z<-,niftiImage-method (srow_z-methods), 138
- start_field (start_field-methods), 139
- start_field,anlz-method (start_field-methods), 139
- start_field-methods, 139
- start_field-methods, (start_field-methods), 139
- start_field<- (start_field-methods), 139
- start_field<-,anlz-method (start_field-methods), 139
- structure, 7, 10, 73
- terrain.colors, 55, 141
- tim.colors, 55, 140
- toffset (toffset-methods), 141
- toffset,nifti-method (toffset-methods), 141
- toffset,niftiImage-method (toffset-methods), 141
- toffset-methods, 141
- toffset-methods, (toffset-methods), 141
- toffset<- (toffset-methods), 141
- toffset<-,nifti-method (toffset-methods), 141
- toffset<-,niftiImage-method (toffset-methods), 141
- topo.colors, 55, 141
- translateCoordinate, 142
- unused1 (unused1-methods), 143
- unused1,anlz-method (unused1-methods), 143
- unused1-methods, 143
- unused1-methods, (unused1-methods), 143
- unused1<- (unused1-methods), 143
- unused1<-,anlz-method (unused1-methods), 143
- vector, 7, 10, 73
- verified (verified-methods), 144
- verified,anlz-method (verified-methods), 144
- verified-methods, 144
- verified-methods, (verified-methods), 144
- verified<- (verified-methods), 144
- verified<-,anlz-method (verified-methods), 144
- views (views-methods), 145
- views,anlz-method (views-methods), 145
- views-methods, 145
- views-methods, (views-methods), 145
- views<- (views-methods), 145
- views<-,anlz-method (views-methods), 145
- vols.added (vols_added-methods), 146
- vols.added,anlz-method (vols_added-methods), 146
- vols.added,nifti-method (vols_added-methods), 146
- vols.added<- (vols_added-methods), 146
- vols.added<-,anlz-method (vols_added-methods), 146

- vox_units (vox_units-methods), 146
- vox_units, anlz-method
 - (vox_units-methods), 146
- vox_units-methods, 146
- vox_units-methods,
 - (vox_units-methods), 146
- vox_units<- (vox_units-methods), 146
- vox_units<-, anlz-method
 - (vox_units-methods), 146
- vox.offset (vox_offset-methods), 148
- vox.offset, anlz-method
 - (vox_offset-methods), 148
- vox.offset, nifti-method
 - (vox_offset-methods), 148
- vox.offset, niftiImage-method
 - (vox_offset-methods), 148
- vox.offset<- (vox_offset-methods), 148
- vox.offset<-, anlz-method
 - (vox_offset-methods), 148
- vox.offset<-, nifti-method
 - (vox_offset-methods), 148
- vox.units (vox_units-methods), 150
- vox.units, anlz-method
 - (vox_units-methods), 150
- vox.units, nifti-method
 - (vox_units-methods), 150
- vox.units<- (vox_units-methods), 150
- vox.units<-, anlz-method
 - (vox_units-methods), 150
- vox_offset (vox_offset-methods), 148
- vox_offset, anlz-method
 - (vox_offset-methods), 148
- vox_offset, nifti-method
 - (vox_offset-methods), 148
- vox_offset, niftiImage-method
 - (vox_offset-methods), 148
- vox_offset-methods, 148
- vox_offset-methods,
 - (vox_offset-methods), 148
- vox_offset<- (vox_offset-methods), 148
- vox_offset<-, anlz-method
 - (vox_offset-methods), 148
- vox_offset<-, nifti-method
 - (vox_offset-methods), 148
- vox_units (vox_units-methods), 150
- vox_units, anlz-method
 - (vox_units-methods), 150
- vox_units-methods, 150
- vox_units-methods, (vox_units-methods),
 - 150
- vox_units<- (vox_units-methods), 150
- vox_units<-, anlz-method
 - (vox_units-methods), 150
- voxdim, 147
- voxres, 148
- writeAFNI, 153, 156
- writeAFNI (writeAFNI-methods), 151
- writeAFNI, afni-method
 - (writeAFNI-methods), 151
- writeAFNI, ANY-method
 - (writeAFNI-methods), 151
- writeAFNI-methods, 151
- writeANALYZE, 152, 156
- writeANALYZE (writeANALYZE-methods), 152
- writeANALYZE, anlz-method
 - (writeANALYZE-methods), 152
- writeANALYZE-methods, 152
- writeNIFTI, 81, 84, 152, 153
- writeNIFTI (writeNIFTI-methods), 154
- writeNIFTI, anlz-method
 - (writeNIFTI-methods), 154
- writeNIFTI, array-method
 - (writeNIFTI-methods), 154
- writeNIFTI, nifti-method
 - (writeNIFTI-methods), 154
- writeNIFTI, niftiExtension-method
 - (writeNIFTI-methods), 154
- writeNIFTI-methods, 154
- xyzt.units (xyzt_units-methods), 159
- xyzt.units, nifti-method
 - (xyzt_units-methods), 159
- xyzt.units<- (xyzt_units-methods), 159
- xyzt.units<-, nifti-method
 - (xyzt_units-methods), 159
- xyzt2space, 157
- xyzt2time (xyzt2space), 157
- xyzt_units (xyzt_units-methods), 159
- xyzt_units, nifti-method
 - (xyzt_units-methods), 159
- xyzt_units, niftiImage-method
 - (xyzt_units-methods), 159
- xyzt_units-methods, 159
- xyzt_units-methods,
 - (xyzt_units-methods), 159
- xyzt_units<- (xyzt_units-methods), 159

xyzt_units<-,nifti-method
 (xyzt_units-methods), [159](#)
xyzt_units<-,niftiImage-method
 (xyzt_units-methods), [159](#)
zero_trans (resetSlopeIntercept), [113](#)