Package 'radlibs'

October 14, 2022

Type Package Title Build Your Own Madlibs! Version 0.2.0 Maintainer Stephanie Kirmer < stephanie@stephaniekirmer.com> Description Make your phrase or sentence into something funny! Pass a string with the keywords in, and get out a bit of humor. License BSD_3_clause + file LICENSE Encoding UTF-8 LazyData true RoxygenNote 7.1.1 **Depends** R (>= 3.5.0) **Imports** data.table, lexicon, stringr (>= 1.4), utils Suggests testthat NeedsCompilation no Author Stephanie Kirmer [aut, cre] **Repository** CRAN Date/Publication 2020-07-15 16:50:02 UTC

R topics documented:

	humor_dataset	
	POSTagger	3
	proper_nouns	4
		_
X		5

Index

humor_dataset

Description

A dataset compiled by Tomas Englethaler for his research on humor. https://github.com/tomasengelthaler/HumorNorms Please visit his page for more details on the methodology used to score words.

Usage

data(humor_dataset)

Format

A data frame with 4997 rows and 16 variables:

word string of the actual word mean mean of humor rating across all audiences mean_F mean of humor rating (women) mean_M mean of humor rating (men) mean_old mean of humor rating (old) mean_young mean of humor rating (young) **n** audience size **n_F** audience size (women) **n_M** audience size (men) n_old audience size (old) **n_young** audience size (young) sd sd of humor rating across all audiences sd_F sd humor rating (women) sd_M sd of humor rating (men) sd_old sd humor rating (old) sd_young sd of humor rating (young)

Source

https://github.com/tomasengelthaler/HumorNorms

makeRadlibs

makeRadlibs

Description

makeRadlibs

Usage

```
makeRadlibs(phrase, wordset = NA)
```

Arguments

phrase	String including any number of the words noun, verb, adjective, adverb, plural, or interjection enclosed in curly braces
wordset	Data table of your choosing with columns "word" and "pos" at the minimum. Preferably all lowercase.

Value

New string replacing the keywords with alternatives. Hopefully funny.

Examples

Not run: makeRadlibs("not sure if i should {verb} or {verb} because it's an {adjective} {noun}")

POSTagger POSTagger

Description

POSTagger

Usage

```
POSTagger(wordDF)
```

Arguments

wordDF Dataframe including one column labeled "word" for tagging

Value

Original dataframe including part of speech columns.

Examples

```
## Not run: newwords <- data.frame(word = c("cat", "green", "slowly"))
POSTagger(newwords)
## End(Not run)</pre>
```

proper_nouns

A list of English proper nouns with the classifications.

Description

A dataset derived from https://www.kaggle.com/vered1986/propernames-categories/version/1. The words are British focused, and I have adjusted some classifications to be easier for users to work with.

Usage

data(proper_nouns)

Format

A data frame with 747 rows and 2 variables:

word string of the actual word

pos part of speech (aka celebrity, place, etc)

Source

https://www.kaggle.com/vered1986/propernames-categories/version/1

4

Index

* datasets

humor_dataset, 2
proper_nouns, 4

humor_dataset, 2

makeRadlibs, 3

POSTagger, 3 proper_nouns, 4