

```

##TITLE=Tiny IR Spectrum for Demo
##JCAMP-DX=4.24
##DATA TYPE=INFRARED SPECTRUM
##OWNER= GPL-3 (modified from BRUKER1.JCM (IUPAC) by B. Hanson)
##XUNITS=1/CM
##YUNITS=TRANSMITTANCE
##FIRSTX= 4000.655017
##LASTX= 400.1619262
##DELTA= -9.64245605E-1
##MAXY= 95.83563804
##MINY= -2.87246704E-1
##XFACTOR= 4.882812500E-4
##YFACTOR= 1.220703125E-2
##NPOINTS= 612
##FIRSTY= 7493

```

```

##XYDATA=(X++(Y..Y))
4861896G493jknkJlKjJlKjOkNTjNKJNKMLmKqMnKkOjJKJKTNNMNKJMjKTJTKMlKlKJ
4729586G542nNjKmJMjMjLjKmkLlTlJkNjMLN%TMKl%Kj%mkjKTlokmaqkj0oTrj4j3j9k3k8l8
4611099G336m7o0q2j07j38j73k10k40k62k53k11j55p2K0J09J76K11K28K20J97J70J45J22J01
4563705G025Q6P00N1M4L8L2K8K4K1J7J8J1RTQNMtKMTjNLNMJULJKUJjJkTnmKTLTJ0LRMULJM
4453117G637JTLJKTJLkKLlLjJLkjtMjJlJkLlKlJkKjJKTJlJkKJlKtKlTjKJTMJTK
4320808G688JTKLjJOkjJtJTKkKUKjLNkmlJlLJkL0mjKkMJTTkNkKJjkJjLmKJkKkLJmJL
4186523G715jTKLkLJLkKjJkUKUKJKTlJkNmJLmNJjUMkLkTUjMKJKjj3J1PnMKLJTKjMkK
4050263G750JjKJTKJqNKJlKlKtPnMlKkLlJujT0j9J8kjKkLlLkLmMjJNj1j2K0lQj5
3929802G753k9L4QmOkMnJMkNJTkJKJlKtMqKk4Lk3KJlJNLkLJLmNjKjLl8JK7lJ0MjLlJ
3811316G794JkMkMpKkMmTnPJ5r1J2Q0k2J7kTjQ6rPq0mn3L1K3Lm8L3K0j4J3p0jrMTkJl ##END=

```

Key to the above:

- **Entire File**. Input for findVariableLists, as a vector of character strings.
- **Metadata**. Input for extractParams, as a vector of character strings.
- **Variable List**. Input for processVariableList and processYYY, as a vector of character strings.

The entire file is the input to findVariableLists. Here are two raw lines from the variable list; each is a character vector of length one:

```

[1] "4861896G493jknkJlKjJlKjOkNTjNKJNKMLmKqMnKkOjJKJKTNNMNKJMjKTJTKMlKlKJ"
[2] "4729586G542nNjKmJMjMjLjKmkLlTlJkNjMLN%TMKl%Kj%mkjKTlokmaqkj0oTrj4j3j9k3k8l8"

```

The input to decompLines and getComp is a vector of named raw lines:

```

Line_17
"4861896G493jknkJlKjJlKjOkNTjNKJNKMLmKqMnKkOjJKJKTNNMNKJMjKTJTKMlKlKJ"
Line_18
"4729586G542nNjKmJMjMjLjKmkLlTlJkNjMLN%TMKl%Kj%mkjKTlokmaqkj0oTrj4j3j9k3k8l8"

```

The input to unSQZ, insertDUPS, deDIF and yValueCheck is a named list of lines. Each raw line has been split into the individual pieces and named according to its compression mode:

\$Line_17

NUM	SQZ	DIF	DIF	DIF	DIF	DIF	DIF
"4861896"	"G493"	"j"	"k"	"n"	"k"	"J"	"l"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"k"	"J"	"j"	"J"	"l"	"K"	"%"	"j"
DIF	DIF	DIF	DIF	DUP	DIF	DIF	DIF
"O"	"%"	"k"	"N"	"T"	"j"	"N"	"K"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"J"	"N"	"K"	"M"	"l"	"m"	"K"	"q"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"%"	"M"	"n"	"K"	"k"	"%"	"O"	"j"
DIF	DIF	DIF	DIF	DUP	DIF	DIF	DIF
"J"	"K"	"J"	"K"	"T"	"N"	"%"	"N"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"M"	"%"	"N"	"K"	"%"	"J"	"M"	"%"
DIF	DIF	DIF	DUP	DIF	DUP	DIF	DIF
"J"	"j"	"K"	"T"	"J"	"T"	"k"	"M"
DIF	DIF	DIF	DIF	DIF			
"l"	"K"	"l"	"K"	"J"			

The input to unDIF is a character vector with entries named with ASDF mode:

NUM	SQZ	DIF	DIF	DIF	DIF	DIF	DIF
"4861896"	"G493"	"j"	"k"	"n"	"k"	"J"	"l"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"k"	"J"	"j"	"J"	"l"	"K"	"%"	"j"
DIF	DIF	DIF	DIF	DUP	DIF	DIF	DIF
"O"	"%"	"k"	"N"	"T"	"j"	"N"	"K"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"J"	"N"	"K"	"M"	"l"	"m"	"K"	"q"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"%"	"M"	"n"	"K"	"k"	"%"	"O"	"j"
DIF	DIF	DIF	DIF	DUP	DIF	DIF	DIF
"J"	"K"	"J"	"K"	"T"	"N"	"%"	"N"
DIF	DIF	DIF	DIF	DIF	DIF	DIF	DIF
"M"	"%"	"N"	"K"	"%"	"J"	"M"	"%"
DIF	DIF	DIF	DUP	DIF	DUP	DIF	DIF
"J"	"j"	"K"	"T"	"J"	"T"	"k"	"M"
DIF	DIF	DIF	DIF	DIF			
"l"	"K"	"l"	"K"	"J"			

The input to repDUPS is a character vector with length one:

DUP
"T"