

Package ‘restez’

March 7, 2025

Type Package

Title Create and Query a Local Copy of 'GenBank' in R

Version 2.1.5

Maintainer Joel H. Nitta <joelnitta@gmail.com>

Description Download large sections of 'GenBank' <<https://www.ncbi.nlm.nih.gov/genbank/>> and generate a local SQL-based database. A user can then query this database using 'restez' functions or through 'rentrez' <<https://CRAN.R-project.org/package=rentrez>> wrappers.

URL <https://github.com/ropensci/restez>,
<https://docs.ropensci.org/restez/>

BugReports <https://github.com/ropensci/restez/issues>

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 3.3.0)

Imports utils, rentrez, DBI (>= 1.0.0), curl, cli, crayon, stringi,
duckdb, fs, assertthat, ape

Suggests sessioninfo, testthat, knitr, R.utils, rmarkdown, mockery

RoxygenNote 7.3.2

NeedsCompilation no

Author Joel H. Nitta [aut, cre] (<<https://orcid.org/0000-0003-4719-7472>>),
Dom Bennett [aut] (<<https://orcid.org/0000-0003-2722-1359>>)

Repository CRAN

Date/Publication 2025-03-07 00:00:02 UTC

Contents

add_rcrd_log	4
cat_line	4
char	5
check_connection	6
cleanup	7
connected	7
connection_get	8
count_db_ids	9
db_create	10
db_delete	12
db_download	12
db_download_intern	14
db_sqlngths_get	15
db_sqlngths_log	15
demo_db_create	16
dir_size	17
dwnld_path_get	18
dwnld_rcrd_log	18
entrez_fasta_get	19
entrez_fetch	20
entrez_gb_get	21
extract_accession	22
extract_by_patterns	23
extract_clean_sequence	24
extract_definition	25
extract_features	26
extract_inforecpart	27
extract_keywords	28
extract_locus	29
extract_organism	30
extract_seqrecpart	31
extract_sequence	32
extract_version	33
filename_log	34
file_download	34
flatfile_read	35
gbrelease_check	36
gbrelease_get	37
gbrelease_log	37
gb_build	38
gb_definition_get	39
gb_df_create	40
gb_df_generate	41
gb_extract	42
gb_fasta_get	43
gb_organism_get	44

gb_record_get	45
gb_sequence_get	45
gb_sql_add	46
gb_sql_query	47
gb_version_get	48
has_data	49
identify_downloadable_files	49
is_in_db	50
last_add_get	51
last_dwnld_get	52
last_entry_get	52
latest_genbank_release	53
latest_genbank_release_notes	54
list_db_ids	54
message_missing	55
mock_def	56
mock_gb_df_generate	57
mock_org	58
mock_rec	59
mock_seq	60
ncbi_acc_get	60
predict_datasizes	61
print.status	62
readme_log	63
record	63
restez_connect	64
restez_disconnect	65
restez_path_check	65
restez_path_get	66
restez_path_set	66
restez_path_unset	67
restez_ready	68
restez_rl	68
restez_status	69
search_gz	70
seshinfo_log	71
setup	71
slctn_get	72
slctn_log	73
sql_path_get	73
stat	74
status_class	75
testdatadir_get	75

add_rcrd_log	<i>Log files added to the SQL database in the restez path</i>
--------------	---

Description

This function is called whenever sequence files have been successfully added to the nucleotide SQL database. Row entries are added to 'add_lot.tsv' in the user's restez path containing the filename, GB release numbers and the time of successful adding. The log is to help users keep track of when sequences have been added.

Usage

```
add_rcrd_log(fl)
```

Arguments

fl	filename, character
----	---------------------

See Also

Other private: [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

cat_line	<i>Cat lines</i>
----------	------------------

Description

Helper function for printing lines to console. Automatically formats lines by adding newlines.

Usage

```
cat_line(...)
```

Arguments

... Text to print, character

See Also

Other private: [add_rcrd_log\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

char

Print green

Description

Print to console green text to indicate a name/filepath/text

Usage

char(x)

Arguments

x Text to print, character

Value

coloured character encoding, character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#),

gbrelease_get(), gbrelease_log(), has_data(), identify_downloadable_files(), last_add_get(), last_dwnld_get(), last_entry_get(), latest_genbank_release(), latest_genbank_release_notes(), message_missing(), mock_def(), mock_gb_df_generate(), mock_org(), mock_rec(), mock_seq(), predict_datasizes(), readme_log(), restez_connect(), restez_disconnect(), restez_path_check(), restez_rl(), search_gz(), seshinfo_log(), setup(), slctn_get(), slctn_log(), sql_path_get(), stat(), status_class(), testdatadir_get()

check_connection	<i>Helper function to test if a stable internet connection can be established.</i>
------------------	--

Description

All retrieval functions need a stable internet connection to work properly. This internal function pings the google homepage and throws an error if it cannot be reached.

Usage

```
check_connection()
```

Author(s)

Hajk-Georg Drost

See Also

Other private: add_rcrd_log(), cat_line(), char(), cleanup(), connected(), connection_get(), db_download_intern(), db_sqlngths_get(), db_sqlngths_log(), dir_size(), dwnld_path_get(), dwnld_rcrd_log(), entrez_fasta_get(), entrez_gb_get(), extract_accession(), extract_by_patterns(), extract_clean_sequence(), extract_definition(), extract_features(), extract_inforecpart(), extract_keywords(), extract_locus(), extract_organism(), extract_seqrecpart(), extract_sequence(), extract_version(), file_download(), filename_log(), flatfile_read(), gb_build(), gb_df_create(), gb_df_generate(), gb_sql_add(), gb_sql_query(), gbrelease_check(), gbrelease_get(), gbrelease_log(), has_data(), identify_downloadable_files(), last_add_get(), last_dwnld_get(), last_entry_get(), latest_genbank_release(), latest_genbank_release_notes(), message_missing(), mock_def(), mock_gb_df_generate(), mock_org(), mock_rec(), mock_seq(), predict_datasizes(), readme_log(), restez_connect(), restez_disconnect(), restez_path_check(), restez_rl(), search_gz(), seshinfo_log(), setup(), slctn_get(), slctn_log(), sql_path_get(), stat(), status_class(), testdatadir_get()

cleanup	<i>Clean up test data</i>
---------	---------------------------

Description

Removes all temporary test data created.

Usage

```
cleanup()
```

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

connected	<i>Is restez connected?</i>
-----------	-----------------------------

Description

Returns TRUE if a restez SQL database has been connected.

Usage

```
connected()
```

Value

Logical

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwld_path_get()`, `dwld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`, `testdatadir_get()`

connection_get

Retrieve restez connection

Description

Safely acquire the restez connection. Raises error if no connection set.

Usage

```
connection_get()
```

Value

connection

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwld_path_get()`, `dwld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`, `testdatadir_get()`

count_db_ids	<i>Return the number of ids</i>
--------------	---------------------------------

Description

Return the number of ids in a user's restez database.

Usage

```
count_db_ids(db = "nucleotide")
```

Arguments

db character, database name

Details

Requires an open connection. If no connection or db 0 is returned.

Value

integer

See Also

Other database: [db_create\(\)](#), [db_delete\(\)](#), [db_download\(\)](#), [demo_db_create\(\)](#), [is_in_db\(\)](#), [list_db_ids\(\)](#)

Examples

```
library(restez)
restez_path_set(filepath = tempdir())
demo_db_create(n = 5)
(count_db_ids())

# delete demo after example
db_delete(everything = TRUE)
```

db_create	<i>Create new NCBI database</i>
-----------	---------------------------------

Description

Create a new local SQL database from downloaded files. Currently only GenBank/nucleotide/nuccore database is supported.

Usage

```
db_create(
  db_type = "nucleotide",
  min_length = 0,
  max_length = NULL,
  acc_filter = NULL,
  invert = FALSE,
  alt_restez_path = NULL,
  scan = FALSE
)
```

Arguments

db_type	character, database type
min_length	Minimum sequence length, default 0.
max_length	Maximum sequence length, default NULL.
acc_filter	Character vector; accessions to include or exclude from the database as specified by invert.
invert	Logical vector of length 1; if TRUE, accessions in acc_filter will be excluded from the database; if FALSE, only accessions in acc_filter will be included in the database. Default FALSE.
alt_restez_path	Alternative restez path if you would like to use the downloads from a different restez path.
scan	Logical vector of length 1; should the sequence file be scanned for accessions in acc_filter prior to processing? Requires zgrep to be installed (so does not work on Windows). Only used if acc_filter is not NULL and invert is FALSE. Default FALSE.

Details

All .seq.gz files are added to the database by default. A user can specify minimum/maximum sequence lengths or accession numbers to limit the sequences to be added to the database – smaller databases are faster to search. The final selection of sequences is the result of applying all filters (acc_filter, min_length, max_length) in combination.

The scan option can decrease the time needed to build a database if only a small number of sequences should be written to the database compared to the number of the sequences downloaded

from GenBank; i.e., if many of the files downloaded from GenBank do not contain any sequences that should be written to the database. When set to TRUE, if a file does not contain any of the accessions in `acc_filter`, further processing of that file will be skipped and none of the sequences it contains will be added to the database.

Alternatively, a user can use the `alt_restez_path` to add the files from an alternative `reste` file path. For example, you may wish to have a database of all environmental sequences but then an additional smaller one of just the sequences with lengths below 100 bp. Instead of having to download all environmental sequences twice, you can generate multiple `reste` databases using the same downloaded files from a single `reste` path.

This function will not overwrite a pre-existing database. Old databases must be deleted before a new one can be created. Use `db_delete()` with `everything=FALSE` to delete an SQL database.

Connections/disconnections to the database are made automatically.

See Also

Other database: [count_db_ids\(\)](#), [db_delete\(\)](#), [db_download\(\)](#), [demo_db_create\(\)](#), [is_in_db\(\)](#), [list_db_ids\(\)](#)

Examples

```
## Not run:
# Example of general usage
library(restez)
reste_path_set(filepath = 'path/for/downloads/and/database')
db_download()
db_create()

# Example of using `acc_filter`
#
# Download files to temporary directory
temp_dir <- paste0(tempdir(), "/reste", collapse = "")
dir.create(temp_dir)
reste_path_set(filepath = temp_dir)
# Choose GenBank domain 20 ('unannotated'), the smallest
db_download(preselection = 20)
# Only include three accessions in database
db_create(
  acc_filter = c("AF000122", "AF000123", "AF000124")
)
list_db_ids()
db_delete()
unlink(temp_dir)

## End(Not run)
```

`db_delete`*Delete database*

Description

Delete the local SQL database and/or restez folder.

Usage

```
db_delete(everything = FALSE)
```

Arguments

`everything` T/F, delete the whole restez folder as well?

Details

Any connected database will be automatically disconnected.

See Also

Other database: [count_db_ids\(\)](#), [db_create\(\)](#), [db_download\(\)](#), [demo_db_create\(\)](#), [is_in_db\(\)](#), [list_db_ids\(\)](#)

Examples

```
library(restez)
fp <- tempdir()
restez_path_set(filepath = fp)
demo_db_create(n = 10)
db_delete(everything = FALSE)
# Will not run: gb_sequence_get(id = 'demo_1')
# only the SQL database is deleted
db_delete(everything = TRUE)
# Now returns NULL
(restez_path_get())
```

`db_download`*Download database*

Description

Download .seq.tar files from the latest GenBank release.

Usage

```
db_download(  
  db = "nucleotide",  
  overwrite = FALSE,  
  preselection = NULL,  
  max_tries = 1  
)
```

Arguments

db	Database type, only 'nucleotide' currently available.
overwrite	T/F, overwrite pre-existing downloaded files?
preselection	Character vector of length 1; GenBank domains to download. If not specified (default), a menu will be provided for selection. To specify, provide either a single number or a single character string of numbers separated by spaces, e.g. "19 20" for 'Phage' (19) and 'Unannotated' (20).
max_tries	Numeric vector of length 1; maximum number of times to attempt downloading database (default 1).

Details

In default mode, the user interactively selects the parts (i.e., "domains") of GenBank to download (e.g. primates, plants, bacteria ...). Alternatively, the selected domains can be provided as a character string to preselection.

The max_tries argument is useful for large databases that may otherwise fail due to periodic lapses in internet connectivity. This value can be set to Inf to continuously try until the database download succeeds (not recommended if you do not have an internet connection!).

Value

T/F, if all files download correctly, TRUE else FALSE.

See Also

[ncbi_acc_get\(\)](#)

Other database: [count_db_ids\(\)](#), [db_create\(\)](#), [db_delete\(\)](#), [demo_db_create\(\)](#), [is_in_db\(\)](#), [list_db_ids\(\)](#)

Examples

```
## Not run:  
library(restez)  
restez_path_set(filepath = 'path/for/downloads')  
db_download()  
  
## End(Not run)
```

db_download_intern *Download database (internal version)*

Description

Download .seq.tar files from the latest GenBank release. The user interactively selects the parts of GenBank to download (e.g. primates, plants, bacteria ...). This is an internal function so the download can be wrapped in while() to enable persistent downloading.

Usage

```
db_download_intern(db = "nucleotide", overwrite = FALSE, preselection = NULL)
```

Arguments

db	Database type, only 'nucleotide' currently available.
overwrite	T/F, overwrite pre-existing downloaded files?
preselection	Character vector of length 1; GenBank domains to download. If not specified (default), a menu will be provided for selection. To specify, provide either a single number or a single character string of numbers separated by spaces, e.g. "19 20" for 'Phage' (19) and 'Unannotated' (20).

Details

The downloaded files will appear in the restez filepath under downloads.

Value

T/F, if all files download correctly, TRUE else FALSE.

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

db_sqlngths_get	<i>Return the minimum and maximum sequence lengths in db</i>
-----------------	--

Description

Returns the maximum and minimum sequence lengths as set by the user upon db creation.

Usage

```
db_sqlngths_get()
```

Details

If no file found, returns empty character vector.

Value

vector of integers

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrepart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

db_sqlngths_log	<i>Log the min and max sequence lengths</i>
-----------------	---

Description

Log the min and maximum sequence length used in the created db.

Usage

```
db_sqlngths_log(min_lngth, max_lngth)
```

Arguments

min_lngth	Minimum length
max_lngth	Maximum length

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

demo_db_create	<i>Create demo database</i>
----------------	-----------------------------

Description

Creates a local mock SQL database from package test data for demonstration purposes. No internet connection required.

Usage

```
demo_db_create(db_type = "nucleotide", n = 100)
```

Arguments

db_type	character, database type
n	integer, number of mock sequences

See Also

Other database: [count_db_ids\(\)](#), [db_create\(\)](#), [db_delete\(\)](#), [db_download\(\)](#), [is_in_db\(\)](#), [list_db_ids\(\)](#)

Examples

```

library(restez)
# set the restez path to a temporary dir
restez_path_set(filepath = tempdir())
# create demo database
demo_db_create(n = 5)
# in the demo, IDs are 'demo_1', 'demo_2' ...
(gb_sequence_get(id = 'demo_1'))

# Delete a demo database after an example
db_delete(everything = TRUE)

```

dir_size

*Calculate the size of a directory***Description**

Returns the size of directory in GB

Usage

```
dir_size(fp)
```

Arguments

fp File path, character

Value

numeric

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

dwnld_path_get	<i>Get dwnld path</i>
----------------	-----------------------

Description

Return path to folder where raw .seq files are stored.

Usage

```
dwnld_path_get()
```

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

dwnld_rcrd_log	<i>Log a downloaded file in the restez path</i>
----------------	---

Description

This function is called whenever a file is successfully downloaded. A row entry is added to the 'download_log.tsv' in the user's restez path containing the file name, the GB release number and the time of successfully download. The log is to help users keep track of when they downloaded files and to determine if the downloaded files are out of date.

Usage

```
dwnld_rcrd_log(f1)
```

Arguments

f1 file name, character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

entrez_fasta_get *Get Entrez fasta*

Description

Return fasta format as expected from an Entrez call. If not all IDs are returned, will run `rentrez::entrez_fetch`.

Usage

```
entrez_fasta_get(id, ...)
```

Arguments

id vector, unique ID(s) for record(s)
 ... arguments passed on to `rentrez`

Value

character string containing the file created

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#),

```
extract_version(), file_download(), filename_log(), flatfile_read(), gb_build(), gb_df_create(),
gb_df_generate(), gb_sql_add(), gb_sql_query(), gbrelease_check(), gbrelease_get(),
gbrelease_log(), has_data(), identify_downloadable_files(), last_add_get(), last_dwnld_get(),
last_entry_get(), latest_genbank_release(), latest_genbank_release_notes(), message_missing(),
mock_def(), mock_gb_df_generate(), mock_org(), mock_rec(), mock_seq(), predict_datasizes(),
readme_log(), restez_connect(), restez_disconnect(), restez_path_check(), restez_rl(),
search_gz(), seshinfo_log(), setup(), slctn_get(), slctn_log(), sql_path_get(), stat(),
status_class(), testdatadir_get()
```

entrez_fetch

Entrez_fetch

Description

Wrapper for `rentrez::entrez_fetch`.

Usage

```
entrez_fetch(db, id = NULL, rettype, retmode = "", ...)
```

Arguments

<code>db</code>	character, name of the database
<code>id</code>	vector, unique ID(s) for record(s)
<code>rettype</code>	character, data format
<code>retmode</code>	character, data mode
<code>...</code>	Arguments to be passed on to <code>rentrez</code>

Details

Attempts to first search local database with user-specified parameters, if the record is missing in the database, the function then calls `rentrez::entrez_fetch` to search GenBank remotely.

`rettype='fasta'` and `rettype='gb'` are respectively equivalent to `gb_fasta_get()` and `gb_record_get()`.

Value

character string containing the file created

Supported return types and modes

XML `retmode` is not supported. Rettypes `'seqid'`, `'ft'`, `'acc'` and `'uilst'` are also not supported.

Note

It is advisable to call `restez` and `rentrez` functions with `'::'` notation rather than `library()` calls to avoid namespace issues. e.g. `restez::entrez_fetch()`.

See Also[rentrez::entrez_fetch\(\)](#)**Examples**

```

library(restez)
restez_path_set(tempdir())
demo_db_create(n = 5)
# return fasta record
fasta_res <- entrez_fetch(db = 'nucleotide',
                          id = c('demo_1', 'demo_2'),
                          rettype = 'fasta')

cat(fasta_res)
# return whole GB record in text format
gb_res <- entrez_fetch(db = 'nucleotide',
                      id = c('demo_1', 'demo_2'),
                      rettype = 'gb')

cat(gb_res)
# NOT RUN
# whereas these request would go through rentrez
# fasta_res <- entrez_fetch(db = 'nucleotide',
#                            id = c('S71333', 'S71334'),
#                            rettype = 'fasta')
# gb_res <- entrez_fetch(db = 'nucleotide',
#                        id = c('S71333', 'S71334'),
#                        rettype = 'gb')

# delete demo after example
db_delete(everything = TRUE)

```

`entrez_gb_get`*Get Entrez GenBank record*

Description

Return gb and gbwithparts format as expected from an Entrez call. If not all IDs are returned, will run `rentrez::entrez_fetch`.

Usage

```
entrez_gb_get(id, ...)
```

Arguments

<code>id</code>	vector, unique ID(s) for record(s)
<code>...</code>	arguments passed on to <code>rentrez</code>

Value

character string containing the file created

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwld_path_get()`, `dwld_rcrd_log()`, `entrez_fasta_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`, `testdatadir_get()`

extract_accession	<i>Extract accession</i>
-------------------	--------------------------

Description

Return accession ID from GenBank record

Usage

```
extract_accession(record)
```

Arguments

record	GenBank record in text format, character
--------	--

Details

If element is not found, "" returned.

Value

character

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwld_path_get()`, `dwld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`,

gbrelease_log(), has_data(), identify_downloadable_files(), last_add_get(), last_dwnld_get(), last_entry_get(), latest_genbank_release(), latest_genbank_release_notes(), message_missing(), mock_def(), mock_gb_df_generate(), mock_org(), mock_rec(), mock_seq(), predict_datasizes(), readme_log(), restez_connect(), restez_disconnect(), restez_path_check(), restez_rl(), search_gz(), seshinfo_log(), setup(), slctn_get(), slctn_log(), sql_path_get(), stat(), status_class(), testdatadir_get()

extract_by_patterns *Extract by keyword*

Description

Search through GenBank record for a keyword and return text up to the end_pattern.

Usage

```
extract_by_patterns(record, start_pattern, end_pattern = "\n")
```

Arguments

record	GenBank record in text format, character
start_pattern	REGEX pattern indicating the point to start extraction, character
end_pattern	REGEX pattern indicating the point to stop extraction, character

Details

The start_pattern should be any of the capitalized elements in a GenBank record (e.g. LOCUS, DESCRIPTION, ACCESSION). The end_pattern depends on how much of the selected element a user wants returned. By default, the extraction will stop at the next newline. If keyword or end pattern not found, returns NULL.

Value

character or NULL

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#),

[readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

extract_clean_sequence

Extract clean sequence from sequence part

Description

Return clean sequence from seqrecpart of a GenBank record

Usage

```
extract_clean_sequence(seqrecpart, max_len = 1e+08)
```

Arguments

seqrecpart	Sequence part of a GenBank record, character
max_len	Number: maximum number of characters allowed in a single record before splitting the record into parts. Does not affect output, but only internal calculations, so generally should not be changed. Default = 1e8.

Details

If element is not found, ” returned.

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

extract_definition	<i>Extract definition</i>
--------------------	---------------------------

Description

Return definition from GenBank record.

Usage

```
extract_definition(record)
```

Arguments

record GenBank record in text format, character

Details

If element is not found, "" returned.

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

extract_features	<i>Extract features</i>
------------------	-------------------------

Description

Return feature table as list from GenBank record

Usage

```
extract_features(record)
```

Arguments

record GenBank record in text format, character

Details

If element is not found, empty list returned.

Value

list of lists

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

extract_inforecpart *Extract the information record part*

Description

Return information part from GenBank record

Usage

```
extract_inforecpart(record)
```

Arguments

record GenBank record in text format, character

Details

If element is not found, "" returned.

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

extract_keywords	<i>Extract keywords</i>
------------------	-------------------------

Description

Return keywords as list from GenBank record

Usage

```
extract_keywords(record)
```

Arguments

record GenBank record in text format, character

Details

If element is not found, " " returned.

Value

character vector

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

extract_locus	<i>Extract locus</i>
---------------	----------------------

Description

Return locus information from GenBank record

Usage

```
extract_locus(record)
```

Arguments

record GenBank record in text format, character

Details

If element is not found, "" returned.

Value

named character vector

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

extract_organism	<i>Extract organism</i>
------------------	-------------------------

Description

Return organism name from GenBank record

Usage

```
extract_organism(record)
```

Arguments

record GenBank record in text format, character

Details

If element is not found, "" returned.

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

extract_seqrecpart	<i>Extract the sequence record part</i>
--------------------	---

Description

Return sequence part from GenBank record

Usage

```
extract_seqrecpart(record)
```

Arguments

record GenBank record in text format, character

Details

If element is not found, "" returned.

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

extract_sequence	<i>Extract sequence</i>
------------------	-------------------------

Description

Return sequence from GenBank record

Usage

```
extract_sequence(record)
```

Arguments

record	GenBank record in text format, character
--------	--

Details

If element is not found, "" returned.

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

extract_version	<i>Extract version</i>
-----------------	------------------------

Description

Return accession + version ID from GenBank record

Usage

```
extract_version(record)
```

Arguments

record GenBank record in text format, character

Details

If element is not found, "" returned.

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

filename_log	<i>Write filenames to log files</i>
--------------	-------------------------------------

Description

Record a filename in a log file along with GB release and time.

Usage

```
filename_log(fl, fp)
```

Arguments

fl	file name, character
fp	filepath to log file, character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

file_download	<i>Download a file</i>
---------------	------------------------

Description

Download a GenBank .seq.tar file. Check the file has downloaded properly. If not, returns FALSE. If overwrite is true, any previous file will be overwritten.

Usage

```
file_download(fl, overwrite = FALSE)
```

Arguments

fl character, base filename (e.g. gbpri9.seq) to be downloaded
 overwrite T/F

Value

T/F

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

flatfile_read

Read flatfile sequence records

Description

Read records from a .seq file.

Usage

flatfile_read(flpth)

Arguments

flpth Path to .seq file

Value

list of GenBank records in text format

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwld_path_get()`, `dwld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`, `testdatadir_get()`

gbrelease_check

Check if the last GenBank release number is the latest

Description

Returns TRUE if the GenBank release number is the most recent GenBank release available.

Usage

```
gbrelease_check()
```

Value

logical

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwld_path_get()`, `dwld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`, `testdatadir_get()`

gbrelease_get	<i>Get the GenBank release number in the restez path</i>
---------------	--

Description

Returns the GenBank release number. Returns empty character if none found.

Usage

```
gbrelease_get()
```

Details

If no file found, returns empty character vector.

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infopart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrepart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

gbrelease_log	<i>Log the GenBank release number in the restez path</i>
---------------	--

Description

This function is called whenever `db_download` is run. It logs the GB release number in the 'gb_release.txt' in the user's restez path. The log is to help users keep track of whether their database is out of date.

Usage

```
gbrelease_log(release)
```

Arguments

release GenBank release number, character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

gb_build

Read and add .seq files to database

Description

Given a list of seq_files, read and add the contents of the files to a SQL-like database. If any errors during the process, FALSE is returned.

Usage

```
gb_build(
  dpth,
  seq_files,
  max_length,
  min_length,
  acc_filter = NULL,
  invert = FALSE,
  scan = FALSE
)
```

Arguments

dpth Download path (where seq_files are stored)

seq_files .seq.tar seq file names

max_length Maximum sequence length, default NULL.

min_length Minimum sequence length, default 0.

Value

named vector of definitions, if no results found NULL

See Also

[ncbi_acc_get\(\)](#)

Other get: [gb_fasta_get\(\)](#), [gb_organism_get\(\)](#), [gb_record_get\(\)](#), [gb_sequence_get\(\)](#), [gb_version_get\(\)](#)

Examples

```
library(restez)
restez_path_set(filepath = tempdir())
demo_db_create(n = 5)
(def <- gb_definition_get(id = 'demo_1'))
(defs <- gb_definition_get(id = c('demo_1', 'demo_2'))

# delete demo after example
db_delete(everything = TRUE)
```

gb_df_create

Create GenBank data.frame

Description

Make data.frame from columns vectors for nucleotide entries. As part of `gb_df_generate()`.

Usage

```
gb_df_create(accessions, versions, organisms, definitions, sequences, records)
```

Arguments

accessions	character, vector of accessions
versions	character, vector of accessions + versions
organisms	character, vector of organism names
definitions	character, vector of sequence definitions
sequences	character, vector of sequences
records	character, vector of GenBank records in text format

Value

data.frame

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwncld_path_get()`, `dwncld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwncld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`, `testdatadir_get()`

gb_df_generate

Generate GenBank records data.frame

Description

For a list of records, construct a data.frame for insertion into SQL database.

Usage

```
gb_df_generate(
  records,
  min_length = 0,
  max_length = NULL,
  acc_filter = NULL,
  invert = FALSE
)
```

Arguments

<code>records</code>	character, vector of GenBank records in text format
<code>min_length</code>	Minimum sequence length, default 0.
<code>max_length</code>	Maximum sequence length, default NULL.
<code>acc_filter</code>	Character vector; accessions to include or exclude from the database as specified by <code>invert</code> .
<code>invert</code>	Logical vector of length 1; if TRUE, accessions in <code>acc_filter</code> will be excluded from the database; if FALSE, only accessions in <code>acc_filter</code> will be included in the database. Default FALSE.

Details

The resulting data.frame has five columns: accession, organism, raw_definition, raw_sequence, raw_record. The prefix 'raw_' indicates the data has been converted to the raw format, see ?char-ToRaw, in order to save on RAM. The raw_record contains the entire GenBank record in text format.

Use acc_filter and max and min sequence lengths to minimize the size of the database. All sequences have to be at least as long as min and less than or equal in length to max, unless max is NULL in which there is no maximum length. The final selection of sequences is the result of applying all filters (acc_filter, min_length, max_length) in combination.

Value

data.frame, or NULL if no records pass filters

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

gb_extract

Extract elements of a GenBank record

Description

Return elements of GenBank record e.g. sequence, definition ...

Usage

```
gb_extract(
  record,
  what = c("accession", "version", "organism", "sequence", "definition", "locus",
    "features", "keywords")
)
```

Arguments

record	GenBank record in text format, character
what	Which element to extract

Details

This function uses a REGEX to extract particular elements of a GenBank record. All of the what options return a single character with the exception of 'locus' or 'keywords' that return character vectors and 'features' that returns a list of lists for all features.

The accuracy of these functions cannot be guaranteed due to the enormity of the GenBank database. But the function is regularly tested on a range of GenBank records.

Note: all non-latin1 characters are converted to '-'.

Value

character or list of lists (what='features') or named character vector (what='locus')

Examples

```
library(restz)
data('record')
(gb_extract(record = record, what = 'locus'))
```

gb_fasta_get	<i>Get fasta from GenBank</i>
--------------	-------------------------------

Description

Get sequence and definition data in FASTA format. Equivalent to rettype='fasta' in `rentrez::entrez_fetch()`.

Usage

```
gb_fasta_get(id, width = 70)
```

Arguments

id	character, sequence accession ID(s)
width	integer, maximum number of characters in a line

Value

named vector of fasta sequences, if no results found NULL

See Also

[ncbi_acc_get\(\)](#)

Other get: [gb_definition_get\(\)](#), [gb_organism_get\(\)](#), [gb_record_get\(\)](#), [gb_sequence_get\(\)](#), [gb_version_get\(\)](#)

Examples

```
library(restez)
restez_path_set(filepath = tempdir())
demo_db_create(n = 5)
(fasta <- gb_fasta_get(id = 'demo_1'))
(fastas <- gb_fasta_get(id = c('demo_1', 'demo_2'))))

# delete demo after example
db_delete(everything = TRUE)
```

gb_organism_get	<i>Get organism from GenBank</i>
-----------------	----------------------------------

Description

Return the organism name for an accession ID.

Usage

```
gb_organism_get(id)
```

Arguments

id character, sequence accession ID(s)

Value

named vector of definitions, if no results found NULL

See Also

[ncbi_acc_get\(\)](#)

Other get: [gb_definition_get\(\)](#), [gb_fasta_get\(\)](#), [gb_record_get\(\)](#), [gb_sequence_get\(\)](#), [gb_version_get\(\)](#)

Examples

```
library(restez)
restez_path_set(filepath = tempdir())
demo_db_create(n = 5)
(org <- gb_organism_get(id = 'demo_1'))
(orgs <- gb_organism_get(id = c('demo_1', 'demo_2'))))

# delete demo after example
db_delete(everything = TRUE)
```

gb_record_get	<i>Get record from GenBank</i>
---------------	--------------------------------

Description

Return the entire GenBank record for an accession ID. Equivalent to `rettype='gb'` in `rentrez::entrez_fetch()`.

Usage

```
gb_record_get(id)
```

Arguments

`id` character, sequence accession ID(s)

Value

named vector of records, if no results found NULL

See Also

[ncbi_acc_get\(\)](#)

Other get: [gb_definition_get\(\)](#), [gb_fasta_get\(\)](#), [gb_organism_get\(\)](#), [gb_sequence_get\(\)](#), [gb_version_get\(\)](#)

Examples

```
library(restez)
restez_path_set(filepath = tempdir())
demo_db_create(n = 5)
(rec <- gb_record_get(id = 'demo_1'))
(recs <- gb_record_get(id = c('demo_1', 'demo_2')))
```



```
# delete demo after example
db_delete(everything = TRUE)
```

gb_sequence_get	<i>Get sequence from GenBank</i>
-----------------	----------------------------------

Description

Return the sequence(s) for a record(s) from the accession ID(s).

Usage

```
gb_sequence_get(id, dnabin = FALSE)
```

Arguments

id character, sequence accession ID(s)
dnabin Logical vector of length 1; should the sequences be returned using the bit-level coding scheme of the ape package? Default FALSE.

Details

For more information about the dnabin format, see [ape::DNabin\(\)](#).

Value

named vector of sequences, if no results found NULL

See Also

[ncbi_acc_get\(\)](#)

Other get: [gb_definition_get\(\)](#), [gb_fasta_get\(\)](#), [gb_organism_get\(\)](#), [gb_record_get\(\)](#), [gb_version_get\(\)](#)

Examples

```
library(restez)
restez_path_set(filepath = tempdir())
demo_db_create(n = 5)
(seq <- gb_sequence_get(id = 'demo_1'))
(seqs <- gb_sequence_get(id = c('demo_1', 'demo_2'))))
(fasta_dnabin <- gb_sequence_get(id = 'demo_1', dnabin = TRUE))

# delete demo after example
db_delete(everything = TRUE)
```

gb_sql_add

Add to GenBank SQL database

Description

Add records data.frame to SQL-like database.

Usage

```
gb_sql_add(df)
```

Arguments

df Records data.frame

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwlnld_path_get()`, `dwlnld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwlnld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`, `testdatadir_get()`

gb_sql_query

Query the GenBank SQL

Description

Generic query function for retrieving data from the SQL database for the get functions.

Usage

```
gb_sql_query(nm, id)
```

Arguments

nm	character, column name
id	character, sequence accession ID(s)

Value

data.frame

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwlnld_path_get()`, `dwlnld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwlnld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`,

[readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

gb_version_get	<i>Get version from GenBank</i>
----------------	---------------------------------

Description

Return the accession version for an accession ID.

Usage

```
gb_version_get(id)
```

Arguments

id character, sequence accession ID(s)

Value

named vector of versions, if no results found NULL

See Also

[ncbi_acc_get\(\)](#)

Other get: [gb_definition_get\(\)](#), [gb_fasta_get\(\)](#), [gb_organism_get\(\)](#), [gb_record_get\(\)](#), [gb_sequence_get\(\)](#)

Examples

```
library(restez)
restez_path_set(filepath = tempdir())
demo_db_create(n = 5)
(ver <- gb_version_get(id = 'demo_1'))
(vers <- gb_version_get(id = c('demo_1', 'demo_2')))
```

```
# delete demo after example
db_delete(everything = TRUE)
```

has_data	<i>Does the connected database have data?</i>
----------	---

Description

Returns TRUE if a restez SQL database has data.

Usage

```
has_data()
```

Value

Logical

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

```
identify_downloadable_files
```

Identify downloadable files

Description

Searches through the release notes for a GenBank release to find all listed .seq files. Returns a data.frame for all .seq files and their description.

Usage

```
identify_downloadable_files()
```

Value

data.frame

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

 is_in_db

Is in db

Description

Determine whether an id(s) is/are present in a database.

Usage

```
is_in_db(id, db = "nucleotide")
```

Arguments

id	character, sequence accession ID(s)
db	character, database name

Value

named vector of booleans

See Also

Other database: [count_db_ids\(\)](#), [db_create\(\)](#), [db_delete\(\)](#), [db_download\(\)](#), [demo_db_create\(\)](#), [list_db_ids\(\)](#)

Examples

```
library(restez)
# set the restez path to a temporary dir
restez_path_set(filepath = tempdir())
# create demo database
demo_db_create(n = 5)
# in the demo, IDs are 'demo_1', 'demo_2' ...
```

```
ids <- c('thisisnotanid', 'demo_1', 'demo_2')
(is_in_db(id = ids))
```

```
# delete demo after example
db_delete(everything = TRUE)
```

last_add_get

Return date and time of the last added sequence

Description

Return the date and time of the last added sequence as determined using the 'add_log.tsv'.

Usage

```
last_add_get()
```

Details

If no file found, returns empty character vector.

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

last_dwnld_get	<i>Return date and time of the last download</i>
----------------	--

Description

Return the date and time of the last download as determined using the 'download_log.tsv'.

Usage

```
last_dwnld_get()
```

Details

If no file found, returns empty character vector.

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

last_entry_get	<i>Return the last entry</i>
----------------	------------------------------

Description

Return the last entry from a tab-delimited log file.

Usage

```
last_entry_get(fp)
```

Arguments

fp Filepath, character

Value

vector

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

latest_genbank_release

Retrieve latest GenBank release number

Description

Downloads the latest GenBank release number and returns it.

Usage

```
latest_genbank_release()
```

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#),

```
gb_build(), gb_df_create(), gb_df_generate(), gb_sql_add(), gb_sql_query(), gbrelease_check(),
gbrelease_get(), gbrelease_log(), has_data(), identify_downloadable_files(), last_add_get(),
last_dwnld_get(), last_entry_get(), latest_genbank_release_notes(), message_missing(),
mock_def(), mock_gb_df_generate(), mock_org(), mock_rec(), mock_seq(), predict_datasizes(),
readme_log(), restez_connect(), restez_disconnect(), restez_path_check(), restez_rl(),
search_gz(), seshinfo_log(), setup(), slctn_get(), slctn_log(), sql_path_get(), stat(),
status_class(), testdatadir_get()
```

```
latest_genbank_release_notes
```

Download the latest GenBank Release Notes

Description

Downloads the latest GenBank release notes to a user's restez download path.

Usage

```
latest_genbank_release_notes()
```

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwnld_path_get()`, `dwnld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwnld_get()`, `last_entry_get()`, `latest_genbank_release()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`, `testdatadir_get()`

```
list_db_ids
```

List database IDs

Description

Return a vector of all IDs in a database.

Usage

```
list_db_ids(db = "nucleotide", n = 100)
```

Arguments

db character, database name
n Maximum number of IDs to return, if NULL returns all

Details

Warning: can return very large vectors for large databases.

Value

vector of characters

See Also

Other database: [count_db_ids\(\)](#), [db_create\(\)](#), [db_delete\(\)](#), [db_download\(\)](#), [demo_db_create\(\)](#), [is_in_db\(\)](#)

Examples

```
library(restez)
restez_path_set(filepath = tempdir())
demo_db_create(n = 5)
# Warning: not recommended for real databases
# with potentially millions of IDs
all_ids <- list_db_ids()

# What shall we do with these IDs?
# ... how about make a mock fasta file
seqs <- gb_sequence_get(id = all_ids)
defs <- gb_definition_get(id = all_ids)
# paste together
fasta_seqs <- paste0('>', defs, '\n', seqs)
fasta_file <- paste0(fasta_seqs, collapse = '\n')
cat(fasta_file)

# delete after example
db_delete(everything = TRUE)
```

message_missing *Produce message of missing IDs*

Description

Sends message to console stating number of missing IDs.

Usage

```
message_missing(n)
```

Arguments

n Number of missing IDs

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

mock_def

Mock def

Description

Make a mock sequence definition. Designed to be part of a loop.

Usage

```
mock_def(i)
```

Arguments

i integer, iterator

Value

character

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwld_path_get()`, `dwld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`, `testdatadir_get()`

`mock_gb_df_generate` *Generate mock GenBank records data.frame*

Description

Make a mock nucleotide data.frame for entry into a demonstration SQL database.

Usage

```
mock_gb_df_generate(n)
```

Arguments

`n` integer, number of entries

Value

data.frame

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwld_path_get()`, `dwld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`,

[search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

mock_org

Mock org

Description

Make a mock sequence organism. Designed to be part of a loop.

Usage

```
mock_org(i)
```

Arguments

i integer, iterator

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

mock_rec	<i>Mock rec</i>
----------	-----------------

Description

Create a mock GenBank record for demo-ing and testing purposes. Designed to be part of a loop. Accession, organism... etc. are optional arguments.

Usage

```
mock_rec(
  i,
  definition = NULL,
  accession = NULL,
  version = NULL,
  organism = NULL,
  sequence = NULL
)
```

Arguments

i	integer, iterator
definition	character
accession	character
version	character
organism	character
sequence	character

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

mock_seq	<i>Mock seq</i>
----------	-----------------

Description

Make a mock sequence. Designed to be part of a loop.

Usage

```
mock_seq(i, sqlngth = 10)
```

Arguments

i	integer, iterator
sqlngth	integer, sequence length

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

ncbi_acc_get	<i>Get accession numbers by querying NCBI GenBank</i>
--------------	---

Description

The query string can be formatted using [GenBank advanced query terms](#) to obtain accession numbers corresponding to a specific set of criteria.

Usage

```
ncbi_acc_get(query, strict = TRUE, drop_ver = TRUE)
```

Arguments

query	Character vector of length 1; query string to search GenBank.
strict	Logical vector of length 1; should an error be issued if the number of unique accessions retrieved does not match the number of hits from GenBank? Default TRUE.
drop_ver	Logical vector of length 1; should the version part of the accession number (e.g., '.1' in 'AB001538.1') be dropped? Default TRUE.

Details

Note this queries NCBI GenBank, not the local database generated with restez.

It can be used either to restrict the accessions used to construct the local database (`acc_filter` argument of `db_create()`) or to specify accessions to read from the local database (`id` argument of `gb_fasta_get()` and other `gb_*_get()` functions).

Value

Character vector; accession numbers resulting from query.

See Also

[db_create\(\)](#), [gb_fasta_get\(\)](#)

Examples

```
## Not run:  
# requires an internet connection  
cmin_accs <- ncbi_acc_get("Crepidomanes minutum")  
length(cmin_accs)  
head(cmin_accs)  
  
## End(Not run)
```

predict_datasizes *Print file size predictions to screen*

Description

Predicts the file sizes of the downloads and the database from the GenBank filesize information. Conversion factors are based on previous restez downloads.

Usage

```
predict_datasizes(uncompressed_filesize)
```

Arguments

uncompressed_filesize
GBs of the stated filesize, numeric

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dnwld_path_get()`, `dnwld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dnwld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`, `testdatadir_get()`

print.status

Print method for status class

Description

Prints to screen the three sections of the status class. Not meant to be used interactively.

Usage

```
## S3 method for class 'status'
print(x, ...)
```

Arguments

x Status object
... Other arguments (not used by this function)

readme_log	<i>Create README in restez_path</i>
------------	-------------------------------------

Description

Write notes for the curious sorts who peruse the restez_path.

Usage

```
readme_log()
```

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

record	<i>Example GenBank record</i>
--------	-------------------------------

Description

Example GenBank record in text format for demonstration purposes.

Usage

```
data("record")
```

Format

A large character object containing record information and DNA sequence.

Source

<https://www.ncbi.nlm.nih.gov/nuccore/AY952423.1>

References

GenBank

Examples

```
data(record)
cat(record)
```

restez_connect	<i>Connect to the restez database</i>
----------------	---------------------------------------

Description

Sets a connection to the local database.

Usage

```
restez_connect(read_only = FALSE)
```

Arguments

read_only	Logical; should the connection be made in read-only mode? Read-only mode is required for multiple R processes to access the database simultaneously. Default FALSE.
-----------	---

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

restez_disconnect	<i>Disconnect from restez database</i>
-------------------	--

Description

Safely disconnect from the restez connection

Usage

```
restez_disconnect()
```

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

restez_path_check	<i>Check restez filepath</i>
-------------------	------------------------------

Description

Raises error if restez path does not exist.

Usage

```
restez_path_check()
```

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#),

```
gb_build(), gb_df_create(), gb_df_generate(), gb_sql_add(), gb_sql_query(), gbrelease_check(),
gbrelease_get(), gbrelease_log(), has_data(), identify_downloadable_files(), last_add_get(),
last_dwnld_get(), last_entry_get(), latest_genbank_release(), latest_genbank_release_notes(),
message_missing(), mock_def(), mock_gb_df_generate(), mock_org(), mock_rec(), mock_seq(),
predict_datasizes(), readme_log(), restez_connect(), restez_disconnect(), restez_rl(),
search_gz(), seshinfo_log(), setup(), slctn_get(), slctn_log(), sql_path_get(), stat(),
status_class(), testdatadir_get()
```

restez_path_get	<i>Get restez path</i>
-----------------	------------------------

Description

Return filepath to where the restez database is stored.

Usage

```
restez_path_get()
```

Value

character

See Also

Other setup: [restez_path_set\(\)](#), [restez_path_unset\(\)](#), [restez_ready\(\)](#), [restez_status\(\)](#)

Examples

```
library(restez)
# set a restez path with a tempdir
restez_path_set(filepath = tempdir())
# check what the set path is
(restez_path_get())
```

restez_path_set	<i>Set restez path</i>
-----------------	------------------------

Description

Specify the filepath for the local GenBank database.

Usage

```
restez_path_set(filepath)
```

Arguments

filepath character, valid filepath to the folder where the database should be stored.

Details

Adds 'restez_path' to options(). In this path the folder 'restez' will be created and all downloaded and database files will be stored there.

See Also

Other setup: [restez_path_get\(\)](#), [restez_path_unset\(\)](#), [restez_ready\(\)](#), [restez_status\(\)](#)

Examples

```
## Not run:  
library(restez)  
restez_path_set(filepath = 'path/to/where/you/want/files/to/download')  
  
## End(Not run)
```

restez_path_unset	<i>Unset restez path</i>
-------------------	--------------------------

Description

Set the restez path to NULL

Usage

```
restez_path_unset()
```

See Also

Other setup: [restez_path_get\(\)](#), [restez_path_set\(\)](#), [restez_ready\(\)](#), [restez_status\(\)](#)

restez_ready	<i>Is restez ready?</i>
--------------	-------------------------

Description

Returns TRUE if a restez SQL database is available. Use `restez_status()` for more information.

Usage

```
restez_ready()
```

Value

Logical

See Also

Other setup: [restez_path_get\(\)](#), [restez_path_set\(\)](#), [restez_path_unset\(\)](#), [restez_status\(\)](#)

Examples

```
library(restez)
fp <- tempdir()
restez_path_set(filepath = fp)
demo_db_create(n = 5)
(restez_ready())
db_delete(everything = TRUE)
(restez_ready())
```

restez_rl	<i>Restez readline</i>
-----------	------------------------

Description

Wrapper for base readline.

Usage

```
restez_rl(prompt)
```

Arguments

prompt character, display text

Value

character

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

restez_status

Check restez status

Description

Report to console current setup status of restez.

Usage

```
restez_status(gb_check = FALSE)
```

Arguments

`gb_check` Check whether last download was from latest GenBank release? Default FALSE.

Details

Set `gb_check=TRUE` to see if your downloads are up-to-date.

Value

Status class

See Also

Other setup: [restez_path_get\(\)](#), [restez_path_set\(\)](#), [restez_path_unset\(\)](#), [restez_ready\(\)](#)

Examples

```
library(restez)
fp <- tempdir()
restez_path_set(filepath = fp)
demo_db_create(n = 5)
restez_status()
db_delete(everything = TRUE)
# Errors:
# restez_status()
```

search_gz

Scan a gzipped file for text

Description

Scans a zipped file for text strings and returns TRUE if any are present.

Usage

```
search_gz(terms, path)
```

Arguments

terms	Character vector; search terms (most likely GenBank accession numbers)
path	Path to the gzipped file to scan

Value

Logical

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_infocpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

seshinfo_log	<i>Log the system session information in restez path</i>
--------------	--

Description

Records the session and system information to file.

Usage

seshinfo_log()

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

setup	<i>Set up test common test data</i>
-------	-------------------------------------

Description

Creates temporary test folders.

Usage

setup()

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#),

[gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

slctn_get

Retrieve GenBank selections made by user

Description

Returns the selections made by the user.

Usage

```
slctn_get()
```

Details

If no file found, returns empty character vector.

Value

character vector

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

slctn_log	<i>Log the GenBank selection made by a user</i>
-----------	---

Description

This function is called whenever a user makes a selection with the [db_download\(\)](#). It records GenBank numbers selections.

Usage

```
slctn_log(selection)
```

Arguments

selection selected GenBank sequences, named vector

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

sql_path_get	<i>Get SQL path</i>
--------------	---------------------

Description

Return path to where SQL database is stored.

Usage

```
sql_path_get()
```

Value

character

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwld_path_get()`, `dwld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `stat()`, `status_class()`, `testdatadir_get()`

stat

Print blue

Description

Print to console blue text to indicate a number/statistic.

Usage

```
stat(...)
```

Arguments

... Any number of text arguments to print, character

Value

coloured character encoding, character

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwld_path_get()`, `dwld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`,

[restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [status_class\(\)](#), [testdatadir_get\(\)](#)

status_class

Generate a list class for storing status information

Description

Creates a three-part list for holding information on the status of the restez file path.

Usage

status_class()

Value

Status class

See Also

Other private: [add_rcrd_log\(\)](#), [cat_line\(\)](#), [char\(\)](#), [check_connection\(\)](#), [cleanup\(\)](#), [connected\(\)](#), [connection_get\(\)](#), [db_download_intern\(\)](#), [db_sqlngths_get\(\)](#), [db_sqlngths_log\(\)](#), [dir_size\(\)](#), [dwnld_path_get\(\)](#), [dwnld_rcrd_log\(\)](#), [entrez_fasta_get\(\)](#), [entrez_gb_get\(\)](#), [extract_accession\(\)](#), [extract_by_patterns\(\)](#), [extract_clean_sequence\(\)](#), [extract_definition\(\)](#), [extract_features\(\)](#), [extract_inforecpart\(\)](#), [extract_keywords\(\)](#), [extract_locus\(\)](#), [extract_organism\(\)](#), [extract_seqrecpart\(\)](#), [extract_sequence\(\)](#), [extract_version\(\)](#), [file_download\(\)](#), [filename_log\(\)](#), [flatfile_read\(\)](#), [gb_build\(\)](#), [gb_df_create\(\)](#), [gb_df_generate\(\)](#), [gb_sql_add\(\)](#), [gb_sql_query\(\)](#), [gbrelease_check\(\)](#), [gbrelease_get\(\)](#), [gbrelease_log\(\)](#), [has_data\(\)](#), [identify_downloadable_files\(\)](#), [last_add_get\(\)](#), [last_dwnld_get\(\)](#), [last_entry_get\(\)](#), [latest_genbank_release\(\)](#), [latest_genbank_release_notes\(\)](#), [message_missing\(\)](#), [mock_def\(\)](#), [mock_gb_df_generate\(\)](#), [mock_org\(\)](#), [mock_rec\(\)](#), [mock_seq\(\)](#), [predict_datasizes\(\)](#), [readme_log\(\)](#), [restez_connect\(\)](#), [restez_disconnect\(\)](#), [restez_path_check\(\)](#), [restez_rl\(\)](#), [search_gz\(\)](#), [seshinfo_log\(\)](#), [setup\(\)](#), [slctn_get\(\)](#), [slctn_log\(\)](#), [sql_path_get\(\)](#), [stat\(\)](#), [testdatadir_get\(\)](#)

testdatadir_get

Get test data directory

Description

Get the folder containing test data.

Usage

testdatadir_get()

See Also

Other private: `add_rcrd_log()`, `cat_line()`, `char()`, `check_connection()`, `cleanup()`, `connected()`, `connection_get()`, `db_download_intern()`, `db_sqlngths_get()`, `db_sqlngths_log()`, `dir_size()`, `dwnld_path_get()`, `dwnld_rcrd_log()`, `entrez_fasta_get()`, `entrez_gb_get()`, `extract_accession()`, `extract_by_patterns()`, `extract_clean_sequence()`, `extract_definition()`, `extract_features()`, `extract_inforecpart()`, `extract_keywords()`, `extract_locus()`, `extract_organism()`, `extract_seqrecpart()`, `extract_sequence()`, `extract_version()`, `file_download()`, `filename_log()`, `flatfile_read()`, `gb_build()`, `gb_df_create()`, `gb_df_generate()`, `gb_sql_add()`, `gb_sql_query()`, `gbrelease_check()`, `gbrelease_get()`, `gbrelease_log()`, `has_data()`, `identify_downloadable_files()`, `last_add_get()`, `last_dwnld_get()`, `last_entry_get()`, `latest_genbank_release()`, `latest_genbank_release_notes()`, `message_missing()`, `mock_def()`, `mock_gb_df_generate()`, `mock_org()`, `mock_rec()`, `mock_seq()`, `predict_datasizes()`, `readme_log()`, `restez_connect()`, `restez_disconnect()`, `restez_path_check()`, `restez_rl()`, `search_gz()`, `seshinfo_log()`, `setup()`, `slctn_get()`, `slctn_log()`, `sql_path_get()`, `stat()`, `status_class()`

Index

- * **database**
 - count_db_ids, 9
 - db_create, 10
 - db_delete, 12
 - db_download, 12
 - demo_db_create, 16
 - is_in_db, 50
 - list_db_ids, 54
- * **datasets**
 - record, 63
- * **entrez**
 - entrez_fetch, 20
- * **get**
 - gb_definition_get, 39
 - gb_fasta_get, 43
 - gb_organism_get, 44
 - gb_record_get, 45
 - gb_sequence_get, 45
 - gb_version_get, 48
- * **parse**
 - gb_extract, 42
- * **private**
 - add_rcrd_log, 4
 - cat_line, 4
 - char, 5
 - check_connection, 6
 - cleanup, 7
 - connected, 7
 - connection_get, 8
 - db_download_intern, 14
 - db_sqlngths_get, 15
 - db_sqlngths_log, 15
 - dir_size, 17
 - dwnld_path_get, 18
 - dwnld_rcrd_log, 18
 - entrez_fasta_get, 19
 - entrez_gb_get, 21
 - extract_accession, 22
 - extract_by_patterns, 23
 - extract_clean_sequence, 24
 - extract_definition, 25
 - extract_features, 26
 - extract_inforecpart, 27
 - extract_keywords, 28
 - extract_locus, 29
 - extract_organism, 30
 - extract_seqrecpart, 31
 - extract_sequence, 32
 - extract_version, 33
 - file_download, 34
 - filename_log, 34
 - flatfile_read, 35
 - gb_build, 38
 - gb_df_create, 40
 - gb_df_generate, 41
 - gb_sql_add, 46
 - gb_sql_query, 47
 - gbrelease_check, 36
 - gbrelease_get, 37
 - gbrelease_log, 37
 - has_data, 49
 - identify_downloadable_files, 49
 - last_add_get, 51
 - last_dwnld_get, 52
 - last_entry_get, 52
 - latest_genbank_release, 53
 - latest_genbank_release_notes, 54
 - message_missing, 55
 - mock_def, 56
 - mock_gb_df_generate, 57
 - mock_org, 58
 - mock_rec, 59
 - mock_seq, 60
 - predict_datasizes, 61
 - readme_log, 63
 - restez_connect, 64
 - restez_disconnect, 65
 - restez_path_check, 65

- restez_rl, 68
- search_gz, 70
- sesinfo_log, 71
- setup, 71
- slctn_get, 72
- slctn_log, 73
- sql_path_get, 73
- stat, 74
- status_class, 75
- testdatadir_get, 75
- * setup**
 - restez_path_get, 66
 - restez_path_set, 66
 - restez_path_unset, 67
 - restez_ready, 68
 - restez_status, 69
- add_rcrd_log, 4, 5–8, 14–19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- ape::DNABin(), 46
- cat_line, 4, 4, 5–8, 14–19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- char, 4, 5, 5, 6–8, 14–19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- check_connection, 4, 5, 6, 7, 8, 14–19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- cleanup, 4–6, 7, 8, 14–19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- connected, 4–7, 7, 8, 14–19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- connection_get, 4–8, 8, 14–19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- count_db_ids, 9, 11–13, 16, 50, 55
- db_create, 9, 10, 12, 13, 16, 50, 55
- db_create(), 61
- db_delete, 9, 11, 12, 13, 16, 50, 55
- db_delete(), 11
- db_download, 9, 11, 12, 12, 16, 50, 55
- db_download(), 73
- db_download_intern, 4–8, 14, 15–19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- db_sqlngths_get, 4–8, 14, 15, 16–19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- db_sqlngths_log, 4–8, 14, 15, 15, 17–19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- demo_db_create, 9, 11–13, 16, 50, 55
- dir_size, 4–8, 14–16, 17, 18, 19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- dwnld_path_get, 4–8, 14–17, 18, 19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- dwnld_rcrd_log, 4–8, 14–18, 18, 19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- entrez_fasta_get, 4–8, 14–19, 19, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- entrez_fetch, 20
- entrez_gb_get, 4–8, 14–19, 21, 22–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_accession, 4–8, 14–19, 22, 22, 23–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_by_patterns, 4–8, 14–19, 22, 23, 24–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_clean_sequence, 4–8, 14–19, 22, 23, 24, 25–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_definition, 4–8, 14–19, 22–24, 25, 26–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_features, 4–8, 14–19, 22–25, 26, 27–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_inforecpart, 4–8, 14–19, 22–26, 27, 28–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_keywords, 4–8, 14–19, 22–27, 28, 29–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_locus, 4–8, 14–19, 22–28, 29, 30–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_organism, 4–8, 14–19, 22–29, 30, 31–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_seqrecpart, 4–8, 14–19, 22–30, 31, 32–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76

- extract_sequence, 4–8, 14–19, 22–31, 32, 33–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- extract_version, 4–8, 14–20, 22–32, 33, 34–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- file_download, 4–8, 14–20, 22–34, 34, 36–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- filename_log, 4–8, 14–20, 22–33, 34, 35–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- flatfile_read, 4–8, 14–20, 22–35, 35, 36–39, 41, 42, 47, 49–54, 56–60, 62–65, 69–76
- gb_build, 4–8, 14–20, 22–38, 38, 41, 42, 47, 49–54, 56–60, 62–66, 69–76
- gb_definition_get, 39, 43–46, 48
- gb_df_create, 4–8, 14–20, 22–39, 40, 42, 47, 49–54, 56–60, 62–66, 69–76
- gb_df_generate, 4–8, 14–20, 22–39, 41, 41, 47, 49–54, 56–60, 62–66, 69–76
- gb_extract, 42
- gb_fasta_get, 40, 43, 44–46, 48
- gb_fasta_get(), 20, 61
- gb_organism_get, 40, 43, 44, 45, 46, 48
- gb_record_get, 40, 43, 44, 45, 46, 48
- gb_record_get(), 20
- gb_sequence_get, 40, 43–45, 45, 48
- gb_sql_add, 4–8, 14–20, 22–39, 41, 42, 46, 47, 49–54, 56–60, 62–66, 69–76
- gb_sql_query, 4–8, 14–20, 22–39, 41, 42, 47, 47, 49–54, 56–60, 62–66, 69–76
- gb_version_get, 40, 43–46, 48
- gbrelease_check, 4–8, 14–20, 22–36, 36, 37–39, 41, 42, 47, 49–54, 56–60, 62–66, 69–76
- gbrelease_get, 4–8, 14–20, 22–36, 37, 38, 39, 41, 42, 47, 49–54, 56–60, 62–66, 69–76
- gbrelease_log, 4–8, 14–20, 22–37, 37, 39, 41, 42, 47, 49–54, 56–60, 62–66, 69–76
- has_data, 4–8, 14–20, 22–39, 41, 42, 47, 49, 50–54, 56–60, 62–66, 69–76
- identify_downloadable_files, 4–8, 14–20, 22–39, 41, 42, 47, 49, 49, 51–54, 56–60, 62–66, 69–76
- is_in_db, 9, 11–13, 16, 50, 55
- last_add_get, 4–8, 14–20, 22–39, 41, 42, 47, 49, 50, 51, 52–54, 56–60, 62–66, 69–76
- last_dwnld_get, 4–8, 14–20, 22–39, 41, 42, 47, 49–51, 52, 53, 54, 56–60, 62–66, 69–76
- last_entry_get, 4–8, 14–20, 22–39, 41, 42, 47, 49–52, 52, 54, 56–60, 62–66, 69–76
- latest_genbank_release, 4–8, 14–20, 22–39, 41, 42, 47, 49–53, 53, 54, 56–60, 62–66, 69–76
- latest_genbank_release_notes, 4–8, 14–20, 22–39, 41, 42, 47, 49–54, 54, 56–60, 62–66, 69–76
- list_db_ids, 9, 11–13, 16, 50, 54
- message_missing, 4–8, 14–20, 22–39, 41, 42, 47, 49–54, 55, 57–60, 62–66, 69–76
- mock_def, 4–8, 14–20, 22–39, 41, 42, 47, 49–54, 56, 56, 57–60, 62–66, 69–76
- mock_gb_df_generate, 4–8, 14–20, 22–39, 41, 42, 47, 49–54, 56, 57, 57, 58–60, 62–66, 69–76
- mock_org, 4–8, 14–20, 22–39, 41, 42, 47, 49–54, 56, 57, 58, 59, 60, 62–66, 69–76
- mock_rec, 4–8, 14–20, 22–39, 41, 42, 47, 49–54, 56–58, 59, 60, 62–66, 69–76
- mock_seq, 4–8, 14–20, 22–39, 41, 42, 47, 49–54, 56–59, 60, 62–66, 69–76
- ncbi_acc_get, 60
- ncbi_acc_get(), 13, 40, 43–46, 48
- predict_datasizes, 4–8, 14–20, 22–39, 41, 42, 47, 49–54, 56–60, 61, 63–66, 69–76
- print.status, 62
- readme_log, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62, 63, 64–66, 69–76
- record, 63
- rentrez::entrez_fetch(), 21, 43, 45

`restez_connect`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62, 63, 64, 65, 66, 69–76

`restez_disconnect`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–64, 65, 66, 69–76

`restez_path_check`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–65, 65, 69–76

`restez_path_get`, 66, 67–69

`restez_path_set`, 66, 66, 67–69

`restez_path_unset`, 66, 67, 67, 68, 69

`restez_ready`, 66, 67, 68, 69

`restez_rl`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–66, 68, 70–76

`restez_status`, 66–68, 69

`search_gz`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–66, 69, 70, 71–76

`seshinfo_log`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–66, 69, 70, 71, 72–76

`setup`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–66, 69–71, 71, 72–76

`slctn_get`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–66, 69–72, 72, 73–76

`slctn_log`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–66, 69–72, 73, 74–76

`sql_path_get`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–66, 69–73, 73, 75, 76

`stat`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–66, 69–74, 74, 75, 76

`status_class`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–66, 69–75, 75, 76

`testdatadir_get`, 4–8, 14–20, 22–39, 41, 42, 47–54, 56–60, 62–66, 69–75, 75