

Package ‘tidyfit’

April 29, 2025

Type Package

Title Regularized Linear Modeling with Tidy Data

Date 2025-04-29

Version 0.7.4

Author Johann Pfizinger [aut, cre]

Maintainer Johann Pfizinger <johann.pfizinger@gmail.com>

Description

An extension to the 'R' tidy data environment for automated machine learning. The package allows fitting and cross validation of linear regression and classification algorithms on grouped data.

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 7.3.2

URL <https://tidyfit.residualmetrics.com>,
<https://github.com/jpfizinger/tidyfit>

Depends R (>= 4.1)

Imports broom, crayon, dials, dplyr, furr, generics, MASS, methods, progressr, purrr, rlang, rsample, stats, tibble, tidyr, utils, vctrs, yardstick

Suggests arm, bestglm, BMS, BoomSpikeSlab, CORElearn, e1071, gaselect, gets, gglasso, ggplot2, glmnet, hfr, iml, kableExtra, knitr, lme4, lmtree, lubridate, markdown, mboost, monomvn, mRMRe, MSwM, nnet, pls, quantreg, quantregForest, randomForest, sandwich, sensitivity, shrinkTVP, stringr, rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

Config/testthat/edition 3

NeedsCompilation no

Repository CRAN

Date/Publication 2025-04-29 18:50:02 UTC

Contents

.fit.adalasso	3
.fit.anova	4
.fit.bayes	5
.fit.blasso	7
.fit.bma	8
.fit.boost	9
.fit.bridge	11
.fit.chisq	12
.fit.cor	13
.fit.enet	14
.fit.genetic	16
.fit.gets	17
.fit.glm	18
.fit.glmm	19
.fit.group_lasso	21
.fit.hfr	22
.fit.lasso	23
.fit.lm	25
.fit.mrmr	26
.fit.mslm	27
.fit.nnet	29
.fit.pcr	30
.fit.plsr	32
.fit.quantile	33
.fit.quantile_rf	35
.fit.relief	36
.fit.rf	38
.fit.ridge	39
.fit.robust	40
.fit.spikeslab	42
.fit.subset	43
.fit.svm	45
.fit.tvp	46
classify	48
coef.tidyfit.models	50
explain	51
explain.tidyfit.models	53
Factor_Industry_Returns	55
fitted.tidyfit.models	56
get_model	57
get_tidyFit	58
m	59
predict.tidyfit.models	62
regress	63
residuals.tidyfit.models	65

.fit.adalasso *Adaptive Lasso regression or classification for tidyfit*

Description

Fits an adaptive Lasso regression or classification on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'adalasso'  
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

- `lambda` (*L1 penalty*)
- `lambda_ridge` (*L2 penalty (default = 0.01) used in the first step to determine the penalty factor*)

Important method arguments (passed to `m`)

The adaptive Lasso is a weighted implementation of the Lasso algorithm, with covariate-specific weights obtained using an initial regression fit (in this case, a ridge regression with `lambda = lambda_ridge`, where `lambda_ridge` can be passed as an argument). The adaptive Lasso is computed using the `glmnet::glmnet` function. See `?glmnet` for more details. For classification pass `family = "binomial"` to ... in `m` or use [classify](#).

Implementation

Features are standardized by default with coefficients transformed to the original scale.

If no hyperparameter grid is passed (`is.null(control$lambda)`), `dials::grid_regular()` is used to determine a sensible default grid. The grid size is 100. Note that the grid selection tools provided by `glmnet::glmnet` cannot be used (e.g. `dfmax`). This is to guarantee identical grids across groups in the tibble.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Zou, H. (2006). The Adaptive Lasso and Its Oracle Properties. *Journal of the American Statistical Association*, 101(476), 1418-1429.

Jerome Friedman, Trevor Hastie, Robert Tibshirani (2010). Regularization Paths for Generalized Linear Models via Coordinate Descent. *Journal of Statistical Software*, 33(1), 1-22. URL <https://www.jstatsoft.org/v33/i01/>.

See Also

[.fit.lasso](#), [.fit.enet](#), [.fit.ridge](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("adalasso", Return ~ ., data, lambda = 0.5)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("adalasso", lambda = c(0.1, 0.5)),
              .mask = c("Date", "Industry"))
coef(fit)
```

.fit.anova

ANOVA for tidyfit

Description

Performs Analysis of Variance on a 'tidyFit' R6 class. The function can be used with [regress](#) or [classify](#).

Usage

```
## S3 method for class 'anova'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

The function provides a wrapper for `stats::anova`. See `?anova` for more details.

First a `glm` model is fitted which is passed to `anova`.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

See Also

[.fit.lm](#), [.fit.glm](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("anova", Return ~ `Mkt-RF` + HML + SMB, data)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("anova"), .mask = c("Date", "Industry"))
tidyr::unnest(coef(fit), model_info)
```

.fit.bayes

Bayesian generalized linear regression for tidyfit

Description

Fits a Bayesian regression on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'bayes'
.fit(self, data = NULL)
```

Arguments

`self` a 'tidyFit' R6 class.
`data` a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details**Hyperparameters:**

None. Cross validation not applicable.

Important method arguments (passed to `m`)

The function provides a wrapper for `arm::bayesglm`. See `?bayesglm` for more details.

Implementation

No implementation notes

Value

A fitted 'tidyFit' class model.
A 'tibble'.

Author(s)

Johann Pfizinger

References

Gelman A, Su Y (2021). *arm: Data Analysis Using Regression and Multilevel/Hierarchical Models*. R package version 1.12-2, <https://CRAN.R-project.org/package=arm>.

See Also

[.fit.glm](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("bayes", Return ~ ., data)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("bayes"), .mask = c("Date", "Industry"))
coef(fit)
```

.fit.blasso *Bayesian Lasso regression for tidyfit*

Description

Fits a Bayesian Lasso regression on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'blasso'  
.fit(self, data = NULL)
```

Arguments

self	a tidyFit R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

The function provides a wrapper for `monomvn::blasso`. See `?blasso` for more details.

Implementation

Features are standardized by default with coefficients transformed to the original scale.

Value

A fitted tidyFit class model.

Author(s)

Johann Pfizinger

References

Gramacy RB, (qpgen2/quadprog) wFcfCMAubBAT (2023). *monomvn: Estimation for MVN and Student-t Data with Monotone Missingness*. R package version 1.9-17, <https://CRAN.R-project.org/package=monomvn>.

See Also

[.fit.lasso](#), [.fit.bridge](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("blasso", Return ~ ., data, T = 100)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("blasso", T = 100),
              .mask = c("Date", "Industry"))
coef(fit)
```

`.fit.bma`*Bayesian model averaging for tidyfit*

Description

Fits a Bayesian model averaging regression on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'bma'
.fit(self, data = NULL)
```

Arguments

<code>self</code>	a 'tidyFit' R6 class.
<code>data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>).

Details**Hyperparameters:**

None. Cross validation not applicable.

Important method arguments (passed to `m`)

- `iter` (*number of iteration draws*)
- `mcmc` (*model sampler used (default 'bd')*)

The function provides a wrapper for `BMS::bms`. See `?bms` for more details.

Implementation

The underlying function automatically generates plotting output, which is not suppressed.

Use `coef(fit)` to obtain posterior mean, standard deviation as well as posterior inclusion probabilities for the features.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Feldkircher, M. and S. Zeugner (2015). *Bayesian Model Averaging Employing Fixed and Flexible Priors: The BMS Package for R*, Journal of Statistical Software 68(4).

See Also

[.fit.bayes](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("bma", Return ~ `Mkt-RF` + HML + SMB + RMW + CMA, data)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("bma"), .mask = c("Date", "Industry"))
coef(fit)
```

.fit.boost

Gradient boosting regression for tidyfit

Description

Fits a gradient boosting regression or classification on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'boost'
.fit(self, data = NULL)
```

Arguments

self a 'tidyFit' R6 class.
data a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

- `mstop` (*number of boosting iterations*)
- `nu` (*step size*)

Important method arguments (passed to `m`)

The gradient boosting regression is performed using `mboost::glmboost`. See `?glmboost` for more details.

Implementation

Features are standardized by default with coefficients transformed to the original scale.

If no hyperparameter grid is passed (`is.null(control$mstop)` and `is.null(control$nu)`), the default grid is used with `mstop = c(100, 500, 1000, 5000)` and `nu = c(0.01, 0.05, 0.1, 0.15, 0.2, 0.25)`.

Value

A fitted 'tidyFit' class model.

A 'tibble'.

Author(s)

Johann Pfizinger

References

T. Hothorn, P. Buehlmann, T. Kneib, M. Schmid, and B. Hofner (2022). `mboost: Model-Based Boosting`, R package version 2.9-7, <https://CRAN.R-project.org/package=mboost>.

See Also

[m](#) method

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("boost", Return ~ ., data, nu = 0.1, mstop = 100)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("boost", nu = c(0.1, 0.05), mstop = 100),
              .mask = c("Date", "Industry"))
coef(fit)
```

.fit.bridge *Bayesian ridge regression for tidyfit*

Description

Fits a Bayesian ridge regression on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'bridge'  
.fit(self, data = NULL)
```

Arguments

self	a tidyFit R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

The function provides a wrapper for `monomvn::bridge`. See `?bridge` for more details.

Implementation

Features are standardized by default with coefficients transformed to the original scale.

Value

A fitted tidyFit class model.

Author(s)

Johann Pfizinger

References

Gramacy RB, (qpgen2/quadprog) wFcfCMAubBAT (2023). *monomvn: Estimation for MVN and Student-t Data with Monotone Missingness*. R package version 1.9-17, <https://CRAN.R-project.org/package=monomvn>.

See Also

[.fit.ridge](#), [.fit.blasso](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("bridge", Return ~ ., data, T = 100)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("bridge", T = 100),
              .mask = c("Date", "Industry"))
coef(fit)
```

```
.fit.chisq
```

```
Pearson's Chi-squared test for tidyfit
```

Description

Calculates Pearson's Chi-squared test on a 'tidyFit' R6 class. The function can be used with [classify](#).

Usage

```
## S3 method for class 'chisq'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details**Hyperparameters:**

None. Cross validation not applicable.

Important method arguments (passed to m)

The function provides a wrapper for `stats::chisq.test`. See `?chisq.test` for more details.

Implementation

Results can be viewed using `coef`.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

See Also

[.fit.cor](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::mutate_at(data, dplyr::vars(-Date, -Industry), dplyr::ntile, n = 10)

# Within 'classify' function
fit <- classify(data, Return ~ ., m("chisq"), .mask = c("Date", "Industry"))
tidyr::unnest(coef(fit), model_info)
```

.fit.cor

Pearson's correlation for tidyfit

Description

Calculates Pearson's correlation coefficient on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'cor'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to [m](#))

The function provides a wrapper for `stats::cor.test`. See `?cor.test` for more details.

Implementation

Results can be viewed using `coef`.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

See Also

[.fit.chisq](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("cor", Return ~ `Mkt-RF` + HML + SMB, data)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("cor"), .mask = c("Date", "Industry"))
tidyr::unnest(coef(fit), model_info)
```

.fit.enet

ElasticNet regression or classification for tidyfit

Description

Fits an ElasticNet regression or classification on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'enet'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

- lambda (*penalty*)
- alpha (*L1-L2 mixing parameter*)

Important method arguments (passed to `m`)

The ElasticNet regression is estimated using `glmnet::glmnet`. See `?glmnet` for more details. For classification pass `family = "binomial"` to ... in `m` or use `classify`.

Implementation

If the response variable contains more than 2 classes, a multinomial response is used automatically. An intercept is always included and features are standardized with coefficients transformed to the original scale.

If no hyperparameter grid is passed (`is.null(control$lambda)` and `is.null(control$alpha)`), `dials::grid_regular()` is used to determine a sensible default grid. The grid size is 100 for lambda and 5 for alpha. Note that the grid selection tools provided by `glmnet::glmnet` cannot be used (e.g. `dfmax`). This is to guarantee identical grids across groups in the tibble.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfiztinger

References

Jerome Friedman, Trevor Hastie, Robert Tibshirani (2010). Regularization Paths for Generalized Linear Models via Coordinate Descent. *Journal of Statistical Software*, 33(1), 1-22. URL <https://www.jstatsoft.org/v33/i01/>.

See Also

[.fit.lasso](#), [.fit.adalasso](#), [.fit.ridge](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry_Returns

# Stand-alone function
fit <- m("enet", Return ~ ., data, lambda = c(0, 0.1), alpha = 0.5)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("enet", alpha = c(0, 0.5), lambda = c(0.1)),
              .mask = c("Date", "Industry"), .cv = "vfold_cv")
coef(fit)
```

.fit.genetic

Genetic algorithm with linear regression fitness evaluator for tidyfit

Description

Fits a linear regression with variable selection using a genetic algorithm on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'genetic'
.fit(self, data = NULL)
```

Arguments

self	a tidyFit R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

- statistic
- populationSize
- numGenerations
- minVariables
- maxVariables

The function provides a wrapper for `gaselect::genAlg`. See `?genAlg` for more details.

Implementation

Control arguments are passed to `gaselect::genAlgControl` (the function automatically identifies which arguments are for the control object, and which for `gaselect::genAlg`).

`gaselect::evaluatorLM` is used as the evaluator with the relevant arguments automatically identified by the function.

Value

A fitted tidyFit class model.

Author(s)

Johann Pfizinger

References

Kepplinger D (2023). *gaselect: Genetic Algorithm (GA) for Variable Selection from High-Dimensional Data*. R package version 1.0.21, <https://CRAN.R-project.org/package=gaselect>.

See Also

[.fit.lm](#), [.fit.bayes](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Generally used inside 'regress' function
fit <- regress(data, Return ~ ., m("genetic", statistic = "BIC"),
              .mask = c("Date", "Industry"))
coef(fit)
```

.fit.gets

General-to-specific regression for tidyfit

Description

Fits a general-to-specific (GETS) regression on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'gets'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to [m](#))

- `max.paths` (*Number of paths to search*)

The function provides a wrapper for `gets::gets`. See `?gets` for more details.

Implementation

Print output is suppressed by default. Use `'print.searchinfo = TRUE'` for print output.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Pretis F, Reade JJ, Sucarrat G (2018). *Automated General-to-Specific (GETS) Regression Modeling and Indicator Saturation for Outliers and Structural Breaks*. Journal of Statistical Software 86(3), 1-44.

See Also

[.fit.robust](#), [.fit.glm](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("gets", Return ~ `Mkt-RF` + HML + SMB, data)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("gets"), .mask = c("Date", "Industry"))
coef(fit)
```

.fit.glm

Generalized linear regression for tidyfit

Description

Fits a linear or logistic regression on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'glm'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

The function provides a wrapper for `stats::glm`. See `?glm` for more details.

Implementation

No implementation notes

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

See Also

[.fit.lm](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data$Return <- ifelse(data$Return > 0, 1, 0)

# Stand-alone function
fit <- m("glm", Return ~ ., data)
fit

# Within 'classify' function
fit <- classify(data, Return ~ ., m("glm"), .mask = c("Date", "Industry"))
coef(fit)
```

.fit.glmm

Generalized linear mixed-effects model for tidyfit

Description

Fits a linear or logistic mixed-effects model (GLMM) on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'glmm'
.fit(self, data = NULL)
```

Arguments

`self` a 'tidyFit' R6 class.
`data` a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

The function provides a wrapper for `lme4::glmer`. See `?glmer` for more details.

Implementation

No implementation notes

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Douglas Bates, Martin Maechler, Ben Bolker, Steve Walker (2015). Fitting Linear Mixed-Effects Models Using lme4. *Journal of Statistical Software*, 67(1), 1-48. doi:10.18637/jss.v067.i01.

See Also

[.fit.glm](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry_Returns
data$Return <- ifelse(data$Return > 0, 1, 0)

# Estimate model with random effects
fit <- classify(data, Return ~ CMA + (CMA | Industry), logit = m("glmm"),
               .mask = "Date")
fit
```

.fit.group_lasso *Grouped Lasso regression and classification for tidyfit*

Description

Fits a linear regression or classification with a grouped L1 penalty on a 'tidyFit' R6 class. The function can be used with `regress` and `classify`.

Usage

```
## S3 method for class 'group_lasso'  
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>).

Details

Hyperparameters:

- lambda (*L1 penalty*)

Important method arguments (passed to `m`)

The Group Lasso regression is estimated using `gglasso::gglasso`. The 'group' argument is a named vector passed directly to `m()` (see examples). See `?gglasso` for more details. Only binomial classification is possible. Weights are ignored for classification.

Implementation

Features are standardized by default with coefficients transformed to the original scale.

If no hyperparameter grid is passed (`is.null(control$lambda)`), `dials::grid_regular()` is used to determine a sensible default grid. The grid size is 100. Note that the grid selection tools provided by `gglasso::gglasso` cannot be used (e.g. `dfmax`). This is to guarantee identical grids across groups in the tibble.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Yang Y, Zou H, Bhatnagar S (2020). *gglasso: Group Lasso Penalized Learning Using a Unified BMD Algorithm*. R package version 1.5, <https://CRAN.R-project.org/package=gglasso>.

See Also

[.fit.lasso](#), [.fit.blasso](#), [.fit.adalasso](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

groups <- setNames(c(1, 2, 2, 3, 3, 1), c("Mkt-RF", "SMB", "HML", "RMW", "CMA", "RF"))

# Stand-alone function
fit <- m("group_lasso", Return ~ ., data, lambda = 0.5, group = groups)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("group_lasso", lambda = c(0.1, 0.5), group = groups),
              .mask = c("Date", "Industry"))
coef(fit)
```

.fit.hfr

Hierarchical feature regression for tidyfit

Description

Fits a hierarchical feature regression on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'hfr'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details**Hyperparameters:**

- kappa (*proportional size of regression graph*)

Important method arguments (passed to m)

The hierarchical feature regression is estimated using the `hfr::cv.hfr` function. See `?cv.hfr` for more details.

Implementation

Features are standardized by default with coefficients transformed to the original scale.

If no hyperparameter grid is provided (`is.null(control$kappa)`), the default is `seq(0, 1, by = 0.1)`.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfiztinger

References

Pfizinger J (2022). *hfr: Estimate Hierarchical Feature Regression Models*. R package version 0.5.0, <https://CRAN.R-project.org/package=hfr>.

See Also

[.fit.plsr](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry_Returns

# Stand-alone function
fit <- m("hfr", Return ~ ., data, kappa = 0.5)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("hfr", kappa = c(0.1, 0.5)),
               .mask = c("Date", "Industry"))
coef(fit)
```

`.fit.lasso`*Lasso regression and classification for tidyfit*

Description

Fits a linear regression or classification with L1 penalty on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'lasso'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details**Hyperparameters:**

- lambda (*L1 penalty*)

Important method arguments (passed to m)

The Lasso regression is estimated using `glmnet::glmnet` with `alpha = 1`. See `?glmnet` for more details. For classification pass `family = "binomial"` to `...` in `m` or use `classify`.

Implementation

If the response variable contains more than 2 classes, a multinomial response is used automatically.

Features are standardized by default with coefficients transformed to the original scale.

If no hyperparameter grid is passed (`is.null(control$lambda)`), `dials::grid_regular()` is used to determine a sensible default grid. The grid size is 100. Note that the grid selection tools provided by `glmnet::glmnet` cannot be used (e.g. `dfmax`). This is to guarantee identical grids across groups in the tibble.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Jerome Friedman, Trevor Hastie, Robert Tibshirani (2010). Regularization Paths for Generalized Linear Models via Coordinate Descent. *Journal of Statistical Software*, 33(1), 1-22. URL <https://www.jstatsoft.org/v33/i01/>.

See Also

[.fit.enet](#), [.fit.ridge](#), [.fit.adalasso](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("lasso", Return ~ ., data, lambda = 0.5)
fit
```

```
# Within 'regress' function
fit <- regress(data, Return ~ ., m("lasso", lambda = c(0.1, 0.5)),
              .mask = c("Date", "Industry"))
coef(fit)
```

`.fit.lm`*Linear regression for tidyfit*

Description

Fits a linear regression on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'lm'
.fit(self, data = NULL)
```

Arguments

<code>self</code>	a 'tidyFit' R6 class.
<code>data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

The function provides a wrapper for `stats::lm`. See `?lm` for more details.

Implementation

An argument `vcov.` can be passed in control or to `...` in `m` to estimate the model with robust standard errors. `vcov.` can be one of "BS", "HAC", "HC" and "OPG" and is passed to the `sandwich` package.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfitzinger

See Also

[.fit.robust](#), [.fit.glm](#) and `m` methods

Examples

```

# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("lm", Return ~ `Mkt-RF` + HML + SMB, data)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("lm"), .mask = c("Date", "Industry"))
coef(fit)

# With robust standard errors
fit <- m("lm", Return ~ `Mkt-RF` + HML + SMB, data, vcov. = "HAC")
fit

```

.fit.mrmr	<i>Minimum redundancy, maximum relevance feature selection for tidyfit</i>
-----------	--

Description

Selects features for continuous or (ordered) factor data using MRMR on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```

## S3 method for class 'mrmr'
.fit(self, data = NULL)

```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details**Hyperparameters:**

None. Cross validation not applicable.

Important method arguments (passed to m)

- feature_count (*number of features to select*)
- solution_count (*ensemble size*)

The MRMR algorithm is estimated using the `mRMRe::mRMR.ensemble` function. See `?mRMR.ensemble` for more details.

Implementation

Use with `regress` for regression problems and with `classify` for classification problems. The selected features can be obtained using `coef`.

The MRMR objects have no `predict` and related methods.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

De Jay N, Papillon-Cavanagh S, Olsen C, Bontempi G and Haibe-Kains B (2012). *mRMRe: an R package for parallelized mRMR ensemble feature selection*.

See Also

[m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::filter(data, Industry == "HiTec")
data <- dplyr::select(data, SMB, HML, RMW, CMA, Return)

## Not run:
fit <- m("mrmr", Return ~ ., data, feature_count = 2)

# Retrieve selected features
coef(fit)

## End(Not run)
```

Description

Fits a Markov-Switching regression on a 'tidyFit' R6 class. The function can be used with `regress`.

Usage

```
## S3 method for class 'mslm'  
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details**Hyperparameters:**

None. Cross validation not applicable.

Important method arguments (passed to `m`)

- `k` (the number of regimes)
- `sw` (logical vector indicating which coefficients switch)
- `control` (additional fitting parameters)

The function provides a wrapper for `MSwM::msmFit`. See `?msmFit` for more details.

Implementation

Note that only the regression method with 'lm' is implemented at this stage.

An argument `index_col` can be passed, which allows a custom index to be added to `coef(m("mslm"))` (e.g. a date index).

If no `sw` argument is passed, all coefficients are permitted to switch between regimes.“

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Sanchez-Espigares JA, Lopez-Moreno A (2021). *MSwM: Fitting Markov Switching Models*. R package version 1.5, <https://CRAN.R-project.org/package=MSwM>.

See Also

[.fit.tvp](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::filter(data, Industry == "HiTec", Date >= 201801)
data <- dplyr::select(data, -Industry)

ctr <- list(maxiter = 100, parallelization = FALSE)

# Stand-alone function
fit <- m("mslm", Return ~ HML, data, index_col = "Date", k = 2, control = ctr)
fit

# Within 'regress' function
fit <- regress(data, Return ~ HML,
              m("mslm", index_col = "Date", k = 2, control = ctr))
tidyr::unnest(coef(fit), model_info)
```

`.fit.nnet`*Neural Network regression for tidyfit*

Description

Fits a single-hidden-layer neural network regression on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'nnet'
.fit(self, data = NULL)
```

Arguments

<code>self</code>	a 'tidyFit' R6 class.
<code>data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>).

Details

Hyperparameters:

- `size` (*number of units in the hidden layer*)
- `decay` (*parameter for weight decay*)
- `maxit` (*maximum number of iterations*)

Important method arguments (passed to m)

The function provides a wrapper for `nnet::nnet.formula`. See `?nnet` for more details.

Implementation

For `regress`, linear output units (`linout=True`) are used, while `classify` implements the default logic of `nnet` (`entropy=TRUE` for 2 target classes and `softmax=TRUE` for more classes).

Value

A fitted 'tidyFit' class model.

Author(s)

Phil Holzmeister

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("nnet", Return ~ ., data)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("nnet", decay=0.5, size = 8),
              .mask = c("Date", "Industry"))

# Within 'classify' function
fit <- classify(iris, Species ~ ., m("nnet", decay=0.5, size = 8))
```

.fit.pcr

Principal Components Regression for tidyfit

Description

Fits a principal components regression on a 'tidyFit' R6 class. The function can be used with `regress`.

Usage

```
## S3 method for class 'pcr'
.fit(self, data = NULL)
```

Arguments

<code>self</code>	a 'tidyFit' R6 class.
<code>data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>).

Details

Hyperparameters:

- `ncomp` (*number of components*)
- `ncomp_pct` (*number of components, percentage of features*)

Important method arguments (passed to `m`)

The principal components regression is fitted using `pls` package. See `?pcr` for more details.

Implementation

Covariates are standardized, with coefficients back-transformed to the original scale. An intercept is always included.

If no hyperparameter grid is passed (`is.null(control$ncomp) & is.null(control$ncomp_pct)`), the default is `ncomp_pct = seq(0, 1, length.out = 20)`, where 0 results in one component and 1 results in the number of features.

When `'jackknife = TRUE'` is passed (and a `'validation'` method is chosen), `coef` also returns the jack-knife standard errors, t-statistics and p-values.

Note that at present `pls` does not offer weighted implementations or non-gaussian response. The method can therefore only be used with [regress](#)

Value

A fitted `'tidyFit'` class model.

Author(s)

Johann Pfizinger

References

Liland K, Mevik B, Wehrens R (2022). *pls: Partial Least Squares and Principal Component Regression*. R package version 2.8-1, <https://CRAN.R-project.org/package=pls>.

See Also

[.fit.plsr](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::filter(data, Industry == "HiTec")
data <- dplyr::select(data, -Industry)

# Stand-alone function
fit <- m("pcr", Return ~ ., data, ncomp = 1:3)
fit

# Within 'regress' function
```

```
fit <- regress(data, Return ~ .,
              m("pcr", jackknife = TRUE, validation = "L00", ncomp_pct = 0.5),
              .mask = c("Date"))
tidyr::unnest(coef(fit), model_info)
```

```
.fit.plsr
```

Partial Least Squares Regression for tidyfit

Description

Fits a partial least squares regression on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'plsr'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

- ncomp (*number of components*)
- ncomp_pct (*number of components, percentage of features*)

Important method arguments (passed to `m`)

The partial least squares regression is fitted using `pls` package. See `?pls` for more details.

Implementation

Covariates are standardized, with coefficients back-transformed to the original scale. An intercept is always included.

If no hyperparameter grid is passed (`is.null(control$ncomp) & is.null(control$ncomp_pct)`), the default is `ncomp_pct = seq(0, 1, length.out = 20)`, where 0 results in one component and 1 results in the number of features.

When `'jackknife = TRUE'` is passed (and a 'validation' method is chosen), `coef` also returns the jack-knife standard errors, t-statistics and p-values.

Note that at present `pls` does not offer weighted implementations or non-gaussian response. The method can therefore only be used with [regress](#)

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Liland K, Mevik B, Wehrens R (2022). *pls: Partial Least Squares and Principal Component Regression*. R package version 2.8-1, <https://CRAN.R-project.org/package=pls>.

See Also

[.fit.pcr](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::filter(data, Industry == "HiTec")
data <- dplyr::select(data, -Industry)

# Stand-alone function
fit <- m("pls", Return ~ ., data, ncomp = 1:3)
fit

# Within 'regress' function
fit <- regress(data, Return ~ .,
               m("pcr", jackknife = TRUE, validation = "LOO", ncomp_pct = 0.5),
               .mask = c("Date"))
tidyr::unnest(coef(fit), model_info)
```

.fit.quantile *Quantile regression for tidyfit*

Description

Fits a linear quantile regression on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'quantile'
.fit(self, data = NULL)
```

Arguments

self a 'tidyFit' R6 class.
data a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

- `tau` (the quantile(s) to be estimated)

The function provides a wrapper for `quantreg::rq`. See `?rq` for more details. The argument `tau` is the chosen quantile (default `tau = 0.5`).

Implementation

No implementation notes

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Koenker R (2022). *quantreg: Quantile Regression*. R package version 5.94, <https://CRAN.R-project.org/package=quantreg>.

See Also

[.fit.lm](#), [.fit.bayes](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::filter(data, Industry == "HiTec")

fit <- regress(data, Return ~ .,
              m("quantile", tau = c(0.1, 0.5, 0.9)),
              .mask = c("Date", "Industry"))
coef(fit)
```

.fit.quantile_rf *Quantile regression forest for tidyfit*

Description

Fits a nonlinear quantile regression forest on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'quantile_rf'  
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

- ntree (*number of trees*)
- mtry (*number of variables randomly sampled at each split*)

Important method arguments (passed to `m`)

- tau (the quantile(s) to be estimated)

The function provides a wrapper for `quantregForest::quantregForest`. See `?quantregForest` for more details. The argument `tau` is the chosen quantile (default `tau = 0.5`). `tau` is passed directly to `m('quantile_rf', tau = c(0.1, 0.5, 0.9))` and is not passed to `predict` as in the `quantregForest::quantregForest` package. This is done to ensure a consistent interface with the quantile regression from `quantreg`.

Implementation

No implementation notes

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Meinshausen N (2017). *quantregForest: Quantile Regression Forests*. R package version 1.3-7, <https://CRAN.R-project.org/package=quantregForest>.

See Also

[.fit.quantile](#), [.fit.rf](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::filter(data, Industry == "HiTec")
data <- dplyr::select(data, -Date, -Industry)

# Stand-alone function
fit <- m("quantile_rf", Return ~ ., data, tau = 0.5, ntree = 50)
fit

# Within 'regress' function
fit <- regress(data, Return ~ .,
               m("quantile_rf", tau = c(0.1, 0.5, 0.9), ntree = 50))
explain(fit)
```

.fit.relief

ReliefF and RReliefF feature selection algorithm for tidyfit

Description

Selects features for continuous or factor data using ReliefF on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'relief'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

- `estimator` (*selection algorithm to use (default is 'ReliefFequalK')*)

The ReliefF algorithm is estimated using the `CORElearn::attrEval` function. See `?attrEval` for more details.

Implementation

Use with `regress` for regression problems and with `classify` for classification problems. `coef` returns the score for each feature. Select the required number of features with the largest scores.

The Relief objects have no `predict` and related methods.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Robnik-Sikonja M, Savicky P (2021). *CORElearn: Classification, Regression and Feature Evaluation*. R package version 1.56.0, <https://CRAN.R-project.org/package=CORElearn>.

See Also

`.fit.mrmr` and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::filter(data, Industry == "HiTec")
data <- dplyr::select(data, -Date, -Industry)

# Stand-alone function
fit <- m("relief", Return ~ ., data)
coef(fit)

# Within 'regress' function
fit <- regress(data, Return ~ ., m("relief"))
coef(fit)
```

`.fit.rf`*Random Forest regression or classification for tidyfit*

Description

Fits a random forest on a 'tidyFit' R6 class. The function can be used with `regress` and `classify`.

Usage

```
## S3 method for class 'rf'  
.fit(self, data = NULL)
```

Arguments

<code>self</code>	a 'tidyFit' R6 class.
<code>data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>).

Details

Hyperparameters:

- `ntree` (*number of trees*)
- `mtry` (*number of variables randomly sampled at each split*)

Important method arguments (passed to `m`)

The function provides a wrapper for `randomForest::randomForest`. See `?randomForest` for more details.

Implementation

The random forest is always fit with `importance = TRUE`. The feature importance values are extracted using `coef()`.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Liaw, A. and Wiener, M. (2002). *Classification and Regression by randomForest*. R News 2(3), 18–22.

See Also

`.fit.svm`, `.fit.boost` and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::filter(data, Industry == "HiTec")
data <- dplyr::select(data, -Date, -Industry)

# Stand-alone function
fit <- m("rf", Return ~ ., data)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("rf"))
explain(fit)
```

`.fit.ridge`*Ridge regression and classification for tidyfit*

Description

Fits a linear regression or classification with L2 penalty on a 'tidyFit' R6 class. The function can be used with `regress` and `classify`.

Usage

```
## S3 method for class 'ridge'
.fit(self, data = NULL)
```

Arguments

<code>self</code>	a tidyFit R6 class.
<code>data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>).

Details

Hyperparameters:

- `lambda` (*L2 penalty*)

Important method arguments (passed to `m`)

The ridge regression is estimated using `glmnet::glmnet` with `alpha = 0`. See `?glmnet` for more details. For classification pass `family = "binomial"` to `...` in `m` or use `classify`.

Implementation

If the response variable contains more than 2 classes, a multinomial response is used automatically. Features are standardized by default with coefficients transformed to the original scale.

If no hyperparameter grid is passed (`is.null(control$lambda)`), `dials::grid_regular()` is used to determine a sensible default grid. The grid size is 100. Note that the grid selection tools provided by `glmnet::glmnet` cannot be used (e.g. `dfmax`). This is to guarantee identical grids across groups in the tibble.

Value

A fitted `tidyFit` class model.

Author(s)

Johann Pfizinger

References

Jerome Friedman, Trevor Hastie, Robert Tibshirani (2010). Regularization Paths for Generalized Linear Models via Coordinate Descent. *Journal of Statistical Software*, 33(1), 1-22. URL <https://www.jstatsoft.org/v33/i01/>.

See Also

[.fit.lasso](#), [.fit.adalasso](#), [.fit.enet](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("ridge", Return ~ ., data, lambda = 0.5)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("ridge", lambda = c(0.1, 0.5)),
              .mask = c("Date", "Industry"))
coef(fit)
```

`.fit.robust`

Robust regression for tidyfit

Description

Fits a robust linear regression on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'robust'
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

- method (estimation algorithm, e.g. 'M', 'MM')

The function provides a wrapper for MASS::r1m. See ?r1m for more details.

Implementation

An argument `vcov.` can be passed in control or to `...` in `m` to estimate the model with robust standard errors. `vcov.` can be one of "BS", "HAC", "HC" and "OPG" and is passed to the sandwich package.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

W. N. Venables and B. D. Ripley (2002). *Modern Applied Statistics with S. 4th ed., Springer, New York*. URL <https://www.stats.ox.ac.uk/pub/MASS4/>.

See Also

[.fit.lm](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

fit <- regress(data, Return ~ ., m("robust"), .mask = c("Date", "Industry"))
coef(fit)

# With robust standard errors
fit <- m("robust", Return ~ `Mkt-RF` + HML + SMB, data, vcov. = "HAC")
tidyr::unnest(coef(fit), model_info)
```

```
.fit.spikeslab
```

```
Bayesian Spike and Slab regression or classification for tidyfit
```

Description

Fits a Bayesian Spike and Slab regression or classification on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'spikeslab'
.fit(self, data = NULL)
```

Arguments

self	a tidyFit R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

In the case of **regression**, arguments are passed to `BoomSpikeSlab::lm.spike` and `BoomSpikeSlab::SpikeSlabPrior`. Check those functions for details.

`BoomSpikeSlab::SpikeSlabPrior`

- `expected.r2`
- `prior.df`
- `expected.model.size`

`BoomSpikeSlab::lm.spike`

- `niter`

In the case of **classification**, arguments are passed to `BoomSpikeSlab::logit.spike` and `BoomSpikeSlab::SpikeSlabGlmPrior`. Check those functions for details.

`BoomSpikeSlab::logit.spike`

- `niter`

I advise against the use of `BoomSpikeSlab::SpikeSlabGlmPrior` at the moment, since it appears to be buggy.

The function provides wrappers for `BoomSpikeSlab::lm.spike` and `BoomSpikeSlab::logit.spike`. See `?lm.spike` and `?logit.spike` for more details.

Implementation

Prior arguments are passed to `BoomSpikeSlab::SpikeSlabPrior` and `BoomSpikeSlab::SpikeSlabGlmPrior` (the function automatically identifies which arguments are for the prior, and which for `BoomSpikeSlab::lm.spike` or `BoomSpikeSlab::logit.spike`).

`BoomSpikeSlab::logit.spike` is automatically selected when using `classify`.

Value

A fitted `tidyFit` class model.

Author(s)

Johann Pfizinger

References

Scott SL (2022). *BoomSpikeSlab: MCMC for Spike and Slab Regression*. R package version 1.2.5, <https://CRAN.R-project.org/package=BoomSpikeSlab>.

See Also

[.fit.lasso](#), [.fit.blasso](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("spikeslab", Return ~ ., data, niter = 100)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("spikeslab", niter = 100),
               .mask = c("Date", "Industry"))
coef(fit)
```

.fit.subset

Best subset regression and classification for tidyfit

Description

Fits a best subset regression or classification on a 'tidyFit' R6 class. The function can be used with [regress](#) and [classify](#).

Usage

```
## S3 method for class 'subset'  
.fit(self, data = NULL)
```

Arguments

self	a 'tidyFit' R6 class.
data	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from dbplyr or dtplyr).

Details**Hyperparameters:**

None. Cross validation not applicable.

Important method arguments (passed to `m`)

- method (e.g. 'forward', 'backward')
- IC (information criterion, e.g. 'AIC')

The best subset regression is estimated using `bestglm::bestglm` which is a wrapper around `leaps::regsubsets` for the regression case, and performs an exhaustive search for the classification case. See `?bestglm` for more details.

Implementation

Forward or backward selection can be performed by passing `method = "forward"` or `method = "backward"` to `m`.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

A.I. McLeod, Changjiang Xu and Yuanhao Lai (2020). *bestglm: Best Subset GLM and Regression Utilities*. R package version 0.37.3. URL <https://CRAN.R-project.org/package=bestglm>.

See Also

[.fit.lm](#) and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("subset", Return ~ ., data, method = c("forward", "backward"))
tidyr::unnest(fit, settings)

# Within 'regress' function
fit <- regress(data, Return ~ ., m("subset", method = "forward"),
              .mask = c("Date", "Industry"))
coef(fit)
```

`.fit.svm`*Support vector regression or classification for tidyfit*

Description

Fits a support vector regression or classification on a 'tidyFit' R6 class. The function can be used with [regress](#) or [classify](#).

Usage

```
## S3 method for class 'svm'
.fit(self, data = NULL)
```

Arguments

<code>self</code>	a 'tidyFit' R6 class.
<code>data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>).

Details

Hyperparameters:

- `cost` (*cost of constraint violation*)
- `epsilon` (*epsilon in the insensitive-loss function*)

Important method arguments (passed to `m`)

The function provides a wrapper for `e1071::svm`. See `?svm` for more details.

Implementation

The default value for the `kernel` argument is set to 'linear'. If set to a different value, no coefficients will be returned.

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfitzinger

References

Meyer D, Dimitriadou E, Hornik K, Weingessel A, Leisch F (2022). *e1071: Misc Functions of the Department of Statistics, Probability Theory Group (Formerly: E1071), TU Wien*. R package version 1.7-12, <https://CRAN.R-project.org/package=e1071>.

See Also

[.fit.boost](#), [.fit.lasso](#) and [m](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::filter(data, Industry == "HiTec")

# Stand-alone function
fit <- m("svm", Return ~ `Mkt-RF` + HML + SMB, data, cost = 0.1)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("svm", cost = 0.1),
              .mask = c("Date", "Industry"))
coef(fit)
```

.fit.tvp

Bayesian Time-Varying Regression for tidyfit

Description

Fits a Bayesian time-varying regression on a 'tidyFit' R6 class. The function can be used with [regress](#).

Usage

```
## S3 method for class 'tvp'
.fit(self, data = NULL)
```

Arguments

<code>self</code>	a 'tidyFit' R6 class.
<code>data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>).

Details

Hyperparameters:

None. Cross validation not applicable.

Important method arguments (passed to `m`)

- `mod_type`
- `niter` (number of MCMC iterations)

The function provides a wrapper for `shrinkTVP::shrinkTVP`. See `?shrinkTVP` for more details.

Implementation

An argument `index_col` can be passed, which allows a custom index to be added to `coef(m("tvp"))` (e.g. a date index, see Examples).

Value

A fitted 'tidyFit' class model.

Author(s)

Johann Pfizinger

References

Peter Knaus, Angela Bitto-Nemling, Annalisa Cadonna and Sylvia Frühwirth-Schnatter (2021). *Shrinkage in the Time-Varying Parameter Model Framework Using the R Package shrinkTVP*. *Journal of Statistical Software* 100(13), 1–32. doi:10.18637/jss.v100.i13.

See Also

`.fit.bayes`, `.fit.mslm` and `m` methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::filter(data, Industry == "HiTec")
data <- dplyr::select(data, -Industry)

# Within 'regress' function (using low niter for illustration)
fit <- regress(data, Return ~ ., m("tvp", niter = 10, index_col = "Date"))
tidyr::unnest(coef(fit), model_info)
```

 classify

Classification on tidy data

Description

This function is a wrapper to fit many different types of linear classification models on a (grouped) tibble.

Arguments

<code>.data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>). The data frame can be grouped.
<code>formula</code>	an object of class "formula": a symbolic description of the model to be fitted.
<code>...</code>	name-function pairs of models to be estimated. See 'Details'.
<code>.cv</code>	type of 'rsample' cross validation procedure to use to determine optimal hyperparameter values. Default is <code>.cv = "none"</code> . See 'Details'.
<code>.cv_args</code>	additional settings to pass to the 'rsample' cross validation function.
<code>.weights</code>	optional name of column containing sample weights.
<code>.mask</code>	optional vector of columns names to ignore. Can be useful when using <code>'y ~ .'</code> formula syntax.
<code>.return_slices</code>	logical. Should the output of individual cross validation slices be returned or only the final fit. Default is <code>.return_slices=FALSE</code> .
<code>.return_grid</code>	logical. Should the output of the individual hyperparameter grids be returned or only the best fitting set of hyperparameters. Default is <code>.return_grid=FALSE</code> .
<code>.tune_each_group</code>	logical. Should optimal hyperparameters be selected for each group or once across all groups. Default is <code>.tune_each_group=TRUE</code> .
<code>.force_cv</code>	logical. Should models be evaluated across all cross validation slices, even if no hyperparameters are tuned. Default is <code>.force_cv=FALSE</code> .

Details

`classify` fits all models passed in `...` using the `m` function. The models can be passed as name-function pairs (e.g. `ols = m("lm")`) or without including a name.

Hyperparameters are tuned automatically using the `.cv` and `.cv_args` arguments, or can be passed to `m()` (e.g. `lasso = m("lasso", lambda = 0.5)`). See the individual model functions (`?m()`) for an overview of hyperparameters.

Cross validation is performed using the 'rsample' package with possible methods including

- `'initial_split'` (simple train-test split)
- `'initial_time_split'` (train-test split with retained order)
- `'vfold_cv'` (aka kfold cross validation)
- `'loo_cv'` (leave-one-out)

- 'rolling_origin' (generalized time series cross validation, e.g. rolling or expanding windows)
- 'sliding_window', 'sliding_index', 'sliding_period' (specialized time series splits)
- 'bootstraps'
- 'group_vfold_cv', 'group_bootstraps'

See package documentation for 'rsample' for all available methods.

The negative log loss is used to validate performance in the cross validation.

Note that arguments for weights are automatically passed to the functions by setting the '.weights' argument. Weights are also considered during cross validation by calculating weighted versions of the cross validation loss function.

classify can handle both binomial and multinomial response distributions, however not all underlying methods are capable of handling a multinomial response.

Value

A tidyfit.models frame containing model details for each group.

The '**tidyfit.models**' frame consists of 4 different components:

1. A group of identifying columns (e.g. model name, data groups, grid IDs)
2. A 'model_object' column, which contains the fitted model.
3. A nested 'settings' column containing model arguments and hyperparameters
4. Columns showing errors, warnings and messages (if applicable)

Coefficients, predictions, fitted values or residuals can be accessed using the built-in coef, predict, fitted and resid methods. Note that all coefficients are transformed to ensure comparability across methods.

Author(s)

Johann Pfizinger

See Also

[regress](#), [coef.tidyfit.models](#) and [predict.tidyfit.models](#) method

Examples

```
data <- tidyfit::Factor_Industry>Returns
data <- dplyr::mutate(data, Return = ifelse(Return > 0, 1, 0))
fit <- classify(data, Return ~ ., m("lasso", lambda = c(0.001, 0.1)), .mask = c("Date", "Industry"))

# Print the models frame
tidyr::unnest(fit, settings)

# View coefficients
coef(fit)
```

coef.tidyfit.models *Extract coefficients from a tidyfit.models frame*

Description

The function extracts and prepares coefficients from all models in a tidyfit.models frame and outputs a tidy frame of estimates.

Usage

```
## S3 method for class 'tidyfit.models'
coef(
  object,
  ...,
  .add_bootstrap_interval = FALSE,
  .bootstrap_alpha = 0.05,
  .keep_grid_id = FALSE
)
```

Arguments

object	model.frame created using <code>regress</code> , <code>classify</code> or <code>m</code>
...	currently not used
.add_bootstrap_interval	calculate bootstrap intervals for the parameters. See 'Details'.
.bootstrap_alpha	confidence level used for the bootstrap interval. Default is .bootstrap_alpha = 0.05.
.keep_grid_id	boolean. By default the grid ID column is dropped, if there is only one unique setting per model or group. .keep_grid_id = TRUE ensures that the column is never dropped.

Details

The function uses the 'model_object' column in a tidyfit.model frame to return a data frame of estimated coefficients.

Results are 'tidied' using `broom::tidy` whenever possible.

All coefficients are transformed to ensure statistical comparability. For instance, standardized coefficients are always transformed back to the original data scale, naming conventions are harmonized etc.

Bootstrap intervals:

Bootstrap intervals can be calculated using `rsample::int_pct1`. Only set `.add_bootstrap_interval = TRUE` if you are using `.cv = "bootstraps"` in combination with `.return_slices = TRUE` to generate the model frame.

Value

A 'tibble'.

Author(s)

Johann Pfizinger

See Also

[predict.tidyfit.models](#), [fitted.tidyfit.models](#) and [residuals.tidyfit.models](#)

Examples

```
data <- tidyfit::Factor_Industry>Returns
fit <- regress(data, Return ~ ., m("lm"), .mask = c("Date", "Industry"))
coef(fit)
```

explain	<i>An interface for variable importance measures for a fitted tidyfit.models frames</i>
---------	---

Description

A generic method for calculating XAI and variable importance methods for tidyfit.models frames.

Usage

```
explain(object, use_package = NULL, use_method = NULL, ...)
```

Arguments

object	model.frame created using regress , classify or m
use_package	the package to use to calculate variable importance. See 'Details' for possible options.
use_method	the method from 'use_package' that should be used to calculate variable importance.
...	additional arguments passed to the importance method

Details

WARNING This function is currently in an experimental stage.

The function uses the 'model_object' column in a tidyfit.model frame to return variable importance measures for each model.

Possible packages and methods include:

sensitivity package::

The package provides methods to assess variable importance in linear regressions ('lm') and classifications ('glm').

Usage: use_package="sensitivity" *Methods:*

- "lmg" (Shapley regression),
- "pmvd" (Proportional marginal variance decomposition),
- "src" (standardized regression coefficients),
- "pcc" (partial correlation coefficients),
- "johnson" (Johnson indices)

See ?sensitivity::lmg for more information and additional arguments.

iml package::

Integration with iml is currently in progress. The methods can be used for 'nnet', 'rf', 'lasso', 'enet', 'ridge', 'adalasso', 'glm' and 'lm'.

Usage: use_package="iml" *Methods:*

- "Shapley" (SHAP values)
- "LocalModel" (LIME)
- "FeatureImp" (Permutation-based feature importance)

The argument 'which_rows' (vector of integer indexes) can be used to explain specific rows in the data set for Shapley and LocalModel methods.

randomForest package::

This uses the native importance method of the randomForest package and can be used with 'rf' and 'quantile_rf' regression and classification.

Usage: use_package="randomForest" *Methods:*

- "mean_decrease_accuracy"

Value

A 'tibble'.

Author(s)

Johann Pfizinger

References

Molnar C, Bischl B, Casalicchio G (2018). "iml: An R package for Interpretable Machine Learning." *JOSS*, 3(26), 786. doi:10.21105/joss.00786.

Iooss B, Veiga SD, Janon A, Pujol G, Broto wcfB, Boumhaout K, Clouvel L, Delage T, Amri RE, Fruth J, Gilquin L, Guillaume J, Herin M, Idrissi MI, Le Gratiel L, Lemaitre P, Marrel A, Meynaoui A, Nelson BL, Monari F, Oomen R, Rakovec O, Ramos B, Rochet P, Roustant O, Sarazin G, Song E, Staum J, Sueur R, Touati T, Verges V, Weber F (2024). *sensitivity: Global Sensitivity Analysis of Model Outputs and Importance Measures*. R package version 1.30.0, <https://CRAN.R-project.org/package=sensitivity>.

A. Liaw and M. Wiener (2002). Classification and Regression by randomForest. *R News* 2(3), 18–22.

Examples

```

data <- dplyr::group_by(tidyfit::Factor_Industry>Returns, Industry)
fit <- regress(data, Return ~ ., m("lm"), .mask = "Date")
tidyfit::explain(fit, use_package = "sensitivity", use_method = "src")

# SHAP can be slow and is therefore not run
## Not run:
data <- dplyr::filter(tidyfit::Factor_Industry>Returns, Industry == Industry[1])
fit <- regress(data, Return ~ ., m("lm"), .mask = c("Date", "Industry"))
explain(fit, use_package = "iml", use_method = "Shapley", which_rows = c(1))

## End(Not run)

```

explain.tidyfit.models

An interface for variable importance measures for a fitted tidyfit.models frames

Description

A generic method for calculating XAI and variable importance methods for tidyfit.models frames.

Usage

```

## S3 method for class 'tidyfit.models'
explain(
  object,
  use_package = NULL,
  use_method = NULL,
  ...,
  .keep_grid_id = FALSE
)

```

Arguments

object	model.frame created using <code>regress</code> , <code>classify</code> or <code>m</code>
use_package	the package to use to calculate variable importance. See 'Details' for possible options.
use_method	the method from 'use_package' that should be used to calculate variable importance.
...	additional arguments passed to the importance method
.keep_grid_id	boolean. By default the grid ID column is dropped, if there is only one unique setting per model or group. <code>.keep_grid_id = TRUE</code> ensures that the column is never dropped.

Details

WARNING This function is currently in an experimental stage.

The function uses the 'model_object' column in a tidyfit.model frame to return variable importance measures for each model.

Possible packages and methods include:

sensitivity package::

The package provides methods to assess variable importance in linear regressions ('lm') and classifications ('glm').

Usage: use_package="sensitivity" *Methods:*

- "lmg" (Shapley regression),
- "pmvd" (Proportional marginal variance decomposition),
- "src" (standardized regression coefficients),
- "pcc" (partial correlation coefficients),
- "johnson" (Johnson indices)

See ?sensitivity::lmg for more information and additional arguments.

iml package::

Integration with iml is currently in progress. The methods can be used for 'nnet', 'rf', 'lasso', 'enet', 'ridge', 'adalamo', 'glm' and 'lm'.

Usage: use_package="iml" *Methods:*

- "Shapley" (SHAP values)
- "LocalModel" (LIME)
- "FeatureImp" (Permutation-based feature importance)

The argument 'which_rows' (vector of integer indexes) can be used to explain specific rows in the data set for Shapley and LocalModel methods.

randomForest package::

This uses the native importance method of the randomForest package and can be used with 'rf' and 'quantile_rf' regression and classification.

Usage: use_package="randomForest" *Methods:*

- "mean_decrease_accuracy"

Value

A 'tibble'.

Author(s)

Johann Pfizinger

References

Molnar C, Bischl B, Casalicchio G (2018). “iml: An R package for Interpretable Machine Learning.” *JOSS*, 3(26), 786. doi:10.21105/joss.00786.

Iooss B, Veiga SD, Janon A, Pujol G, Broto wcfB, Boumhaout K, Clouvel L, Delage T, Amri RE, Fruth J, Gilquin L, Guillaume J, Herin M, Idrissi MI, Le Gratiel L, Lemaitre P, Marrel A, Meynaoui A, Nelson BL, Monari F, Oomen R, Rakovec O, Ramos B, Rochet P, Roustant O, Sarazin G, Song E, Staum J, Sueur R, Touati T, Verges V, Weber F (2024). *sensitivity: Global Sensitivity Analysis of Model Outputs and Importance Measures*. R package version 1.30.0, <https://CRAN.R-project.org/package=sensitivity>.

A. Liaw and M. Wiener (2002). Classification and Regression by randomForest. *R News* 2(3), 18–22.

Examples

```
data <- dplyr::group_by(tidyfit::Factor_Industry_Returns, Industry)
fit <- regress(data, Return ~ ., m("lm"), .mask = "Date")
explain(fit, use_package = "sensitivity", use_method = "src")

# SHAP can be slow and is therefore not run
## Not run:
data <- dplyr::filter(tidyfit::Factor_Industry_Returns, Industry == Industry[1])
fit <- regress(data, Return ~ ., m("lm"), .mask = c("Date", "Industry"))
explain(fit, use_package = "iml", use_method = "Shapley", which_rows = c(1))

## End(Not run)
```

Factor_Industry_Returns

Industry-Factor Returns Data Set

Description

The data set includes monthly returns between 1963 and 2022 for 10 industries, as well as factor values for 5 Fama-French factors.

References

https://mba.tuck.dartmouth.edu/pages/faculty/ken.french/data_library.html

fitted.tidyfit.models *Obtain fitted values from models in a tidyfit.models frame*

Description

The function generates fitted values for all models in a `tidyfit.models` frame and outputs a tidy frame.

Usage

```
## S3 method for class 'tidyfit.models'  
fitted(object, ...)
```

Arguments

<code>object</code>	model.frame created using regress , classify or m
<code>...</code>	currently not used

Details

The function uses the 'model_object' column in a `tidyfit.model` frame to return fitted values for each model.

Value

A 'tibble'.

Author(s)

Johann Pfizinger

See Also

[coef.tidyfit.models](#), [predict.tidyfit.models](#) and [residuals.tidyfit.models](#)

Examples

```
data <- dplyr::group_by(tidyfit::Factor_Industry>Returns, Industry)  
fit <- regress(data, Return ~ ., m("lm"), .mask = "Date")  
fitted(fit)
```

get_model	<i>Get a fitted model from a tidyfit.models frame</i>
-----------	---

Description

Returns a single fitted model object produced by the underlying fitting algorithm from a tidyfit.models frame based on a given row number.

Usage

```
get_model(df, ..., .first_row = TRUE)
```

Arguments

df	a tidyfit.models frame created using m(), regress(), classify() and similar methods
...	arguments passed to dplyr::filter to filter row in 'df' for which the model should be returned. filters can also include columns nested in df\$settings.
.first_row	should the first row be returned if the (filtered) df contains multiple rows

Details

This method is a utility to return the object fitted by the underlying algorithm. For instance, when m("lm") is used to create the tidyfit.models frame, the returned object is of class "lm".

Value

An object of the class associated with the underlying fitting algorithm

Author(s)

Johann Pfizinger

See Also

[get_tidyFit](#) method

Examples

```
# Load data
data("mtcars")

# fit separate models for transmission types
mtcars <- dplyr::group_by(mtcars, am)

fit <- regress(mtcars, mpg ~ ., m("lm"))

# get the model for single row
```

```
summary(get_model(fit, am == 0))  
  
# get model by row number  
summary(get_model(fit, dplyr::row_number() == 2))
```

get_tidyFit*Get a tidyFit model from a tidyfit.models frame*

Description

Returns a single tidyFit object from a tidyfit.models frame based on a given row number.

Usage

```
get_tidyFit(df, ..., .first_row = TRUE)
```

Arguments

df	a tidyfit.models frame created using m(), regress(), classify() and similar methods
...	arguments passed to dplyr::filter to filter row in 'df' for which the model should be returned. filters can also include columns nested in df\$settings.
.first_row	should the first row be returned if the (filtered) df contains multiple rows

Details

This method is a utility to return the tidyFit object from a row index of the tidyfit.models frame. The tidyFit object contains the fitted model and several additional objects necessary to reproduce the analysis or refit the model on new data.

Value

An object of the class associated with the underlying fitting algorithm

Author(s)

Johann Pfizinger

See Also

[get_model](#) method

Examples

```
# Load data
data("mtcars")

# fit separate models for transmission types
mtcars <- dplyr::group_by(mtcars, am)

fit <- regress(mtcars, mpg ~ ., m("lm"))

# get the model for single row
get_tidyFit(fit, am == 0)

# get model by row number
get_tidyFit(fit, dplyr::row_number() == 2)
```

m

Generic model wrapper for tidyfit

Description

The function can fit various regression or classification models and returns the results as a tibble. `m()` can be used in conjunction with [regress](#) and [classify](#), or as a stand-alone function.

Usage

```
m(model_method, formula = NULL, data = NULL, ...)
```

Arguments

<code>model_method</code>	The name of the method to fit. See Details.
<code>formula</code>	an object of class "formula": a symbolic description of the model to be fitted.
<code>data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>).
<code>...</code>	Additional arguments passed to the underlying method function (e.g. <code>lm</code> or <code>glm</code>).

Details

`model_method` specifies the model to fit to the data and can take one of several options:

Linear (generalized) regression or classification:

"`lm`" performs an OLS regression using `stats::lm`. See [.fit.lm](#) for details.

"`glm`" performs a generalized regression or classification using `stats::glm`. See [.fit.glm](#) for details.

"`anova`" performs analysis of variance using `stats::anova`. See [.fit.anova](#) for details.

"`robust`" performs a robust regression using `MASS::rlm`. See [.fit.robust](#) for details.

"`quantile`" performs a quantile regression using `quantreg::rq`. See [.fit.quantile](#) for details.

Regression and classification with L1 and L2 penalties:

"lasso" performs a linear regression or classification with L1 penalty using `glmnet::glmnet`. See [.fit.lasso](#) for details.

"ridge" performs a linear regression or classification with L2 penalty using `glmnet::glmnet`. See [.fit.ridge](#) for details.

"adalasso" performs an Adaptive Lasso regression or classification using `glmnet::glmnet`. See [.fit.adalasso](#) for details.

"enet" performs a linear regression or classification with L1 and L2 penalties using `glmnet::glmnet`. See [.fit.enet](#) for details.

"group_lasso" performs a linear regression or classification with grouped L1 penalty using `gglasso::gglasso`. See [.fit.group_lasso](#) for details.

Other Machine Learning:

"boost" performs gradient boosting regression or classification using `mboost::glmboost`. See [.fit.boost](#) for details.

"rf" performs a random forest regression or classification using `randomForest::randomForest`. See [.fit.rf](#) for details.

"quantile_rf" performs a quantile random forest regression or classification using `quantregForest::quantregForest`. See [.fit.quantile_rf](#) for details.

"svm" performs a support vector regression or classification using `e1071::svm`. See [.fit.svm](#) for details.

"nnet" performs a neural network regression or classification using `nnet::nnet`. See [.fit.nnet](#) for details.

Factor regressions:

"pcr" performs a principal components regression using `pls::pcr`. See [.fit.pcr](#) for details.

"plsr" performs a partial least squares regression using `pls::plsr`. See [.fit.plsr](#) for details.

"hfr" performs a hierarchical feature regression using `hfr::hfr`. See [.fit.hfr](#) for details.

Best subset selection:

"subset" performs a best subset regression or classification using `bestglm::bestglm` (wrapper for leaps). See [.fit.subset](#) for details.

"gets" performs a general-to-specific regression using `gets::gets`. See [.fit.gets](#) for details.

Bayesian methods:

"bayes" performs a Bayesian generalized regression or classification using `arm::bayesglm`. See [.fit.bayes](#) for details.

"bridge" performs a Bayesian ridge regression using `monomvn::bridge`. See [.fit.bridge](#) for details.

"blasso" performs a Bayesian Lasso regression using `monomvn::blasso`. See [.fit.blasso](#) for details.

"spikeslab" performs a Bayesian Spike and Slab regression using `BoomSpikeSlab::lm.spike`. See [.fit.spikeslab](#) for details.

"bma" performs a Bayesian model averaging regression using `BMS::bms`. See [.fit.bma](#) for details.

"tvp" performs a Bayesian time-varying parameter regression using `shrinkTVP::shrinkTVP`. See [.fit.tvp](#) for details.

Mixed-effects modeling:

"glm" performs a mixed-effects GLM using `lme4::glmer`. See [.fit.glm](#) for details.

Specialized time series methods:

"mslm" performs a Markov-switching regression using `MSwM::msmFit`. See [.fit.mslm](#) for details.

Feature selection:

"cor" calculates Pearson's correlation coefficient using `stats::cor.test`. See [.fit.cor](#) for details.

"chisq" calculates Pearson's Chi-squared test using `stats::chisq.test`. See [.fit.chisq](#) for details.

"mrmr" performs a minimum redundancy, maximum relevance features selection routine using `mRMRe::mRMR.ensemble`. See [.fit.mrmr](#) for details.

"relief" performs a ReliefF feature selection routine using `CORElearn::attrEval`. See [.fit.relief](#) for details.

"genetic" performs a linear regression with feature selection using the genetic algorithm implemented in `gaselect::genAlg`. See [.fit.genetic](#) for details.

When called without formula and data arguments, the function returns a 'tidyfit.models' data frame with unfitted models.

Value

A 'tidyfit.models' data frame.

Author(s)

Johann Pfizinger

See Also

[regress](#) and [classify](#) methods

Examples

```
# Load data
data <- tidyfit::Factor_Industry>Returns

# Stand-alone function
fit <- m("lm", Return ~ ., data)
fit

# Within 'regress' function
fit <- regress(data, Return ~ ., m("lm"), .mask = "Date")
fit
```

`predict.tidyfit.models`*Predict using a tidyfit.models frame*

Description

The function generates predictions for all models in a `tidyfit.models` frame and outputs a tidy frame.

Usage

```
## S3 method for class 'tidyfit.models'  
predict(object, newdata, ..., .keep_grid_id = FALSE)
```

Arguments

<code>object</code>	model.frame created using regress , classify or m
<code>newdata</code>	New values at which predictions are to made
<code>...</code>	currently not used
<code>.keep_grid_id</code>	boolean. By default the grid ID column is dropped, if there is only one unique setting per model or group. <code>.keep_grid_id = TRUE</code> ensures that the column is never dropped.

Details

The function uses the `'model_object'` column in a `tidyfit.model` frame to return predictions using the `newdata` argument for each model.

When the response variable is found in `newdata`, it is automatically included as a `'truth'` column.

Value

A `'tibble'`.

Author(s)

Johann Pfizinger

See Also

[coef.tidyfit.models](#), [residuals.tidyfit.models](#) and [fitted.tidyfit.models](#)

Examples

```
data <- dplyr::group_by(tidyfit::Factor_Industry_Returns, Industry)  
fit <- regress(data, Return ~ ., m("lm"), .mask = "Date")  
predict(fit, data)
```

regress *Linear regression on tidy data*

Description

This function is a wrapper to fit many different types of linear regression models on a (grouped) tibble.

Arguments

<code>.data</code>	a data frame, data frame extension (e.g. a tibble), or a lazy data frame (e.g. from <code>dbplyr</code> or <code>dtplyr</code>). The data frame can be grouped.
<code>formula</code>	an object of class "formula": a symbolic description of the model to be fitted.
<code>...</code>	name-function pairs of models to be estimated. See 'Details'.
<code>.cv</code>	type of 'rsample' cross validation procedure to use to determine optimal hyperparameter values. Default is <code>.cv = "none"</code> . See 'Details'.
<code>.cv_args</code>	additional settings to pass to the 'rsample' cross validation function.
<code>.weights</code>	optional name of column containing sample weights.
<code>.mask</code>	optional vector of columns names to ignore. Can be useful when using 'y ~ .' formula syntax.
<code>.return_slices</code>	logical. Should the output of individual cross validation slices be returned or only the final fit. Default is <code>.return_slices=FALSE</code> .
<code>.return_grid</code>	logical. Should the output of the individual hyperparameter grids be returned or only the best fitting set of hyperparameters. Default is <code>.return_grid=FALSE</code> .
<code>.tune_each_group</code>	logical. Should optimal hyperparameters be selected for each group or once across all groups. Default is <code>.tune_each_group=TRUE</code> .
<code>.force_cv</code>	logical. Should models be evaluated across all cross validation slices, even if no hyperparameters are tuned. Default is <code>.force_cv=FALSE</code> .

Details

`regress` fits all models passed in `...` using the `m` function. The models can be passed as name-function pairs (e.g. `ols = m("lm")`) or without including a name.

Hyperparameters are tuned automatically using the `.cv` and `.cv_args` arguments, or can be passed to `m()` (e.g. `lasso = m("lasso", lambda = 0.5)`). See the individual model functions (`?m()`) for an overview of hyperparameters.

Cross validation is performed using the 'rsample' package with possible methods including

- 'initial_split' (simple train-test split)
- 'initial_time_split' (train-test split with retained order)
- 'vfold_cv' (aka kfold cross validation)
- 'loo_cv' (leave-one-out)

- 'rolling_origin' (generalized time series cross validation, e.g. rolling or expanding windows)
- 'sliding_window', 'sliding_index', 'sliding_period' (specialized time series splits)
- 'bootstraps'
- 'group_vfold_cv', 'group_bootstraps'

See package documentation for 'rsample' for all available methods.

The mean squared error loss is used to validate performance in the cross validation.

Note that arguments for weights are automatically passed to the functions by setting the '.weights' argument. Weights are also considered during cross validation by calculating weighted versions of the cross validation loss function.

Value

A `tidyfit.models` frame containing model details for each group.

The '**tidyfit.models**' frame consists of 4 different components:

1. A group of identifying columns (e.g. model name, data groups, grid IDs)
2. A 'model_object' column, which contains the fitted model.
3. A nested 'settings' column containing model arguments and hyperparameters
4. Columns showing errors, warnings and messages (if applicable)

Coefficients, predictions, fitted values or residuals can be accessed using the built-in `coef`, `predict`, `fitted` and `resid` methods. Note that all coefficients are transformed to ensure comparability across methods.

Author(s)

Johann Pfizinger

See Also

[classify](#), [coef.tidyfit.models](#) and [predict.tidyfit.models](#) method

Examples

```
data <- tidyfit::Factor_Industry_Returns
fit <- regress(data, Return ~ ., m("lasso", lambda = c(0.001, 0.1)), .mask = c("Date", "Industry"))

# Print the models frame
tidyr::unnest(fit, settings)

# View coefficients
coef(fit)
```

`residuals.tidyfit.models`*Obtain residuals from models in a tidyfit.models frame*

Description

The function generates residuals for all models in a `tidyfit.models` frame and outputs a tidy frame.

Usage

```
## S3 method for class 'tidyfit.models'  
residuals(object, ...)
```

Arguments

<code>object</code>	model.frame created using regress , classify or m
<code>...</code>	currently not used

Details

The function uses the `'model_object'` column in a `tidyfit.model` frame to return residuals for each model.

Value

A 'tibble'.

Author(s)

Johann Pfizinger

See Also

[coef.tidyfit.models](#), [predict.tidyfit.models](#) and [fitted.tidyfit.models](#)

Examples

```
data <- dplyr::group_by(tidyfit::Factor_Industry>Returns, Industry)  
fit <- regress(data, Return ~ ., m("lm"), .mask = "Date")  
resid(fit)
```

Index

- * **data**
 - Factor_Industry_Returns, 55
 - .fit.adalasso, 3, 15, 22, 24, 40, 60
 - .fit.anova, 4, 59
 - .fit.bayes, 5, 9, 17, 34, 47, 60
 - .fit.blasso, 7, 11, 22, 43, 60
 - .fit.bma, 8, 60
 - .fit.boost, 9, 38, 46, 60
 - .fit.bridge, 7, 11, 60
 - .fit.chisq, 12, 14, 61
 - .fit.cor, 13, 13, 61
 - .fit.enet, 4, 14, 24, 40, 60
 - .fit.genetic, 16, 61
 - .fit.gets, 17, 60
 - .fit.glm, 5, 6, 18, 18, 20, 25, 59
 - .fit.glmm, 19, 61
 - .fit.group_lasso, 21, 60
 - .fit.hfr, 22, 60
 - .fit.lasso, 4, 7, 15, 22, 23, 40, 43, 46, 60
 - .fit.lm, 5, 17, 19, 25, 34, 41, 44, 59
 - .fit.mrmr, 26, 37, 61
 - .fit.mslm, 27, 47, 61
 - .fit.nnet, 29, 60
 - .fit.pcr, 30, 33, 60
 - .fit.plsr, 23, 31, 32, 60
 - .fit.quantile, 33, 36, 59
 - .fit.quantile_rf, 35, 60
 - .fit.relief, 36, 61
 - .fit.rf, 36, 38, 60
 - .fit.ridge, 4, 11, 15, 24, 39, 60
 - .fit.robust, 18, 25, 40, 59
 - .fit.spikeslab, 42, 60
 - .fit.subset, 43, 60
 - .fit.svm, 38, 45, 60
 - .fit.tvp, 28, 46, 60
- classify, 3–5, 9, 12, 14, 15, 18, 19, 21, 23, 24, 26, 27, 29, 30, 36–39, 42, 43, 45, 48, 50, 51, 53, 56, 59, 61, 62, 64, 65
- coef.tidyfit.models, 49, 50, 56, 62, 64, 65
- explain, 51
- explain.tidyfit.models, 53
- Factor_Industry_Returns, 55
- fitted.tidyfit.models, 51, 56, 62, 65
- get_model, 57, 58
- get_tidyFit, 57, 58
- m, 3–28, 30–48, 50, 51, 53, 56, 59, 62, 63, 65
- predict.tidyfit.models, 49, 51, 56, 62, 64, 65
- regress, 3–5, 7–9, 11, 13, 14, 16–19, 21–23, 25–27, 29–33, 35–40, 42, 43, 45, 46, 49–51, 53, 56, 59, 61, 62, 63, 65
- residuals.tidyfit.models, 51, 56, 62, 65